PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE for POPULATION and REPRODUCTIVE HEALTH

Nigeria (Lagos) Snapshot of Indicators Phase 1 (2020) Survey

Suggested citation: Centre for Research, Evaluation Resources and Development (CRERD), Bayero University Kano (BUK), and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) SurveyPhase1SnapshotofIndicators, PMA/Nigeria-P1SOIs. 2020.* Nigeria and Baltimore, Maryland, USA.











Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	1469	1469
Age Group			
15-19	14.0	206	215
20-24	14.0	206	201
25-29	15.5	228	236
30-34	17.7	260	245
35-39	17.8	261	258
40-44	12.7	187	188
45-49	8.3	122	126
Marital Status			
Married, or in union	60.9	895	877
Unmarried, sexually active	7.9	116	126
Parity			
0-1 children	47.6	699	716
2-3 children	33.1	487	475
4+ children	19.3	283	278
Residence	2010	200	2/0
	100.0	1160	1100
Urban	100.0	1469	1469
Education			
Never	2.4	35	29
Primary	9.4	138	133
Secondary	51.1	751	778
Higher	37.0	543	527
Wealth Quintile			
Lowest	17.2	252	228
Lower	20.2	297	313
Middle	18.4	270	292
High	21.3	313	315
Highest	22.9	337	321
Region			
Lagos	100.0	1469	1469
24603	100.0	1405	1705



Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

	Any M	lethod	Modern	Method ¹	Traditiona	l Method
Background Characteristics	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total	Wonnen	Women	Wonnen	Women	Wonnen	Women
All	38.2	46.5	25.4	28.6	12.7	17.9
Age Group						
15-19	7.0		6.3		0.7	
20-24	39.8	31.3	32.3	7.9	7.5	23.4
25-29	35.2	34.8	20.4	17.6	14.8	17.3
30-34	49.0	52.6	29.6	32.7	19.4	19.9
35-39	47.6	49.5	34.8	35.5	12.9	14.0
40-44	51.8	54.5	31.6	32.9	20.2	21.6
45-49	29.1	35.6	16.9	19.5	12.3	16.1
Marital Status						
Married, or in union	46.5	na	28.6	na	17.9	na
Unmarried, sexually active	70.6	na	54.7	na	15.9	na
Parity						
0-1 children	24.0	23.0	17.9	12.5	6.1	10.5
2-3 children	47.0	48.7	28.9	29.5	18.2	19.2
4+ children	57.9	61.3	38.2	39.7	19.7	21.6
Residence						
Urban	38.2	46.5	25.4	28.6	12.7	17.9
Education						
Never	19.6		11.4		8.2	
Primary	35.1	40.4	24.1	28.1	11.0	12.3
Secondary	35.9	47.2	23.1	27.0	12.8	20.3
Higher	43.0	49.0	29.8	31.2	13.2	17.8
Wealth Quintile						
Lowest	37.9	42.7	26.0	26.0	11.9	16.7
Lower	36.7	42.3	24.0	24.5	12.7	17.8
Middle	39.0	47.9	25.4	29.3	13.6	18.5
High	35.6	42.3	22.1	24.2	13.5	18.2
Highest	41.3	55.2	29.4	37.1	11.9	18.2
Region						
Lagos	38.2	46.5	25.4	28.6	12.7	17.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations



Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics	;			All	Users	(N :	= 561	L)					Ma	rried l	Jsers	(N =	416)		
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total All	0.4	13.0	5.1	6.5	0.6	8.0	9.4	22.6	1.1	33.4	0.6	16.6	6.7	8.4	0.7	8.4	6.8	11.9	1.4	38.6
Age Group 15-19 20-24	 0.0	 1.2	 0.0	 0.0	 0.0	 5.1	 13.0	 61.9	 0.0	 18.8										
25-29 30-34	0.0 0.0	9.6 17.0	0.0 7.4	1.6 5.6	0.0 0.5	5.0 9.2	18.7 4.6	23.2 14.6	0.0 1.7	42.0 39.5	0.0	15.6 17.8	0.0 8.1	2.6 6.1	0.0 0.6	6.7 7.9	12.8 5.0	12.8 14.7	0.0 1.8	49.6 37.8
35-39 40-44 45-49	0.0 1.5 <i>2.7</i>	20.4 15.2 <i>7.5</i>	7.3 6.8 <i>9.9</i>	13.0 9.7 6.7	0.8 1.5 <i>0.0</i>	10.4 8.6 <i>7.8</i>	8.9 5.3 7.7	10.9 10.3 <i>15.5</i>	1.3 2.2 0.0	27.0 39.0 <i>42.1</i>	0.0 1.6 2.9	22.1 15.5 <i>4.5</i>	7.1 7.3 10.7	13.7 9.4 <i>7.2</i>	0.9 1.6 <i>0.0</i>	9.6 9.2 <i>6.4</i>	7.6 3.9 <i>8.3</i>	9.3 9.4 14.8	1.4 2.4 <i>0.0</i>	28.3 39.6 45.2
Marital Status Married, or in union Unmarried, sexually ad	0.6 tive 0.0	16.6 1.2	6.7 0.0	8.4 0.0	0.7 0.0	8.4 6.5	6.8 18.2	11.9 51.6	1.4 0.0	38.6 22.5	na na	na na	na na	na na	na na	na na	na na	na na	na na	na na
Parity 0-1 children 2-3 children 4+ children	0.0 0.3 1.0	1.9 19.5 15.4	0.0 6.6 8.3	0.0 6.9 12.4	0.0 0.6 1.1	6.0 7.2 11.2	16.6 7.9 3.9	48.7 11.6 11.4	1.3 0.7 1.3	25.5 38.6 34.0	0.0 0.4 1.0	<i>4.6</i> 19.9 15.7	0.0 7.0 8.1	0.0 6.8 13.0	0.0 0.6 1.1	9.0 7.0 10.2	17.1 6.9 3.5	<i>18.8</i> 11.3 10.7	4.6 0.8 1.4	45.8 39.4 35.2
Residence Urban	0.4	13.0	5.1	6.5	0.6	8.0	9.4	22.6	1.1	33.4	0.6	16.6	6.7	8.4	0.7	8.4	6.8	11.9	1.4	38.6
Education Never Primary Secondary Higher	0.0 0.5 0.4	 13.7 11.7 14.4	 2.8 4.4 6.6	 12.9 4.7 6.3	0.0 1.2 0.0	 19.6 8.7 5.1	 9.3 8.7 10.5	 10.3 24.4 23.4	0.0 0.0 2.5	 <i>31.3</i> 35.7 30.7	 0.0 0.8 0.6	 14.7 14.8 19.1	 3.0 5.7 9.0	 12.9 6.6 8.0	0.0 1.6 0.0	 19.5 8.7 5.5	 10.0 6.6 6.4	9.5 12.3 11.7	0.0 0.0 3.5	 30.4 42.9 36.3
Wealth Quinti Lowest Lower Middle	0.0 0.7 1.5	12.4 13.1 8.9	5.8 2.7 5.5	5.1 5.6 5.5	1.0 0.6 1.4	9.6 6.2 13.7	8.0 10.2 7.5	26.6 26.4 21.1	0.0 0.0 0.0	31.4 34.6 35.0	0.0 1.0 1.9	15.5 17.7 11.2	8.0 3.9 6.9	8.4 7.6 5.8	1.7 0.9 1.7	13.0 6.8 13.0	6.6 5.8 6.8	7.7 14.2 13.9	0.0 0.0 0.0	39.1 42.0 38.8
High Highest Region	0.0 0.0	13.5 16.2	5.7 5.8	7.6 7.9	0.0 0.0	6.5 5.3	7.4 12.6	21.3 19.1	0.0 4.2	38.0 28.8	0.0	18.3 19.3	7.7 6.8	10.3 9.4	0.0 0.0	7.7 4.3	5.6 8.2	7.5 14.1	0.0 5.0	42.9 32.9
Lagos	0.4	13.0	5.1	6.5	0.6	8.0	9.4	22.6	1.1	33.4	0.6	16.6	6.7	8.4	0.7	8.4	6.8	11.9	1.4	38.6

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations



Background

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Characteristics	Short Acti	ing Methods ¹	Long Acti	ng Methods ²
	All Women	Married Women ³	All Women	Married Women ³
	(N = 1469)	(N = 895)	(N = 1469)	(N = 895)
Total				
All	18.3	17.5	7.1	11.1
Age Group				
15-19	6.3		0.0	
20-24	31.9	7.9	0.5	0.0
25-29	17.1	12.1	3.4	5.4
30-34	17.7	19.1	12.0	13.7
35-39	21.6	21.0	13.2	14.5
40-44	19.4	19.6	12.2	13.3
45-49	11.0	13.1	5.9	6.4
Marital Status				
Married, or in union	17.5	na	11.1	na
Unmarried, sexually active	53.8	na	0.8	na
Parity				
0-1 children	17.4	11.4	0.5	1.1
2-3 children	16.4	16.2	12.4	13.3
4+ children	23.9	24.4	14.3	15.3
Residence				
Urban	18.3	17.5	7.1	11.1
Education				
Never	7.4		4.0	
Primary	18.3	21.0	5.8	7.1
Secondary	17.1	16.9	6.0	10.1
Higher	20.6	17.2	9.2	14.0
Wealth Quintile				
Lowest	19.1	16.0	6.9	10.0
Lower	18.0	15.0	6.0	9.6
Middle	19.1	19.7	6.2	9.6
High	15.3	13.2	6.8	11.0
Highest	20.3	22.7	9.1	14.4
Region				
Lagos	18.3	17.5	7.1	11.1
<u> </u>				

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated

from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All V	Vomen (N = 14	69)	Married Women ¹ (N = 895)				
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total		
Total								
All	5.8	5.0	10.8	7.9	7.5	15.4		
Age Group								
15-19	1.4	0.0	1.4					
20-24	9.4	1.2	10.7	31.3	3.8	35.2		
25-29	10.9	1.7	12.7	13.6	2.8	16.4		
30-34	8.0	0.8	8.8	9.4	1.0	10.4		
35-39	4.6	10.5	15.1	5.1	11.1	16.3		
40-44	3.0	12.4	15.4	3.4	13.7	17.1		
45-49	0.0	11.0	11.0	0.0	11.4	11.4		
Marital Status								
Married, or in union	7.9	7.5	15.4	na	na	na		
Unmarried, sexually active	12.7	5.2	17.9	na	na	na		
Parity								
0-1 children	4.9	0.1	5.0	10.6	0.4	11.0		
2-3 children	8.9	6.7	15.7	9.5	6.2	15.8		
4+ children	2.7	13.8	16.5	3.0	15.2	18.1		
Residence								
Urban	5.8	5.0	10.8	7.9	7.5	15.4		
	5.0	5.0	10.0	7.5	7.5	13.4		
Education								
Never	4.8	2.9	7.8					
Primary	7.6	13.0	20.6	9.3	15.5	24.8		
Secondary	6.3	3.9	10.1	9.5	6.4	15.9		
Higher	4.8	4.6	9.4	5.7	6.4	12.2		
Wealth Quintile								
Lowest	7.5	4.8	12.4	10.5	6.9	17.4		
Lower	6.8	5.7	12.5	10.6	9.0	19.6		
Middle	6.2	6.7	13.0	8.4	10.0	18.4		
High	4.8	5.0	9.9	5.9	7.7	13.7		
Highest	4.3	2.9	7.2	5.4	4.2	9.6		
Region								
Lagos	5.8	5.0	10.8	7.9	7.5	15.4		

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations



Background

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Married Women² (N=895) Characteristics All Women (N=1469) Demand Demand Modern¹ Modern¹ Unmet Satisfied Unmet Satisfied Any Total Any Total Method Method Need Demand By Modern Method Method Need Demand By Modern Total All 38.2 25.4 10.8 48.9 52.0 28.6 15.4 61.9 46.2 46.5 Age Group 15-19 7.0 6.3 1.4 8.4 32.3 10.7 50.5 7.9 35.2 20-24 39.8 64.0 31.3 66.5 119 25-29 35.2 20.4 12.7 47.9 42.7 34.8 17.6 16.4 51.2 34.3 30-34 29.6 57.8 10.4 63.0 49.0 8.8 51.3 52.6 32.7 51.9 35-39 47.6 34.8 15.1 62.7 55.4 49.5 35.5 16.3 65.7 54.0 31.6 67.2 54.5 17.1 40-44 51.8 15.4 47.0 32.9 71.6 46.0 45-49 29.1 16.9 11.0 40.1 42.1 35.6 19.5 11.4 47.0 41.5 **Marital Status** 28.6 46.2 Married, or in union 46.5 154 61.9 na na na na na Unmarried, sexually active 17.9 88.4 61.8 70.6 54.7 na na na na na Parity 0-1 children 24.0 17.9 5.0 29.0 61.6 23.0 12.5 11.0 34.0 36.7 2-3 children 47.0 28.9 15.7 62.7 46.0 48.7 29.5 15.8 64.5 45.8 4+ children 38.2 16.5 18.1 79.5 57.9 74.4 51.3 61.3 39.7 50.0 Residence Urban 25.4 38.2 10.8 48.9 52.0 46.5 28.6 15.4 61.9 46.2 Education Never 19.6 11.4 7.8 27.4 Primary 35.1 24.1 20.6 55.7 43.3 40.4 28.1 24.8 65.2 43.1 35.9 23.1 10.1 46.0 50.1 47.2 27.0 15.9 63.1 42.7 Secondary Higher 43.0 29.8 9.4 52.4 56.8 49.0 31.2 12.2 61.2 51.0 Wealth Quintile Lowest 37.9 26.0 12.4 50.3 51.7 42.7 26.0 17.4 60.1 43.3 36.7 24.0 12.5 49.2 48.8 42.3 24.5 19.6 61.9 39.6 Lower Middle 39.0 25.4 13.0 51.9 48.8 47.9 29.3 18.4 66.2 44.3 High 35.6 22.1 9.9 45.5 48.6 42.3 24.2 13.7 56.0 43.2 Highest 41.3 29.4 7.2 48.5 60.6 55.2 37.1 9.6 64.9 57.1 Region 38.2 25.4 10.8 48.9 52.0 46.5 28.6 15.4 61.9 46.2 Lagos

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wom	en with 1 or N	Nore Births	Married ¹ Women with 1 or More Births				
Characteristics		(N=579)			(N=540)			
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All		
Total								
All	77.8	15.0	7.3	78.9	14.6	6.5		
Age Group								
15-19								
20-24	49.0	32.4	18.6	58.3	30.1	11.6		
25-29	82.0	15.5	2.5	81.5	16.4	2.1		
30-34	81.6	11.5	6.9	81.3	12.0	6.7		
35-39	79.4	11.6	9.0	79.4	11.3	9.2		
40-44	81.4	13.7	5.0	82.1	12.8	5.1		
45-49								
Marital Status								
Married, or in union	78.9	14.6	6.5	na	na	na		
Unmarried, sexually active				na	na	na		
Parity								
0-1 children	76.6	17.8	5.6	81.5	16.6	1.9		
2-3 children	81.5	13.6	4.9	81.5	13.8	4.7		
4+ children	71.0	14.9	14.0	70.9	14.4	14.7		
Residence								
	77.0	45.0	7.2	70.0	11.0	6 5		
Urban	77.8	15.0	7.3	78.9	14.6	6.5		
Education								
Never								
Primary	70.1	19.2	10.8	67.6	20.7	11.7		
Secondary	74.1	17.5	8.3	76.7	16.3	7.0		
Higher	83.7	11.2	5.2	83.6	11.5	4.8		
Wealth Quintile								
Lowest	72.6	17.3	10.1	75.5	14.2	10.4		
Lower	71.6	24.2	4.3	72.4	23.7	3.9		
Middle	84.6	10.4	5.0	84.3	11.0	4.7		
High	83.3	7.1	9.7	83.7	7.3	8.9		
Highest	77.0	15.5	7.4	78.2	15.9	5.9		
Region								
Lagos	77.8	15.0	7.3	78.9	14.6	6.5		

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with F Partner/Provider	Provider/Partner Alone	(N = 354)
Total				
All	36.2	47.5	16.3	
Age Group				
15-19				
20-24	18.6	45.6	35.8	
25-29	46.4	26.3	27.3	
30-34	36.4	57.0	6.7	
35-39	45.9	47.3	6.8	
40-44	34.8	55.7	9.4	
45-49				
Marital Status				
Married, or in union	38.4	51.1	10.5	
Unmarried, sexually active	33.0	38.1	28.8	
Parity				
0-1 children	26.9	42.9	30.2	
2-3 children	43.1	48.3	8.6	
4+ children	37.6	51.7	10.8	
Residence		-		
	26.2	47 5	16.2	
Urban	36.2	47.5	16.3	
Education				
Never				
Primary	38.0	43.5	18.5	
Secondary	30.0	50.0	20.0	
Higher	42.4	45.4	12.2	
Wealth Quintile				
Lowest	24.3	55.5	20.2	
Lower	33.3	36.0	30.7	
Middle	40.4	42.2	17.3	
High	46.1	44.9	9.1	
Highest	36.3	56.6	7.1	
Region				
Lagos	36.2	47.5	16.3	
0				

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

-- Less than 25 unweighted observations



Method Information Index Components

Percentage of current modern contraceptive ¹users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

		about other ² hods		about side 2 fects	Told what to do side e	if experienced ² ffects		t switching ² s in future
Background Characteristics	All	Married ³	All	Married ³	All	Married ³	All	Married ³
	Users	Users	Users	Users	Users	Users	Users	Users
Total	(360)	(249)	(360)	(249)	(149)	(135)	(357)	(245)
All	48.8	65.6	43.3	57.2	81.7	84.4	47.6	64.5
Age Group								
15-19						na		
20-24	7.3		10.1				6.3	
25-29	22.6	40.7	22.8	37.7			19.4	31.5
30-34	68.6	72.6	60.3	63.6	71.2	70.7	69.5	72.4
35-39	68.7	71.8	58.2	60.2	88.6	90.2	68.3	72.4
40-44	61.0	64.2	55.3	58.0	95.8	95.7	56.9	61.2
45-49								
Marital Status								
Married, or in union	65.6	na	57.2	na	84.4	na	64.5	na
Unmarried, sexually active	8.2	na	8.7	na		na	8.6	na
Parity								
0-1 children	9.9		12.3				11.6	
2-3 children	71.5	72.9	57.0	58.9	79.7	80.7	67.6	68.7
4+ children	63.5	65.8	60.7	61.7	89.3	90.4	62.8	66.7
Residence								
Urban	48.8	65.6	43.3	57.2	81.7	84.4	47.6	64.5
Education								
Never								
Primary	68.9	69.3	52.3	51.8			64.1	64.3
Secondary	45.0	61.7	38.9	53.2	81.5	85.9	40.4	58.2
Higher	49.3	70.6	45.2	62.1	81.1	83.3	51.7	71.7
Wealth Quintile	1010			02.12	0111	0010	01.7	
Lowest	51.3	79.2	42.3	65.7			48.1	78.0
Lower	39.7	56.2	42.3 38.2	55.2	84.8		31.9	47.2
Middle	43.3	54.1	35.4	44.1	85.2		42.1	51.7
High	46.1	65.4	48.5	67.5	83.9	87.9	55.3	74.2
Highest	59.6	72.2	49.6	56.6	76.2	77.8	57.6	70.7
-	33.0		1310		/ 012		0,10	. 5.7
Region	48.8	65.6	43.3	57.2	81.7	84.4	47.6	64.5
Lagos	48.8	05.0	43.3	57.2	81.7	04.4	47.0	04.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated

from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 352)	(N = 352)	(N = 352)
All	88.1	85.7	83.4
Age Group			
15-19			
20-24	72.3	69.1	66.7
25-29	77.3	83.5	77.3
30-34	94.9	89.0	87.2
35-39	92.0	91.0	89.8
40-44	98.4	95.7	94.0
45-49			
Marital Status			
Married, or in union	94.1	92.0	90.3
Unmarried, sexually active	78.1	80.1	76.0
Parity			
0-1 children	75.8	72.2	68.8
2-3 children	92.6	90.9	87.6
4+ children	96.2	94.4	94.4
Residence			
Urban	88.1	85.7	83.4
	0011	00.7	00.1
Education			
Never			
Primary	91.4	91.6	88.6
Secondary	87.4 88.4	84.7 85.7	82.8 83.0
Higher	88.4	85.7	83:0
Wealth Quintile			
Lowest	84.5	84.9	83.5
Lower	88.1	84.9	82.5
Middle	85.1	83.9	78.8
High	88.4	85.1	82.8
Highest	92.4	88.7	87.5
Region			
Lagos	88.1	85.7	83.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

-- Less than 25 unweighted observations



Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

PERFORMANCE MONTORINOTO					Either visited by	
Background Characteristics	Visited by heal discussed fai	th worker who nily planning	Visited facility discussed far	and provider nily planning	or visited facility family p	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1469)	(895)	(1469)	(895)	(1469)	(895)
All	10.1	13.5	24.8	37.6	28.7	41.5
Age Group						
15-19	4.4		2.7		7.0	
20-24	5.6	9.1	13.9	44.0	17.3	45.7
25-29	10.2	14.4	32.2	47.4	35.2	50.3
30-34	14.0	15.7	39.1	45.3	43.4	49.9
35-39	13.2	14.0	35.4	39.4	40.2	44.3
40-44	12.7	13.9	28.7	32.5	31.6	35.2
45-49	8.2	7.8	6.9	6.9	11.8	11.1
Marital Status						
Married, or in union	13.5	na	37.6	na	41.5	na
Unmarried, sexually active	6.3	na	10.3	na	14.4	na
Parity						
0-1 children	5.9	9.7	13.1	34.5	16.9	38.1
2-3 children	13.4	14.0	36.8	40.0	39.7	42.7
4+ children	14.8	15.7	32.8	36.0	38.7	42.1
Residence						
Urban	10.1	13.5	24.8	37.6	28.7	41.5
Education	-		-		-	-
Never	5.7		26.7		26.7	
Primary	7.9	7.4	30.6	35.7	33.8	37.9
Secondary	12.3	18.3	22.7	38.5	27.7	43.8
Higher	7.9	10.4	26.1	37.4	29.0	40.4
Wealth Quintile						
Lowest	9.7	13.7	26.1	43.9	29.5	46.8
Lower	12.9	17.6	23.9	37.3	29.0	42.8
Middle	13.1	16.9	26.5	37.9	33.8	45.7
High	6.5	10.0	21.6	31.4	23.0	33.0
Highest	8.7	10.6	26.0	39.2	29.0	41.3
Region						
Lagos	10.1	13.5	24.8	37.6	28.7	41.5
24800	10.1	10.0	27.0	57.0	20.7	71.5

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1822	N/A	1822
Households Occupied	1738	N/A	1738
Households Interviewed	1619	N/A	1619
Household Response Rate ¹	93.15%	0.00%	93.15%
Interviews with Women			
Number of Eligible Women ²	1521	N/A	1521
Number of Eligible Women Interviewed	1469	N/A	1469
Eligible Woman Response Rate ³	96.58%	0.00%	96.58%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women



Sample Error Estimates

		All W	omen			Married	Women ¹	
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.254	0.011	0.232	0.278	0.286	0.018	0.252	0.323
Currently using a traditional method	0.127	0.012	0.106	0.152	0.179	0.017	0.148	0.216
Currently using any contraceptive method	0.382	0.015	0.353	0.412	0.465	0.022	0.421	0.510
Currently using DMPA-IM	0.025	0.005	0.017	0.036	0.039	0.007	0.027	0.057
Currently using DMPA-SC	0.002	0.001	0.001	0.006	0.003	0.002	0.001	0.009
Currently using condoms	0.226	0.018	0.192	0.264	0.119	0.020	0.084	0.166
Currenlty using implants	0.050	0.008	0.036	0.068	0.077	0.012	0.056	0.106
Chose method by self or jointly in past 12 months	0.837	0.023	0.786	0.878	0.895	0.023	0.839	0.933
Informed by provider about other methods	0.488	0.032	0.424	0.552	0.656	0.036	0.581	0.724
Informed by provider about side effects	0.433	0.034	0.367	0.503	0.572	0.041	0.487	0.652
Satisfied with provider: Would return and refer friend/relative to provider	0.834	0.028	0.771	0.882	0.903	0.020	0.854	0.937
Visited by health worker who talked about family planning in past 12 months	0.101	0.015	0.074	0.136	0.135	0.023	0.095	0.189

1 Married includes married women and those who are living with a man