



Performance Monitoring and Accountability 2020

Measuring Performance, Informing Policy, Empowering Communities.



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Nigeria (Lagos) Round 1 Snapshot of Indicators (SOIs)

Suggested citation: Centre for Population and Reproductive Health (CPRH), University of Ibadan; Centre for Research, Evaluation Resources and Development (CRERD); Population and Reproductive Health Program (PRHP), Obafemi Awolowo University (OAU); Bayero University Kano (BUK); and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 1, PMA2014/Nigeria-R1 (Lagos-R1) Snapshot of Indicators*. 2014. Nigeria and Baltimore, Maryland, USA.

www.pmadata.org

facebook.com/PM4Action

instagram.com/PM4Action

Twitter: @PM4Action

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	763	764
Age Group			
15-19	13.7	105	103
20-24	13.2	100	100
25-29	18.9	145	145
30-34	18.1	138	139
35-39	16.7	127	123
40-44	12.4	95	101
45-49	7.0	53	53
Marital Status			
Married, or in union	63.5	484	490
Unmarried, sexually active	6.6	50	47
Parity			
0-1 children	47.0	359	360
2-3 children	33.7	257	258
4+ children	18.6	142	140
Residence			
Urban	100.0	763	764
Education			
Never	1.3	10	10
Primary	12.6	96	97
Secondary	55.3	422	425
Higher	30.7	234	231
Wealth Quintile			
Lowest	15.4	117	120
Lower	18.8	144	149
Middle	22.0	168	175
High	20.2	154	148
Highest	23.6	180	172
Region			
Lagos	100.0	763	764

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	18.1	21.3	16.7	19.7	1.4	1.5
Age Group						
15-19	5.6	--	5.6	--	0.0	--
20-24	13.5	<i>10.2</i>	13.5	<i>10.2</i>	0.0	<i>0.0</i>
25-29	20.2	20.4	17.7	17.7	2.5	2.7
30-34	21.2	23.5	19.1	21.9	2.0	1.6
35-39	29.1	28.8	26.9	27.5	2.2	1.4
40-44	19.0	19.6	17.4	17.8	1.6	1.9
45-49	10.1	<i>12.9</i>	10.1	<i>12.9</i>	0.0	<i>0.0</i>
Marital Status						
Married, or in union	21.3	na	19.7	na	1.5	na
Unmarried, sexually active	29.5	na	23.1	na	6.4	na
Parity						
0-1 children	11.6	8.8	10.4	7.1	1.2	1.7
2-3 children	24.2	25.3	22.1	23.4	2.2	2.0
4+ children	23.2	25.5	22.6	24.9	0.6	0.7
Residence						
Urban	18.1	21.3	16.7	19.7	1.4	1.5
Education						
Never	--	--	--	--	--	--
Primary	16.4	17.3	15.4	17.3	1.0	0.0
Secondary	16.1	21.2	15.6	20.4	0.5	0.8
Higher	23.2	25.0	20.0	21.2	3.2	3.8
Wealth Quintile						
Lowest	12.7	10.5	11.6	8.7	1.1	1.7
Lower	20.5	24.0	19.6	24.0	0.9	0.0
Middle	13.6	16.4	12.2	15.2	1.4	1.2
High	23.8	24.8	22.3	23.5	1.5	1.3
Highest	19.1	27.7	17.2	24.6	1.9	3.1
Region						
Lagos	18.1	21.3	16.7	19.7	1.4	1.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 138)
Married Users¹ (N = 103)

Background Characteristics	All Users (N = 138)									Married Users ¹ (N = 103)								
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional
Total																		
All	0.0	1.2	5.2	19.5	23.2	6.1	34.7	2.5	7.7	0.0	1.6	5.7	24.3	27.2	2.4	28.2	3.4	7.2
Age Group																		
15-19	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na
20-24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
25-29	0.0	0.0	2.2	12.3	10.0	6.2	57.2	0.0	12.2	--	--	--	--	--	--	--	--	--
30-34	0.0	3.1	6.2	27.4	25.6	2.3	21.8	4.1	9.5	0.0	3.5	4.4	30.6	28.6	0.0	21.7	4.6	6.8
35-39	0.0	0.0	6.8	23.2	27.1	0.0	31.6	3.8	7.6	0.0	0.0	7.9	21.2	25.1	0.0	36.7	4.5	4.7
40-44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Marital Status																		
Married, or in union	0.0	1.6	5.7	24.3	27.2	2.4	28.2	3.4	7.2	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na
Parity																		
0-1 children	0.0	1.8	1.6	1.6	9.6	16.5	58.6	0.0	10.3	--	--	--	--	--	--	--	--	--
2-3 children	0.0	1.5	7.2	16.8	30.1	2.6	28.8	4.2	8.9	0.0	1.5	6.5	16.1	31.7	2.7	29.2	4.4	7.7
4+ children	0.0	0.0	6.1	43.3	28.4	0.0	17.1	2.6	2.6	0.0	0.0	6.1	43.3	28.4	0.0	17.1	2.6	2.6
Residence																		
Urban	0.0	1.2	5.2	19.5	23.2	6.1	34.7	2.5	7.7	0.0	1.6	5.7	24.3	27.2	2.4	28.2	3.4	7.2
Education																		
Never	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na	na
Primary	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Secondary	0.0	2.4	6.1	22.9	30.6	2.4	31.1	1.2	3.2	0.0	3.0	6.3	28.3	35.4	1.5	20.0	1.5	4.0
Higher	0.0	0.0	4.3	8.7	14.4	12.6	41.5	4.8	13.8	0.0	0.0	6.7	11.0	14.8	4.7	40.2	7.6	15.1
Wealth Quintile																		
Lowest	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lower	0.0	0.0	5.6	17.2	37.1	5.0	30.7	0.0	4.4	--	--	--	--	--	--	--	--	--
Middle	0.0	3.3	0.0	21.7	26.4	4.2	34.3	0.0	10.2	--	--	--	--	--	--	--	--	--
High	0.0	2.5	7.7	19.6	18.4	8.3	33.9	3.3	6.3	0.0	3.6	8.5	28.2	26.4	0.0	23.4	4.7	5.3
Highest	0.0	0.0	7.7	22.8	8.6	8.8	35.5	6.6	10.1	0.0	0.0	8.6	22.3	9.6	4.8	36.2	7.3	11.2
Region																		
Lagos	0.0	1.2	5.2	19.5	23.2	6.1	34.7	2.5	7.7	0.0	1.6	5.7	24.3	27.2	2.4	28.2	3.4	7.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 763)			Married Women ¹ (N = 484)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	12.3	6.8	19.2	16.0	10.8	26.8
Age Group						
15-19	5.2	0.0	5.2	--	--	--
20-24	15.1	3.0	18.1	<i>32.1</i>	<i>8.2</i>	<i>40.3</i>
25-29	19.3	3.3	22.6	21.2	4.9	26.1
30-34	14.8	7.5	22.3	17.3	9.2	26.6
35-39	13.6	9.0	22.7	14.8	10.4	25.3
40-44	8.2	12.3	20.5	9.5	14.3	23.8
45-49	0.0	20.3	20.3	<i>0.0</i>	<i>26.0</i>	<i>26.0</i>
Marital Status						
Married, or in union	16.0	10.8	26.8	na	na	na
Unmarried, sexually active	<i>33.1</i>	<i>0.0</i>	<i>33.1</i>	na	na	na
Parity						
0-1 children	8.7	0.8	9.5	13.0	2.3	15.3
2-3 children	18.3	6.9	25.2	19.8	7.6	27.4
4+ children	10.5	21.4	32.0	11.6	23.6	35.2
Residence						
Urban	12.3	6.8	19.2	16.0	10.8	26.8
Education						
Never	--	--	--	--	--	--
Primary	16.7	10.7	27.4	19.7	13.4	33.1
Secondary	11.8	7.0	18.8	16.1	11.3	27.4
Higher	10.7	4.7	15.5	12.6	8.0	20.6
Wealth Quintile						
Lowest	14.7	10.1	24.9	20.4	16.5	36.9
Lower	11.7	8.2	19.8	13.1	13.6	26.7
Middle	13.4	6.7	20.2	18.4	10.2	28.6
High	14.0	5.4	19.4	18.5	8.1	26.6
Highest	8.9	4.9	13.8	10.6	7.9	18.5
Region						
Lagos	12.3	6.8	19.2	16.0	10.8	26.8

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background Characteristics

Background Characteristics	All Women (N=763)					Married Women ² (N=484)				
	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	18.1	16.7	19.2	37.3	44.8	21.3	19.7	26.8	48.0	41.1
Age Group										
15-19	5.6	5.6	5.2	10.8	--	--	--	--	--	--
20-24	13.5	13.5	18.1	31.7	<i>42.7</i>	<i>10.2</i>	<i>10.2</i>	<i>40.3</i>	<i>50.5</i>	--
25-29	20.2	17.7	22.6	42.8	41.4	20.4	17.7	26.1	46.4	38.1
30-34	21.2	19.1	22.3	43.5	44.0	23.5	21.9	26.6	50.1	43.7
35-39	29.1	26.9	22.7	51.8	51.9	28.8	27.5	25.3	54.1	50.8
40-44	19.0	17.4	20.5	39.6	<i>44.1</i>	19.6	17.8	23.8	43.5	<i>40.9</i>
45-49	10.1	10.1	20.3	30.4	--	<i>12.9</i>	<i>12.9</i>	<i>26.0</i>	<i>38.9</i>	--
Marital Status										
Married, or in union	21.3	19.7	26.8	48.0	41.1	na	na	na	na	na
Unmarried, sexually active	<i>29.5</i>	<i>23.1</i>	<i>33.1</i>	<i>62.7</i>	<i>36.9</i>	na	na	na	na	na
Parity										
0-1 children	11.6	10.4	9.5	21.1	49.3	8.8	7.1	15.3	24.2	<i>29.5</i>
2-3 children	24.2	22.1	25.2	49.4	44.6	25.3	23.4	27.4	52.8	44.3
4+ children	23.2	22.6	32.0	55.1	41.0	25.5	24.9	35.2	60.7	41.0
Residence										
Urban	18.1	16.7	19.2	37.3	44.8	21.3	19.7	26.8	48.0	41.1
Education										
Never	--	--	--	--	--	--	--	--	--	--
Primary	16.4	15.4	27.4	43.8	<i>35.1</i>	17.3	17.3	33.1	50.4	<i>34.3</i>
Secondary	16.1	15.6	18.8	34.9	44.7	21.2	20.4	27.4	48.6	41.9
Higher	23.2	20.0	15.5	38.6	51.7	25.0	21.2	20.6	45.6	46.5
Wealth Quintile										
Lowest	12.7	11.6	24.9	37.5	<i>30.9</i>	10.5	8.7	36.9	47.4	<i>18.4</i>
Lower	20.5	19.6	19.8	40.4	48.6	24.0	24.0	26.7	50.7	<i>47.4</i>
Middle	13.6	12.2	20.2	33.8	36.2	16.4	15.2	28.6	45.1	33.8
High	23.8	22.3	19.4	43.2	51.6	24.8	23.5	26.6	51.4	45.7
Highest	19.1	17.2	13.8	32.9	52.3	27.7	24.6	18.5	46.2	53.2
Region										
Lagos	18.1	16.7	19.2	37.3	44.8	21.3	19.7	26.8	48.0	41.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=311)			Married ¹ Women with 1 or More Births (N=297)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	74.5	12.7	12.8	76.1	11.5	12.5
Age Group						
15-19	--	--	--	--	--	--
20-24	<i>60.9</i>	<i>29.5</i>	<i>9.6</i>	<i>68.3</i>	<i>21.0</i>	<i>10.7</i>
25-29	78.8	9.9	11.3	80.4	10.2	9.4
30-34	78.4	10.1	11.5	77.8	10.4	11.8
35-39	70.7	10.7	18.6	70.4	11.3	18.2
40-44	<i>77.6</i>	<i>9.2</i>	<i>13.1</i>	<i>77.6</i>	<i>9.2</i>	<i>13.1</i>
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	76.1	11.5	12.5	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	84.1	8.4	7.4	87.8	5.7	6.5
2-3 children	78.7	15.0	6.2	79.6	14.5	5.8
4+ children	57.5	12.3	30.2	58.3	11.1	30.7
Residence						
Urban	74.5	12.7	12.8	76.1	11.5	12.5
Education						
Never	--	--	--	--	--	--
Primary	<i>77.5</i>	<i>4.6</i>	<i>17.9</i>	<i>77.7</i>	<i>5.1</i>	<i>17.2</i>
Secondary	71.6	15.1	13.3	73.1	13.1	13.8
Higher	77.9	12.3	9.8	80.3	11.6	8.1
Wealth Quintile						
Lowest	<i>65.2</i>	<i>14.0</i>	<i>20.8</i>	<i>66.1</i>	<i>15.8</i>	<i>18.1</i>
Lower	81.3	4.3	14.4	81.3	4.3	14.4
Middle	73.9	14.9	11.2	77.3	10.5	12.2
High	69.3	16.5	14.2	71.8	14.9	13.3
Highest	80.6	12.4	7.0	80.3	12.6	7.1
Region						
Lagos	74.5	12.7	12.8	76.1	11.5	12.5

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 127)
Total				
All	38.1	48.6	13.3	
Age Group				
15-19	--	--	--	
20-24	--	--	--	
25-29	33.7	50.6	15.7	
30-34	48.1	30.0	21.9	
35-39	40.6	49.5	9.9	
40-44	--	--	--	
45-49	--	--	--	
Marital Status				
Married, or in union	36.3	52.2	11.5	
Unmarried, sexually active	--	--	--	
Parity				
0-1 children	35.1	44.8	20.0	
2-3 children	43.1	44.5	12.4	
4+ children	29.6	62.7	7.7	
Residence				
Urban	38.1	48.6	13.3	
Education				
Never	na	na	na	
Primary	--	--	--	
Secondary	31.1	59.0	9.9	
Higher	48.8	32.8	18.4	
Wealth Quintile				
Lowest	--	--	--	
Lower	50.4	40.1	9.5	
Middle	--	--	--	
High	31.3	59.5	9.2	
Highest	36.5	45.0	18.5	
Region				
Lagos	38.1	48.6	13.3	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method ¹ who paid fees for services in the past 12 months, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 127)	Married ² Modern Contraceptive Users (N = 96)
Total		
All	52.5	58.1
Age Group		
15-19	--	na
20-24	--	--
25-29	52.1	--
30-34	55.0	--
35-39	49.9	49.0
40-44	--	--
45-49	--	--
Marital Status		
Married, or in union	58.1	na
Unmarried, sexually active	--	na
Parity		
0-1 children	34.3	--
2-3 children	57.2	56.8
4+ children	65.9	65.9
Residence		
Urban	52.5	58.1
Education		
Never	na	na
Primary	--	--
Secondary	58.1	66.3
Higher	42.6	42.0
Wealth Quintile		
Lowest	--	--
Lower	77.3	--
Middle	--	--
High	49.9	59.8
Highest	42.7	39.1
Region		
Lagos	52.5	58.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(127)	(96)	(127)	(96)	(34)	(29)
All	41.1	46.4	25.7	30.1	69.8	68.0
Age Group						
15-19	--	na	--	na	na	na
20-24	--	--	--	--	--	--
25-29	29.0	--	12.9	--	--	--
30-34	56.9	--	44.4	--	--	--
35-39	37.6	39.3	20.7	20.2	--	--
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	46.4	na	30.1	na	68.0	na
Unmarried, sexually active	--	na	--	na	--	na
Parity						
0-1 children	23.2	--	8.2	--	--	--
2-3 children	46.7	45.7	32.7	31.1	--	--
4+ children	52.0	52.0	32.7	32.7	--	--
Residence						
Urban	41.1	46.4	25.7	30.1	69.8	68.0
Education						
Never	na	na	na	na	na	na
Primary	--	--	--	--	--	--
Secondary	44.4	48.7	27.8	33.3	--	--
Higher	39.8	47.7	21.1	24.6	--	--
Wealth Quintile						
Lowest	--	--	--	--	--	--
Lower	40.4	--	30.8	--	--	--
Middle	--	--	--	--	--	--
High	40.7	49.5	29.0	38.4	--	--
Highest	46.7	49.1	26.4	26.3	--	--
Region						
Lagos	41.1	46.4	25.7	30.1	69.8	68.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 127)	(N = 127)	(N = 127)
All	72.8	63.8	60.4
Age Group			
15-19	--	--	--
20-24	--	--	--
25-29	63.8	57.8	52.1
30-34	79.4	66.5	66.5
35-39	73.6	64.0	57.5
40-44	--	--	--
45-49	--	--	--
Marital Status			
Married, or in union	73.4	64.1	59.5
Unmarried, sexually active	--	--	--
Parity			
0-1 children	64.4	59.4	55.4
2-3 children	79.7	70.1	67.9
4+ children	71.0	58.3	53.1
Residence			
Urban	72.8	63.8	60.4
Education			
Never	na	na	na
Primary	--	--	--
Secondary	73.0	60.2	58.2
Higher	67.9	65.2	60.8
Wealth Quintile			
Lowest	--	--	--
Lower	86.4	70.8	68.5
Middle	--	--	--
High	81.2	70.2	67.8
Highest	67.7	58.4	52.2
Region			
Lagos	72.8	63.8	60.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(763)	(484)	(763)	(484)	(763)	(484)
All	11.3	14.6	22.8	32.8	28.8	40.1
Age Group						
15-19	2.1	--	2.1	--	4.2	--
20-24	9.3	<i>15.1</i>	11.5	<i>28.4</i>	18.0	<i>36.0</i>
25-29	13.2	15.0	33.2	44.7	40.3	53.4
30-34	19.3	23.2	43.9	52.3	51.4	60.9
35-39	14.1	12.4	25.3	26.7	32.2	32.7
40-44	8.6	10.0	17.8	18.9	23.3	25.2
45-49	4.9	<i>6.3</i>	5.5	<i>4.2</i>	10.4	<i>10.5</i>
Marital Status						
Married, or in union	14.6	na	32.8	na	40.1	na
Unmarried, sexually active	<i>6.9</i>	na	<i>5.2</i>	na	<i>12.1</i>	na
Parity						
0-1 children	6.7	11.9	12.7	31.1	17.1	37.3
2-3 children	16.6	16.0	35.5	37.9	43.9	46.2
4+ children	13.6	14.9	26.4	26.3	32.3	32.8
Residence						
Urban	11.3	14.6	22.8	32.8	28.8	40.1
Education						
Never	--	--	--	--	--	--
Primary	14.9	13.9	25.7	29.6	31.7	35.1
Secondary	12.2	17.4	22.9	34.4	28.7	42.1
Higher	8.2	10.0	21.9	32.4	28.0	39.7
Wealth Quintile						
Lowest	4.1	5.4	14.6	20.7	16.1	22.0
Lower	17.0	23.8	28.0	42.1	34.1	49.1
Middle	14.1	17.5	24.7	33.2	31.5	41.5
High	14.7	16.0	26.2	36.7	35.7	46.1
Highest	5.7	9.2	19.5	29.6	24.7	37.9
Region						
Lagos	11.3	14.6	22.8	32.8	28.8	40.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	N/A	N/A	1302
Households Occupied	N/A	N/A	1233
Households Interviewed	N/A	N/A	974
Household Response Rate ¹	0.00%	0.00%	78.99%
Interviews with Women			
Number of Eligible Women ²	N/A	N/A	846
Number of Eligible Women Interviewed	N/A	N/A	764
Eligible Woman Response Rate ³	0.00%	0.00%	90.31%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.167	0.015	0.138	0.201	0.197	0.021	0.159	0.243
Currently using a traditional method	0.014	0.004	0.008	0.025	0.015	0.006	0.007	0.031
Currently using any contraceptive method	0.181	0.016	0.150	0.217	0.213	0.022	0.172	0.260
Currently using DMPA-IM	0.035	0.009	0.021	0.060	0.052	0.015	0.029	0.090
Currently using DMPA-SC								
Currently using condoms	0.347	0.050	0.254	0.452	0.282	0.052	0.190	0.397
Currently using implants	0.012	0.008	0.003	0.045	0.016	0.011	0.004	0.060
Chose method by self or jointly in past 12 months	0.867	0.029	0.796	0.916	0.885	0.032	0.803	0.936
Paid fees for family planning services in past 12 months	0.497	0.061	0.376	0.618	0.546	0.078	0.388	0.695
Informed by provider about other methods	0.405	0.045	0.318	0.499	0.465	0.053	0.361	0.572
Informed by provider about side effects	0.252	0.046	0.170	0.356	0.296	0.057	0.195	0.422
Satisfied with provider: Would return and refer friend/relative to provider	0.612	0.049	0.508	0.706	0.601	0.052	0.493	0.700
Visited by health worker who talked about family planning in past 12 months	0.113	0.019	0.080	0.156	0.146	0.029	0.097	0.214

¹ Married includes married women and those who are living with a man