



## Performance Monitoring and Accountability 2020

*Measuring Performance, Informing Policy, Empowering Communities.*



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## Uganda Round 1: Snapshot of Indicators (SOIs)

**Suggested citation:** Makerere University, School of Public Health at the College of Health Sciences and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 1, PMA2014/Uganda-R1 Snapshot of Indicators*. 2014. Uganda and Baltimore, Maryland, USA.

[www.pmadata.org](http://www.pmadata.org)

[facebook.com/PM4Action](https://facebook.com/PM4Action)

[instagram.com/PM4Action](https://instagram.com/PM4Action)

Twitter: @PM4Action

# Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	3635	3716
<b>Age Group</b>			
15-19	21.0	762	783
20-24	21.2	772	787
25-29	18.9	686	689
30-34	13.6	495	523
35-39	10.9	395	409
40-44	8.7	317	304
45-49	5.7	208	221
<b>Marital Status</b>			
Married, or in union	65.1	2367	2404
Unmarried, sexually active	5.8	211	215
<b>Parity</b>			
0-1 children	38.5	1400	1460
2-3 children	23.4	851	869
4+ children	37.5	1363	1364
<b>Residence</b>			
Urban	20.4	742	927
Rural	79.6	2893	2789
<b>Education</b>			
Never	13.5	492	562
Primary	57.9	2104	2061
Secondary	22.9	831	888
Technical & vocational	2.9	107	93
University	2.7	97	108
<b>Wealth Quintile</b>			
Lowest	18.1	658	676
Lower	18.3	666	656
Middle	19.6	711	723
High	21.6	785	772
Highest	22.4	815	889
<b>Region</b>			
Central	25.8	939	991
Eastern	28.1	1022	920
Northern	21.4	776	894
Western	24.7	897	911

# Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	22.2	27.3	21.0	25.7	1.2	1.6
<b>Age Group</b>						
15-19	6.6	12.2	6.3	11.6	0.3	0.7
20-24	22.9	24.9	22.4	24.7	0.6	0.1
25-29	30.3	31.8	28.6	29.8	1.7	2.1
30-34	26.3	26.9	24.8	25.1	1.5	1.8
35-39	31.2	32.6	29.4	30.4	1.8	2.3
40-44	26.0	32.1	24.0	29.3	2.0	2.7
45-49	16.7	20.5	14.9	18.3	1.9	2.2
<b>Marital Status</b>						
Married, or in union	27.3	na	25.7	na	1.6	na
Unmarried, sexually active	33.6	na	31.3	na	2.2	na
<b>Parity</b>						
0-1 children	11.3	17.3	10.6	16.1	0.8	1.2
2-3 children	31.0	30.6	29.8	29.3	1.1	1.3
4+ children	28.1	30.2	26.5	28.2	1.7	2.0
<b>Residence</b>						
Urban	27.1	33.2	25.7	31.3	1.4	1.9
Rural	20.9	25.9	19.8	24.4	1.1	1.5
<b>Education</b>						
Never	12.6	13.5	11.9	12.8	0.7	0.7
Primary	22.0	26.1	21.0	24.9	0.9	1.2
Secondary	26.6	39.4	25.0	36.6	1.6	2.7
Technical & vocational	26.9	38.6	20.0	29.8	6.9	8.9
University	32.7	40.3	32.7	40.3	0.0	0.0
<b>Wealth Quintile</b>						
Lowest	12.7	15.8	12.6	15.6	0.1	0.2
Lower	19.3	22.1	18.7	21.3	0.6	0.8
Middle	23.0	27.5	22.3	26.7	0.6	0.8
High	24.0	31.1	22.6	29.3	1.4	1.8
Highest	29.7	39.1	26.9	35.0	2.8	4.1
<b>Region</b>						
Central	26.9	34.2	24.4	30.3	2.5	3.8
Eastern	19.1	23.3	18.5	22.8	0.6	0.4
Northern	15.2	17.6	15.2	17.6	0.0	0.0
Western	26.8	34.5	25.3	32.3	1.6	2.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

Background Characteristics	All Users (N = 806)										Married Users <sup>1</sup> (N = 645)									
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	
<b>Total</b>																				
All	6.5	11.9	2.9	54.0	8.6	0.3	8.3	2.2	5.3		7.1	12.0	2.8	55.1	7.6	0.3	7.0	2.2	5.8	
<b>Age Group</b>																				
15-19	0.0	8.9	4.5	52.7	11.4	1.0	17.0	0.0	4.5		<i>0.0</i>	<i>12.3</i>	<i>3.9</i>	<i>65.4</i>	<i>4.2</i>	<i>2.0</i>	<i>6.8</i>	<i>0.0</i>	<i>5.4</i>	
20-24	0.0	14.1	3.4	59.8	8.4	0.0	8.3	3.4	2.5		0.0	16.4	2.7	65.8	4.9	0.0	7.5	2.4	0.5	
25-29	1.0	10.7	3.5	63.4	6.3	0.2	7.1	2.3	5.6		1.1	10.3	4.0	63.2	5.9	0.0	6.2	2.7	6.6	
30-34	3.7	13.5	2.3	56.4	12.2	1.3	4.2	0.7	5.8		3.6	11.9	2.0	56.6	13.1	1.2	4.5	0.4	6.6	
35-39	11.5	10.8	3.7	46.9	10.8	0.0	8.5	2.1	5.8		11.1	10.1	4.4	48.9	10.3	0.0	5.7	2.5	7.0	
40-44	25.4	12.5	0.0	33.1	6.5	0.0	12.7	2.1	7.7		28.1	12.2	0.0	27.5	7.2	0.0	14.1	2.3	8.5	
45-49	<i>29.1</i>	<i>7.8</i>	<i>0.0</i>	<i>37.1</i>	<i>2.3</i>	<i>0.0</i>	<i>6.9</i>	<i>5.9</i>	<i>11.1</i>		<i>28.3</i>	<i>10.0</i>	<i>0.0</i>	<i>35.4</i>	<i>2.9</i>	<i>0.0</i>	<i>5.2</i>	<i>7.5</i>	<i>10.6</i>	
<b>Marital Status</b>																				
Married, or in union	7.1	12.0	2.8	55.1	7.6	0.3	7.0	2.2	5.8		na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	1.0	9.1	3.4	49.7	12.2	0.5	17.6	0.0	6.7		na	na	na	na	na	na	na	na	na	
<b>Parity</b>																				
0-1 children	0.0	7.5	3.0	49.1	15.2	0.4	16.2	1.9	6.7		0.0	9.9	3.7	57.4	10.2	0.0	11.8	0.0	6.9	
2-3 children	1.2	14.6	3.0	60.3	8.3	0.0	5.8	3.2	3.7		1.5	13.6	2.4	59.4	8.0	0.0	7.2	3.7	4.2	
4+ children	12.8	11.8	2.7	51.8	6.0	0.5	6.7	1.7	6.0		12.7	11.6	2.9	51.7	6.6	0.6	5.5	2.0	6.5	
<b>Residence</b>																				
Urban	2.1	8.8	1.4	55.8	12.8	1.0	11.3	1.5	5.2		2.5	10.0	2.0	56.8	11.8	1.0	9.9	0.5	5.6	
Rural	7.9	12.9	3.3	53.4	7.2	0.1	7.3	2.5	5.4		8.5	12.6	3.1	54.6	6.4	0.1	6.2	2.7	5.8	
<b>Education</b>																				
Never	18.3	16.0	2.7	44.3	3.0	0.8	8.8	0.7	5.4		20.6	17.8	2.0	40.7	3.7	1.0	8.1	0.8	5.3	
Primary	8.0	13.3	2.9	56.9	6.0	0.3	5.9	2.5	4.2		8.5	12.6	3.3	56.3	6.2	0.4	5.2	3.0	4.6	
Secondary	1.7	8.7	3.3	55.0	12.0	0.2	12.6	0.5	5.9		2.2	9.6	2.4	60.4	6.3	0.0	11.6	0.7	6.9	
Technical & vocational	<i>0.0</i>	<i>10.8</i>	<i>0.0</i>	<i>42.1</i>	<i>9.8</i>	<i>0.0</i>	<i>5.6</i>	<i>6.0</i>	<i>25.7</i>		--	--	--	--	--	--	--	--	--	
University	<i>0.0</i>	<i>5.9</i>	<i>2.1</i>	<i>34.9</i>	<i>32.4</i>	<i>1.1</i>	<i>14.0</i>	<i>9.7</i>	<i>0.0</i>		--	--	--	--	--	--	--	--	--	
<b>Wealth Quintile</b>																				
Lowest	14.1	18.3	2.8	49.3	4.6	0.6	5.7	3.5	1.2		14.5	15.3	0.9	53.0	5.3	0.7	4.8	4.1	1.4	
Lower	9.4	16.7	4.6	51.2	5.2	1.1	4.9	3.9	3.0		10.1	13.2	5.6	55.9	1.4	1.3	5.1	3.6	3.7	
Middle	3.0	12.7	3.1	64.5	6.2	0.0	5.4	2.4	2.8		3.3	15.0	2.9	63.0	6.2	0.0	3.6	3.0	3.0	
High	8.1	10.3	1.7	60.7	5.6	0.2	6.7	0.8	5.9		8.6	11.9	2.2	60.9	4.3	0.0	5.5	1.0	5.8	
Highest	3.3	7.7	2.7	45.0	15.7	0.1	14.2	2.0	9.3		4.2	8.2	2.5	45.6	15.4	0.0	12.2	1.3	10.6	
<b>Region</b>																				
Central	1.3	7.4	2.7	48.4	13.1	0.3	14.7	2.9	9.1		1.2	7.4	2.7	49.8	12.5	0.0	12.8	2.5	11.3	
Eastern	15.3	9.1	1.4	57.6	6.3	0.0	4.2	3.0	3.1		15.5	7.6	1.8	59.6	5.6	0.0	4.3	3.7	1.9	
Northern	4.3	26.6	7.6	44.0	5.2	1.6	8.4	2.3	0.0		5.3	28.0	7.7	45.3	3.2	2.0	6.9	1.6	0.0	
Western	5.7	11.6	1.8	62.0	7.4	0.0	4.8	0.9	5.8		7.0	12.4	1.5	61.4	6.6	0.0	3.5	1.1	6.4	

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3634)			Married Women <sup>1</sup> (N = 2367)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	15.4	10.0	25.4	20.7	14.0	34.7
<b>Age Group</b>						
15-19	12.7	2.2	14.9	32.0	5.4	37.4
20-24	21.2	3.6	24.8	28.3	4.0	32.3
25-29	22.1	7.0	29.2	26.1	8.0	34.1
30-34	16.7	17.0	33.7	19.2	18.3	37.5
35-39	13.4	19.8	33.2	15.0	24.0	39.0
40-44	2.4	21.4	23.8	2.6	28.5	31.2
45-49	1.3	19.3	20.5	1.3	27.6	28.8
<b>Marital Status</b>						
Married, or in union	20.7	14.0	34.7	na	na	na
Unmarried, sexually active	24.9	10.6	35.5	na	na	na
<b>Parity</b>						
0-1 children	13.4	2.3	15.6	25.8	2.9	28.7
2-3 children	22.5	6.5	29.0	26.3	7.2	33.5
4+ children	12.9	20.3	33.2	14.6	23.6	38.2
<b>Residence</b>						
Urban	13.6	8.1	21.7	20.5	12.3	32.8
Rural	15.8	10.5	26.3	20.8	14.3	35.1
<b>Education</b>						
Never	16.6	19.1	35.6	20.9	23.2	44.1
Primary	17.2	10.6	27.8	21.9	14.1	36.0
Secondary	10.9	4.7	15.7	17.4	7.6	25.0
Technical & vocational	10.4	5.8	16.2	14.8	10.4	25.1
University	12.9	1.2	14.0	20.7	2.2	23.0
<b>Wealth Quintile</b>						
Lowest	20.3	13.2	33.5	25.5	16.9	42.4
Lower	19.4	10.9	30.3	24.6	14.0	38.7
Middle	14.2	8.9	23.1	18.9	12.0	30.9
High	12.8	10.7	23.5	18.3	15.9	34.3
Highest	11.5	7.0	18.5	16.4	11.1	27.5
<b>Region</b>						
Central	12.5	7.8	20.3	17.4	11.6	29.0
Eastern	17.0	13.1	30.1	22.9	17.9	40.7
Northern	20.0	10.9	31.0	25.6	14.4	40.0
Western	12.4	8.0	20.4	16.7	11.2	27.9

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

## Background

### Characteristics

Characteristics	All Women (N=3634)					Married Women <sup>2</sup> (N=2367)				
	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	22.2	21.0	25.4	47.5	44.1	27.3	25.7	34.7	61.9	41.5
<b>Age Group</b>										
15-19	6.6	6.3	14.9	21.5	29.2	12.2	11.6	37.4	49.7	23.3
20-24	22.9	22.4	24.8	47.8	46.8	24.9	24.7	32.3	57.2	43.3
25-29	30.3	28.6	29.2	59.5	48.1	31.8	29.8	34.1	65.9	45.1
30-34	26.3	24.8	33.7	60.0	41.3	26.9	25.1	37.5	64.4	39.0
35-39	31.2	29.4	33.2	64.4	45.6	32.6	30.4	39.0	71.7	42.4
40-44	26.0	24.0	23.8	49.8	48.2	32.1	29.3	31.2	63.2	46.4
45-49	16.7	14.9	20.5	37.3	39.9	20.5	18.3	28.8	49.3	37.1
<b>Marital Status</b>										
Married, or in union	27.3	25.7	34.7	61.9	41.5	na	na	na	na	na
Unmarried, sexually active	33.6	31.3	35.5	69.1	45.4	na	na	na	na	na
<b>Parity</b>										
0-1 children	11.3	10.6	15.6	27.0	39.2	17.3	16.1	28.7	46.0	35.0
2-3 children	31.0	29.8	29.0	60.0	49.7	30.6	29.3	33.5	64.1	45.7
4+ children	28.1	26.5	33.2	61.3	43.2	30.2	28.2	38.2	68.4	41.3
<b>Residence</b>										
Urban	27.1	25.7	21.7	48.8	52.7	33.2	31.3	32.8	65.9	47.5
Rural	20.9	19.8	26.3	47.2	41.9	25.9	24.4	35.1	61.0	40.0
<b>Education</b>										
Never	12.6	11.9	35.6	48.2	24.7	13.5	12.8	44.1	57.7	22.2
Primary	22.0	21.0	27.8	49.8	42.3	26.1	24.9	36.0	62.2	40.1
Secondary	26.6	25.0	15.7	42.2	59.2	39.4	36.6	25.0	64.4	56.9
Technical & vocational	26.9	20.0	16.2	43.1	46.4	38.6	29.8	25.1	63.8	46.7
University	32.7	32.7	14.0	46.7	70.0	40.3	40.3	23.0	63.2	63.7
<b>Wealth Quintile</b>										
Lowest	12.7	12.6	33.5	46.3	27.2	15.8	15.6	42.4	58.2	26.8
Lower	19.3	18.7	30.3	49.6	37.7	22.1	21.3	38.7	60.8	35.0
Middle	23.0	22.3	23.1	46.1	48.5	27.5	26.7	30.9	58.4	45.7
High	24.0	22.6	23.5	47.5	47.5	31.1	29.3	34.3	65.4	44.8
Highest	29.7	26.9	18.5	48.1	55.9	39.1	35.0	27.5	66.6	52.5
<b>Region</b>										
Central	26.9	24.4	20.3	47.1	51.8	34.2	30.3	29.0	63.1	48.0
Eastern	19.1	18.5	30.1	49.2	37.6	23.3	22.8	40.7	64.0	35.7
Northern	15.2	15.2	31.0	46.1	32.9	17.6	17.6	40.0	57.5	30.5
Western	26.8	25.3	20.4	47.3	53.5	34.5	32.3	27.9	62.4	51.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=2163)			Married <sup>1</sup> Women with 1 or More Births (N=1824)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	52.6	29.1	18.3	54.6	28.7	16.7
<b>Age Group</b>						
15-19	49.5	32.8	17.7	58.4	29.4	12.2
20-24	57.1	31.8	11.2	58.9	31.8	9.3
25-29	57.9	30.8	11.2	58.8	30.3	10.8
30-34	50.5	28.8	20.7	52.0	29.3	18.7
35-39	44.5	27.8	27.7	45.8	27.6	26.6
40-44	44.0	14.7	41.3	43.5	14.4	42.1
45-49	40.9	8.4	50.7	42.6	6.2	51.2
<b>Marital Status</b>						
Married, or in union	54.6	28.7	16.7	na	na	na
Unmarried, sexually active	42.6	33.4	24.1	na	na	na
<b>Parity</b>						
0-1 children	60.6	26.7	12.6	67.9	23.4	8.7
2-3 children	58.3	31.3	10.3	59.1	32.2	8.7
4+ children	44.4	28.6	27.0	45.7	28.4	25.9
<b>Residence</b>						
Urban	54.4	28.3	17.3	55.9	28.8	15.2
Rural	52.2	29.3	18.5	54.4	28.6	17.0
<b>Education</b>						
Never	45.9	26.1	28.0	46.6	25.4	28.0
Primary	49.5	31.1	19.4	52.0	30.4	17.6
Secondary	61.0	28.2	10.8	62.9	28.6	8.5
Technical & vocational	78.2	17.0	4.8	77.1	18.7	4.2
University	79.7	11.7	8.6	80.0	12.8	7.3
<b>Wealth Quintile</b>						
Lowest	43.2	33.8	23.0	47.7	31.5	20.8
Lower	43.1	35.2	21.6	45.0	36.3	18.7
Middle	56.4	26.5	17.1	58.8	24.8	16.3
High	55.9	26.3	17.8	55.9	26.3	17.7
Highest	64.5	23.8	11.7	65.6	24.3	10.1
<b>Region</b>						
Central	61.2	26.5	12.3	63.2	26.3	10.5
Eastern	49.5	27.1	23.3	51.9	26.8	21.3
Northern	39.0	37.9	23.1	41.5	37.4	21.1
Western	59.7	26.5	13.9	61.5	25.4	13.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 763)
<b>Total</b>				
All	59.1	30.6	10.4	
<b>Age Group</b>				
15-19	44.1	46.3	9.6	
20-24	51.7	36.2	12.1	
25-29	63.5	27.8	8.7	
30-34	65.0	26.9	8.1	
35-39	62.9	26.4	10.7	
40-44	57.3	26.3	16.4	
45-49	<i>61.5</i>	<i>33.3</i>	<i>5.2</i>	
<b>Marital Status</b>				
Married, or in union	56.0	32.8	11.2	
Unmarried, sexually active	63.8	29.8	6.4	
<b>Parity</b>				
0-1 children	47.4	42.7	9.9	
2-3 children	63.2	28.1	8.7	
4+ children	60.9	27.4	11.7	
<b>Residence</b>				
Urban	69.3	20.7	10.0	
Rural	55.7	33.9	10.5	
<b>Education</b>				
Never	45.3	37.8	16.9	
Primary	59.5	29.8	10.7	
Secondary	59.5	31.3	9.2	
Technical & vocational	--	--	--	
University	<i>61.0</i>	<i>31.9</i>	<i>7.1</i>	
<b>Wealth Quintile</b>				
Lowest	45.5	37.8	16.6	
Lower	55.7	33.2	11.1	
Middle	64.2	24.8	11.0	
High	59.5	29.6	10.9	
Highest	62.0	31.3	6.7	
<b>Region</b>				
Central	63.2	24.8	12.0	
Eastern	54.8	30.7	14.5	
Northern	49.4	43.4	7.2	
Western	63.4	29.6	6.9	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method <sup>1</sup> who paid fees for services in the past 12 months, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users	Married <sup>2</sup> Modern Contraceptive Users
	(N = 763)	(N = 608)
<b>Total</b>		
All	47.3	46.6
<b>Age Group</b>		
15-19	54.0	<i>30.5</i>
20-24	50.6	50.4
25-29	54.1	55.0
30-34	48.9	48.2
35-39	40.2	43.5
40-44	24.4	24.9
45-49	<i>52.1</i>	<i>50.6</i>
<b>Marital Status</b>		
Married, or in union	46.6	na
Unmarried, sexually active	51.2	na
<b>Parity</b>		
0-1 children	57.5	57.3
2-3 children	50.8	50.1
4+ children	40.6	41.3
<b>Residence</b>		
Urban	61.0	62.5
Rural	42.7	42.0
<b>Education</b>		
Never	38.8	41.3
Primary	43.7	42.7
Secondary	57.5	56.8
Technical & vocational	--	--
University	<i>50.7</i>	--
<b>Wealth Quintile</b>		
Lowest	32.0	32.1
Lower	37.8	38.9
Middle	43.3	37.7
High	47.3	44.0
Highest	61.4	65.7
<b>Region</b>		
Central	56.4	58.7
Eastern	43.0	41.1
Northern	39.4	37.1
Western	45.8	44.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(763)</b>	<b>(608)</b>	<b>(755)</b>	<b>(601)</b>	<b>(429)</b>	<b>(357)</b>
All	62.4	64.2	54.0	55.3	86.1	89.7
<b>Age Group</b>						
15-19	47.1	55.6	56.2	51.6	68.5	--
20-24	64.5	68.2	56.5	57.2	82.0	90.4
25-29	63.0	62.7	53.5	53.1	88.1	88.8
30-34	61.5	63.9	56.5	58.7	94.0	93.8
35-39	54.8	53.9	49.4	52.7	83.8	84.1
40-44	71.1	70.4	51.0	53.4	88.9	88.2
45-49	80.3	87.1	55.2	65.8	--	--
<b>Marital Status</b>						
Married, or in union	64.2	na	55.3	na	89.7	na
Unmarried, sexually active	53.8	na	52.2	na	63.6	na
<b>Parity</b>						
0-1 children	53.7	61.3	53.6	53.2	77.3	94.1
2-3 children	63.8	63.5	53.7	54.5	85.8	87.0
4+ children	64.9	65.6	54.4	56.5	89.8	90.2
<b>Residence</b>						
Urban	55.6	57.9	50.9	53.4	81.7	86.6
Rural	64.6	66.1	55.1	55.9	87.4	90.5
<b>Education</b>						
Never	62.2	63.1	60.2	63.6	81.3	81.4
Primary	62.2	63.5	54.1	55.6	88.2	90.7
Secondary	63.6	65.5	52.4	50.6	84.0	90.3
Technical & vocational	--	--	--	--	--	--
University	58.5	--	57.3	--	--	--
<b>Wealth Quintile</b>						
Lowest	70.3	71.5	67.3	71.9	91.7	90.9
Lower	68.3	69.4	60.9	62.6	83.3	87.5
Middle	63.6	66.6	49.8	48.7	93.3	98.8
High	55.8	56.3	49.1	48.5	83.2	88.3
Highest	60.4	63.0	52.2	54.8	82.6	85.8
<b>Region</b>						
Central	55.3	56.3	47.2	48.0	80.0	84.4
Eastern	53.2	55.4	44.1	47.1	83.3	84.8
Northern	88.0	88.4	74.9	77.8	92.7	96.1
Western	63.8	66.7	58.0	57.2	88.3	92.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 742)</b>	<b>(N = 742)</b>	<b>(N = 742)</b>
All	89.3	88.6	83.5
<b>Age Group</b>			
15-19	<i>92.7</i>	<i>87.5</i>	<i>84.7</i>
20-24	89.1	90.2	84.5
25-29	93.4	89.9	87.6
30-34	88.1	85.9	80.7
35-39	84.2	85.3	77.1
40-44	84.5	88.5	79.7
45-49	<i>96.9</i>	<i>96.3</i>	<i>94.5</i>
<b>Marital Status</b>			
Married, or in union	90.5	89.7	84.5
Unmarried, sexually active	85.0	85.4	79.8
<b>Parity</b>			
0-1 children	90.6	87.6	85.7
2-3 children	91.1	90.8	85.7
4+ children	87.6	87.4	81.0
<b>Residence</b>			
Urban	84.5	80.7	74.9
Rural	91.0	91.2	86.3
<b>Education</b>			
Never	80.2	82.1	74.2
Primary	91.5	89.7	84.4
Secondary	89.7	89.9	86.0
Technical & vocational	--	--	--
University	<i>67.6</i>	<i>74.9</i>	<i>65.1</i>
<b>Wealth Quintile</b>			
Lowest	89.1	89.4	83.1
Lower	88.6	88.8	83.0
Middle	88.4	87.0	79.7
High	92.5	89.7	85.2
Highest	88.0	88.4	85.2
<b>Region</b>			
Central	89.1	90.6	85.2
Eastern	90.7	90.4	85.0
Northern	90.7	91.9	86.8
Western	87.8	83.3	78.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(3634)</b>	<b>(2367)</b>	<b>(3634)</b>	<b>(2367)</b>	<b>(3634)</b>	<b>(2367)</b>
All	16.9	19.2	29.8	35.4	38.4	44.9
<b>Age Group</b>						
15-19	12.6	16.8	14.3	25.0	23.0	34.8
20-24	17.3	19.0	32.2	37.2	40.7	46.4
25-29	20.9	22.0	36.8	38.4	47.4	50.2
30-34	17.7	18.5	37.3	36.6	45.0	44.8
35-39	18.6	20.1	37.1	39.4	44.3	47.5
40-44	14.9	16.1	28.3	29.6	35.8	37.3
45-49	15.7	17.2	25.6	29.7	33.1	38.9
<b>Marital Status</b>						
Married, or in union	19.2	na	35.4	na	44.9	na
Unmarried, sexually active	13.0	na	24.3	na	30.4	na
<b>Parity</b>						
0-1 children	12.8	15.3	19.9	28.5	28.1	37.8
2-3 children	18.5	18.9	36.7	37.7	45.1	47.0
4+ children	20.2	21.2	36.2	37.5	45.1	47.1
<b>Residence</b>						
Urban	15.6	19.3	32.7	40.6	39.3	48.1
Rural	17.2	19.2	29.1	34.3	38.1	44.1
<b>Education</b>						
Never	20.4	23.2	28.9	33.2	37.7	43.2
Primary	17.2	19.8	30.5	35.0	39.1	45.0
Secondary	14.6	15.1	29.0	38.1	37.4	45.9
Technical & vocational	17.3	16.6	26.5	32.8	35.2	39.2
University	11.2	8.9	29.8	42.9	35.6	48.1
<b>Wealth Quintile</b>						
Lowest	18.8	23.1	34.3	38.5	42.7	48.7
Lower	19.9	21.7	32.6	36.3	42.6	46.3
Middle	18.4	20.9	28.0	33.6	37.8	45.5
High	16.0	18.0	27.0	34.0	35.2	42.9
Highest	12.5	12.6	28.2	34.9	34.9	41.1
<b>Region</b>						
Central	9.3	10.6	24.1	28.8	29.9	35.4
Eastern	21.6	24.3	32.8	38.4	44.2	51.0
Northern	21.9	24.7	35.8	41.0	44.8	50.9
Western	15.2	16.2	27.2	33.0	35.0	41.1

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	1362	3440	4802
Households Occupied	1281	3295	4576
Households Interviewed	1085	3172	4257
Household Response Rate <sup>1</sup>	84.70%	96.27%	93.03%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	1009	2892	3901
Number of Eligible Women Interviewed	927	2789	3716
Eligible Woman Response Rate <sup>3</sup>	91.87%	96.44%	95.26%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.210	0.013	0.186	0.236	0.257	0.016	0.227	0.289
Currently using a traditional method	0.012	0.002	0.008	0.018	0.016	0.004	0.010	0.025
Currently using any contraceptive method	0.222	0.013	0.197	0.249	0.273	0.017	0.241	0.307
Currently using DMPA-IM	0.120	0.009	0.102	0.140	0.150	0.012	0.127	0.176
Currently using DMPA-SC								
Currently using condoms	0.083	0.012	0.063	0.110	0.069	0.011	0.050	0.094
Currently using implants	0.120	0.016	0.091	0.156	0.122	0.017	0.093	0.160
Chose method by self or jointly in past 12 months	0.896	0.023	0.842	0.933	0.888	0.026	0.827	0.930
Paid fees for family planning services in past 12 months	0.453	0.034	0.387	0.521	0.444	0.034	0.378	0.512
Informed by provider about other methods	0.608	0.026	0.555	0.658	0.622	0.027	0.566	0.675
Informed by provider about side effects	0.539	0.026	0.488	0.590	0.551	0.030	0.491	0.610
Satisfied with provider: Would return and refer friend/relative to provider	0.835	0.023	0.783	0.876	0.845	0.025	0.790	0.888
Visited by health worker who talked about family planning in past 12 months	0.168	0.017	0.137	0.204	0.190	0.020	0.153	0.234

<sup>1</sup> Married includes married women and those who are living with a man