

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Uganda Snapshot of Indicators Phase 1 (2020) Cross-sectional Survey

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	3938	3938
Age Group			
15-19	24.5	966	957
20-24	19.9	783	782
25-29	16.9	667	675
30-34	13.6	536	534
35-39	10.9	428	429
40-44	8.0	314	315
45-49	6.2	244	246
Marital Status			
Married, or in union	59.1	2328	2325
Unmarried, sexually active	7.4	292	296
Parity			
0-1 children	14.5	571	574
2-3 children	22.7	895	906
4+ children	33.6	1321	1304
Residence			
Urban	28.9	1136	1444
Rural	71.1	2802	2494
Education			
Never	7.0	274	294
Primary	55.0	2168	2148
Secondary	29.9	1178	1178
Technical & vocational	4.9	192	197
University	3.2	125	121
Wealth Quintile			
Lowest	19.5	766	767
Lower	18.3	719	725
Middle	20.0	787	805
Higher	20.1	793	791
Highest	22.1	872	850
Region			
Central	29.1	1147	965
Eastern	25.0	985	926
Northern	19.1	753	862
Western	26.7	1053	1185

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	34.9	44.8	29.5	37.3	5.5	7.5
Age Group						
15-19	15.0	35.0	13.4	30.3	1.6	4.7
20-24	37.6	42.5	32.3	36.5	5.3	6.1
25-29	49.1	52.2	40.5	42.6	8.6	9.6
30-34	42.5	43.4	36.1	37.1	6.3	6.3
35-39	40.6	44.8	33.8	36.6	6.9	8.2
40-44	42.5	47.5	34.4	38.4	8.1	9.0
45-49	30.5	38.1	25.2	30.6	5.3	7.6
Marital Status						
Married, or in union	44.8	na	37.3	na	7.5	na
Unmarried, sexually active	59.4	na	53.1	na	6.3	na
Parity						
0-1 children	38.2	44.0	32.7	36.5	5.5	7.5
2-3 children	48.1	49.7	40.6	41.2	7.4	8.5
4+ children	43.4	46.3	36.7	38.8	6.7	7.5
Residence						
Urban	40.8	54.1	33.3	44.4	7.5	9.7
Rural	32.6	41.5	27.9	34.8	4.7	6.7
Education						
Never	21.6	26.1	19.1	22.6	2.5	3.5
Primary	35.5	43.0	30.7	36.8	4.7	6.2
Secondary	35.5	52.2	29.4	42.7	6.0	9.5
Technical & vocational	38.3	51.0	26.8	33.2	11.6	17.9
University	45.1	66.3	34.7	54.1	10.4	12.3
Wealth Quintile						
Lowest	26.1	30.3	22.4	25.2	3.6	5.1
Lower	35.9	44.4	31.4	38.3	4.5	6.1
Middle	34.5	43.2	30.1	37.3	4.4	5.9
Higher	37.9	52.1	31.6	43.2	6.3	8.9
Highest	39.7	55.7	31.6	43.7	8.1	12.0
Region						
Central	37.0	49.8	29.1	39.1	7.9	10.7
Eastern	38.0	46.8	32.7	39.6	5.3	7.1
Northern	24.1	30.1	22.4	27.6	1.6	2.6
Western	37.6	48.2	31.9	39.9	5.7	8.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 1375)										Married Users ¹ (N = 1038)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	4.3	26.4	4.1	15.6	14.7	4.1	3.9	8.9	2.3	15.7	4.4	27.7	4.4	16.4	16.7	3.9	2.5	5.2	2.0	16.7
Age Group																				
15-19	0.0	17.3	0.0	16.1	10.1	2.4	8.1	29.3	6.2	10.5	0.0	30.2	0.0	19.2	17.0	0.4	2.1	14.7	2.9	13.5
20-24	0.0	34.1	1.8	13.6	16.2	3.4	6.6	8.3	1.9	14.1	0.0	35.9	1.5	16.5	19.8	1.6	3.9	4.2	2.3	14.2
25-29	0.0	31.4	5.2	14.9	16.0	3.5	4.0	6.2	1.3	17.5	0.0	30.7	5.3	15.0	17.2	3.6	3.3	5.3	1.2	18.4
30-34	3.1	27.2	5.7	20.9	16.2	3.7	1.2	5.3	1.7	14.9	2.0	27.5	5.3	21.8	17.4	4.1	1.4	4.7	1.5	14.4
35-39	7.8	23.5	5.9	14.0	16.0	4.8	2.3	6.0	2.7	16.9	8.6	23.5	5.9	14.4	15.7	4.7	1.8	4.8	2.4	18.3
40-44	19.4	14.0	6.4	11.5	13.5	6.2	0.9	6.5	2.5	19.0	17.1	13.8	7.1	10.4	16.3	7.8	1.2	4.2	3.1	19.0
45-49	17.5	18.2	2.8	19.5	6.8	8.3	2.0	5.8	1.7	17.4	16.2	20.8	3.2	18.8	6.1	7.5	2.3	3.4	2.0	19.9
Marital Status																				
Married, or in union	4.4	27.7	4.4	16.4	16.7	3.9	2.5	5.2	2.0	16.7	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	2.3	23.2	3.9	11.0	8.3	6.9	5.4	22.9	5.3	10.6	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	31.3	3.2	14.5	18.5	3.0	3.5	8.9	2.7	14.4	0.0	28.1	2.7	13.5	21.2	2.9	4.4	7.4	2.8	17.0
2-3 children	1.3	31.9	4.8	14.6	18.0	4.4	1.7	6.1	1.8	15.5	0.2	30.7	5.1	15.7	18.6	3.8	2.2	4.9	1.7	17.1
4+ children	9.4	26.8	4.7	17.9	14.0	4.3	0.7	5.2	1.6	15.4	8.8	26.7	4.8	17.4	14.7	4.6	0.7	4.3	1.8	16.2
Residence																				
Urban	3.2	21.4	6.0	13.9	13.0	5.4	7.8	9.2	1.9	18.3	2.8	22.6	6.4	16.5	15.4	5.4	5.9	4.7	2.4	18.0
Rural	4.9	28.9	3.1	16.4	15.6	3.5	1.9	8.8	2.6	14.3	5.1	30.0	3.5	16.3	17.3	3.3	1.0	5.5	1.8	16.2
Education																				
Never	1.1	27.1	8.7	18.0	18.3	4.5	0.0	5.5	5.2	11.8	0.0	28.6	10.0	16.4	18.5	5.2	0.0	1.9	5.9	13.5
Primary	7.1	31.3	3.9	16.7	13.7	2.7	1.0	8.5	1.8	13.3	7.0	32.2	3.6	17.0	15.1	2.4	1.1	5.6	1.5	14.5
Secondary	0.9	21.2	2.4	15.4	18.0	5.8	6.3	10.0	3.0	17.0	1.0	22.3	3.1	17.1	21.8	6.5	2.9	5.1	2.0	18.2
Technical & vocational	0.0	17.0	6.1	10.5	10.5	4.5	13.5	7.1	0.8	30.1	0.0	18.0	8.0	12.2	13.8	1.4	6.5	4.0	1.0	35.0
University	0.4	8.5	11.4	5.8	6.1	10.0	17.4	13.5	3.9	23.0	<i>0.6</i>	<i>12.1</i>	<i>14.0</i>	<i>8.2</i>	<i>6.4</i>	<i>9.8</i>	<i>19.1</i>	<i>5.9</i>	<i>5.5</i>	<i>18.5</i>
Wealth Quintile																				
Lowest	2.8	33.4	4.2	11.3	13.7	2.8	1.1	12.5	4.3	13.9	2.0	33.5	4.4	14.1	16.1	3.3	0.8	6.6	2.4	16.8
Lower	5.2	33.3	2.1	19.7	17.0	1.9	0.9	6.8	0.6	12.6	3.7	34.5	2.2	19.6	18.9	1.8	0.0	5.0	0.7	13.7
Middle	4.3	26.1	4.1	20.2	14.6	4.0	1.3	9.5	3.1	12.7	4.8	29.1	4.8	19.2	15.9	2.9	0.7	7.1	1.9	13.6
Higher	7.7	24.9	3.5	15.1	13.9	4.3	4.2	7.9	1.9	16.6	9.7	23.8	3.7	16.3	16.0	3.6	2.1	5.1	2.5	17.0
Highest	1.7	18.6	5.9	11.7	14.4	6.4	9.5	8.9	2.3	20.4	1.4	21.0	6.5	13.0	16.6	7.1	7.5	3.1	2.3	21.5
Region																				
Central	3.3	20.5	5.1	15.7	12.4	4.8	7.0	8.2	1.6	21.4	3.7	21.5	5.9	15.9	14.6	5.2	5.1	4.3	2.2	21.5
Eastern	6.9	23.9	2.2	16.0	18.7	3.9	2.3	8.6	3.5	14.0	6.5	25.6	1.7	16.2	21.3	3.0	1.9	5.7	2.7	15.3
Northern	3.8	36.4	5.2	15.3	12.2	2.5	1.7	14.7	1.5	6.8	4.2	35.4	5.8	18.9	13.0	2.9	1.4	7.9	2.1	8.5
Western	3.2	30.4	4.2	15.1	14.6	4.2	3.2	7.4	2.4	15.1	3.0	32.7	5.0	15.9	15.8	4.0	1.0	4.3	1.0	17.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 3938)	Married Women ³ (N = 2325)	All Women (N = 3938)	Married Women ³ (N = 2325)
Total				
All	17.3	20.9	12.2	16.3
Age Group				
15-19	10.8	19.7	2.6	10.6
20-24	18.8	20.5	13.5	15.9
25-29	22.5	23.8	18.0	18.8
30-34	20.9	22.1	15.3	15.1
35-39	18.6	19.6	15.1	17.0
40-44	17.5	20.4	16.9	18.0
45-49	13.5	15.2	11.7	15.3
Marital Status				
Married, or in union	20.9	na	16.3	na
Unmarried, sexually active	35.6	na	17.5	na
Parity				
0-1 children	19.6	23.0	13.2	13.5
2-3 children	22.4	23.3	18.3	17.9
4+ children	18.9	20.1	17.8	18.7
Residence				
Urban	20.8	27.2	12.5	17.2
Rural	15.9	18.8	12.0	16.0
Education				
Never	11.1	12.5	8.0	10.1
Primary	15.7	18.4	15.0	18.4
Secondary	20.7	29.0	8.7	13.8
Technical & vocational	17.9	19.9	8.8	13.2
University	25.5	36.4	9.2	17.7
Wealth Quintile				
Lowest	11.9	13.2	10.5	12.1
Lower	16.8	20.4	14.6	17.9
Middle	18.2	20.6	11.9	16.7
Higher	17.9	23.8	13.7	19.4
Highest	21.2	27.6	10.4	16.1
Region				
Central	18.4	23.6	10.7	15.5
Eastern	20.1	23.8	12.6	15.8
Northern	11.5	13.9	10.9	13.7
Western	17.7	20.3	14.3	19.6

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3938)			Married Women ¹ (N = 2325)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	11.3	6.0	17.3	15.5	8.8	24.3
Age Group						
15-19	7.4	1.9	9.3	21.0	7.0	28.0
20-24	14.8	2.2	17.0	18.7	2.2	20.9
25-29	15.1	3.4	18.5	17.2	3.6	20.9
30-34	16.0	6.0	22.0	19.5	7.3	26.8
35-39	12.2	13.7	25.9	13.3	14.5	27.7
40-44	5.7	16.8	22.4	7.5	21.3	28.8
45-49	1.2	13.9	15.1	1.0	19.9	20.9
Marital Status						
Married, or in union	15.5	8.8	24.3	na	na	na
Unmarried, sexually active	19.2	5.0	24.3	na	na	na
Parity						
0-1 children	17.0	3.1	20.1	18.3	1.9	20.2
2-3 children	13.8	3.6	17.4	16.0	3.7	19.7
4+ children	12.7	13.3	26.0	14.7	14.9	29.6
Residence						
Urban	8.0	3.7	11.7	10.9	5.8	16.7
Rural	12.7	6.9	19.6	17.1	9.8	26.9
Education						
Never	11.2	12.0	23.1	13.1	15.1	28.1
Primary	13.3	7.3	20.6	17.2	9.8	27.0
Secondary	8.8	3.1	11.9	13.4	5.7	19.2
Technical & vocational	11.0	1.4	12.3	15.3	1.0	16.3
University	2.6	3.8	6.4	2.5	6.1	8.6
Wealth Quintile						
Lowest	16.3	7.2	23.6	21.5	9.5	31.0
Lower	12.7	8.2	20.9	16.1	11.1	27.2
Middle	13.7	6.0	19.7	18.1	8.8	26.9
Higher	9.9	5.0	14.9	14.1	7.7	21.8
Highest	5.1	3.9	8.9	6.9	6.7	13.6
Region						
Central	9.2	5.5	14.7	12.5	8.9	21.5
Eastern	14.0	7.3	21.3	17.8	9.4	27.2
Northern	14.9	6.5	21.4	20.9	9.7	30.5
Western	8.7	4.9	13.6	12.1	7.3	19.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=3938)

Married Women ² (N=2325)

	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	34.9	29.5	17.3	52.3	56.4	44.8	37.3	24.3	69.0	54.0
Age Group										
15-19	15.0	13.4	9.3	24.3	55.3	35.0	30.3	28.0	63.0	48.0
20-24	37.6	32.3	17.0	54.7	59.1	42.5	36.5	20.9	63.4	57.5
25-29	49.1	40.5	18.5	67.6	59.9	52.2	42.6	20.9	73.0	58.3
30-34	42.5	36.1	22.0	64.5	56.1	43.4	37.1	26.8	70.2	52.9
35-39	40.6	33.8	25.9	66.5	50.8	44.8	36.6	27.7	72.6	50.5
40-44	42.5	34.4	22.4	64.9	53.0	47.5	38.4	28.8	76.3	50.4
45-49	30.5	25.2	15.1	45.7	55.3	38.1	30.6	20.9	59.0	51.8
Marital Status										
Married, or in union	44.8	37.3	24.3	69.0	54.0	na	na	na	na	na
Unmarried, sexually active	59.4	53.1	24.3	83.7	63.4	na	na	na	na	na
Parity										
0-1 children	38.2	32.7	20.1	58.3	56.1	44.0	36.5	20.2	64.2	56.9
2-3 children	48.1	40.6	17.4	65.5	62.1	49.7	41.2	19.7	69.4	59.3
4+ children	43.4	36.7	26.0	69.4	52.9	46.3	38.8	29.6	75.9	51.1
Residence										
Urban	40.8	33.3	11.7	52.5	63.4	54.1	44.4	16.7	70.8	62.7
Rural	32.6	27.9	19.6	52.2	53.5	41.5	34.8	26.9	68.4	50.8
Education										
Never	21.6	19.1	23.1	44.7	42.6	26.1	22.6	28.1	54.2	41.6
Primary	35.5	30.7	20.6	56.1	54.8	43.0	36.8	27.0	70.0	52.5
Secondary	35.5	29.4	11.9	47.4	62.1	52.2	42.7	19.2	71.4	59.8
Technical & vocational	38.3	26.8	12.3	50.7	52.9	51.0	33.2	16.3	67.3	49.3
University	45.1	34.7	6.4	51.5	67.4	66.3	54.1	8.6	75.0	<i>72.1</i>
Wealth Quintile										
Lowest	26.1	22.4	23.6	49.7	45.2	30.3	25.2	31.0	61.3	41.2
Lower	35.9	31.4	20.9	56.8	55.2	44.4	38.3	27.2	71.6	53.5
Middle	34.5	30.1	19.7	54.2	55.5	43.2	37.3	26.9	70.0	53.3
Higher	37.9	31.6	14.9	52.9	59.8	52.1	43.2	21.8	73.9	58.5
Highest	39.7	31.6	8.9	48.7	65.0	55.7	43.7	13.6	69.3	63.1
Region										
Central	37.0	29.1	14.7	51.7	56.3	49.8	39.1	21.5	71.3	54.9
Eastern	38.0	32.7	21.3	59.3	55.1	46.8	39.6	27.2	74.0	53.6
Northern	24.1	22.4	21.4	45.4	49.3	30.1	27.6	30.5	60.6	45.4
Western	37.6	31.9	13.6	51.2	62.3	48.2	39.9	19.4	67.6	59.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=2028)			Married ¹ Women with 1 or More Births (N=1658)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	55.1	32.1	12.8	56.7	32.3	11.0
Age Group						
15-19	35.4	43.1	21.5	47.5	37.6	14.9
20-24	57.2	32.6	10.1	60.7	31.5	7.7
25-29	60.0	32.4	7.6	60.7	33.4	5.9
30-34	57.7	32.0	10.3	55.7	33.8	10.4
35-39	52.9	30.4	16.7	54.0	32.3	13.6
40-44	45.9	24.2	29.9	43.3	25.4	31.4
45-49	<i>58.8</i>	<i>16.9</i>	<i>24.2</i>	<i>55.7</i>	<i>18.2</i>	<i>26.1</i>
Marital Status						
Married, or in union	56.7	32.3	11.0	na	na	na
Unmarried, sexually active	48.4	35.4	16.2	na	na	na
Parity						
0-1 children	55.5	31.3	13.1	65.0	27.5	7.4
2-3 children	63.5	30.0	6.5	63.8	29.7	6.5
4+ children	48.4	34.1	17.4	48.0	36.2	15.8
Residence						
Urban	61.9	28.0	10.1	65.5	26.6	7.9
Rural	53.0	33.4	13.6	54.0	34.1	12.0
Education						
Never	62.0	22.3	15.7	64.6	20.4	15.0
Primary	50.2	35.6	14.1	50.9	36.7	12.4
Secondary	60.6	28.8	10.6	63.4	28.1	8.6
Technical & vocational	70.0	24.9	5.1	69.4	26.6	4.0
University	<i>75.3</i>	<i>19.2</i>	<i>5.5</i>	<i>82.9</i>	<i>17.1</i>	<i>0.0</i>
Wealth Quintile						
Lowest	51.4	31.7	16.9	53.5	31.7	14.8
Lower	49.4	36.7	13.9	49.5	37.2	13.3
Middle	53.1	36.1	10.7	54.7	37.0	8.3
Higher	56.6	30.0	13.4	57.6	31.7	10.7
Highest	66.9	25.2	7.9	69.8	23.4	6.8
Region						
Central	59.1	30.7	10.2	62.5	29.0	8.6
Eastern	45.5	35.4	19.2	45.2	37.3	17.5
Northern	53.0	32.2	14.8	56.2	32.0	11.7
Western	62.8	30.1	7.2	64.1	30.3	5.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 1145)
Total				
All	53.5	35.2	11.3	
Age Group				
15-19	42.7	36.1	21.1	
20-24	46.9	36.5	16.5	
25-29	56.3	36.8	6.9	
30-34	67.0	26.6	6.4	
35-39	50.7	41.5	7.8	
40-44	51.5	35.2	13.3	
45-49	56.3	33.6	10.1	
Marital Status				
Married, or in union	51.6	37.2	11.1	
Unmarried, sexually active	57.4	28.8	13.8	
Parity				
0-1 children	48.3	36.8	14.8	
2-3 children	57.6	32.6	9.8	
4+ children	55.7	35.6	8.7	
Residence				
Urban	50.9	38.8	10.2	
Rural	54.7	33.5	11.8	
Education				
Never	54.7	37.4	7.9	
Primary	53.3	34.0	12.7	
Secondary	52.6	38.1	9.3	
Technical & vocational	<i>53.9</i>	<i>39.6</i>	<i>6.6</i>	
University	<i>62.5</i>	<i>24.4</i>	<i>13.1</i>	
Wealth Quintile				
Lowest	46.9	34.5	18.6	
Lower	58.8	29.1	12.1	
Middle	59.1	32.2	8.7	
Higher	53.4	36.2	10.4	
Highest	48.2	42.9	9.0	
Region				
Central	52.6	39.5	8.0	
Eastern	54.3	30.2	15.5	
Northern	52.2	36.9	11.0	
Western	54.3	35.2	10.5	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(1145)	(861)	(1145)	(861)	(696)	(538)	(1145)	(861)
All	63.8	66.2	59.7	61.6	86.2	87.1	65.5	69.6
Age Group								
15-19	41.5	54.7	46.2	60.1	81.2	84.2	43.2	58.4
20-24	61.9	63.3	56.4	57.3	80.5	82.4	65.3	69.8
25-29	71.3	71.7	64.2	65.8	86.6	86.9	74.4	75.7
30-34	67.5	66.0	58.8	57.1	91.3	94.0	68.6	70.0
35-39	67.3	67.3	69.1	69.4	86.6	85.0	74.4	75.2
40-44	61.3	58.1	56.4	50.5	87.6	82.8	54.2	53.4
45-49	67.8	75.5	67.2	72.2	93.7	96.7	61.0	67.2
Marital Status								
Married, or in union	66.2	na	61.6	na	87.1	na	69.6	na
Unmarried, sexually active	55.4	na	52.8	na	79.8	na	52.3	na
Parity								
0-1 children	64.0	62.7	55.2	54.5	82.0	80.7	67.6	65.3
2-3 children	69.0	70.1	63.7	65.8	87.8	88.9	69.8	73.5
4+ children	66.6	65.7	62.7	61.3	88.7	87.9	69.0	69.2
Residence								
Urban	66.0	68.9	61.8	62.7	87.8	88.1	63.1	68.5
Rural	62.8	65.1	58.8	61.1	85.5	86.7	66.6	70.1
Education								
Never	61.5	61.3	59.6	54.9	100.0	100.0	65.5	67.5
Primary	62.7	63.9	61.3	62.3	85.9	86.2	66.4	69.7
Secondary	67.2	71.4	58.0	62.4	83.3	85.3	64.7	70.7
Technical & vocational	62.8	71.1	56.8	59.5	92.3	--	63.8	68.5
University	57.8	67.2	51.4	54.9	--	--	58.1	64.7
Wealth Quintile								
Lowest	56.1	59.9	58.2	63.0	91.6	91.7	65.4	70.1
Lower	64.1	67.6	60.5	62.2	86.4	88.0	66.8	72.2
Middle	64.6	65.1	54.4	54.8	85.7	85.0	65.8	68.3
Higher	63.0	61.8	61.5	61.7	83.4	83.5	62.9	63.1
Highest	68.7	74.3	63.3	66.1	85.9	88.5	66.5	74.4
Region								
Central	62.2	64.8	60.2	60.9	82.6	84.4	61.8	66.9
Eastern	58.9	61.0	52.3	54.7	86.8	86.0	62.1	65.8
Northern	67.2	72.2	69.1	74.6	90.2	90.4	74.5	79.3
Western	68.4	70.1	61.8	63.0	86.9	88.8	67.7	71.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 1116)	(N = 1116)	(N = 1116)
All	93.6	91.9	89.2
Age Group			
15-19	82.0	87.9	79.7
20-24	93.9	91.9	89.3
25-29	96.9	91.4	90.7
30-34	97.9	94.1	93.1
35-39	91.2	94.0	89.7
40-44	91.0	89.0	86.2
45-49	95.5	94.2	91.5
Marital Status			
Married, or in union	94.4	93.2	90.7
Unmarried, sexually active	89.9	87.2	84.2
Parity			
0-1 children	92.3	91.3	88.4
2-3 children	94.5	93.3	90.4
4+ children	95.4	93.0	91.0
Residence			
Urban	91.6	90.9	88.6
Rural	94.4	92.3	89.5
Education			
Never	93.4	93.5	91.1
Primary	93.5	91.9	88.5
Secondary	93.2	91.0	89.4
Technical & vocational	<i>98.0</i>	<i>97.3</i>	<i>95.3</i>
University	<i>92.4</i>	<i>89.5</i>	<i>89.5</i>
Wealth Quintile			
Lowest	94.3	88.0	85.4
Lower	91.2	92.3	87.3
Middle	97.2	93.3	92.3
Higher	90.2	91.0	87.1
Highest	94.9	93.5	92.6
Region			
Central	93.8	90.6	89.2
Eastern	91.4	93.5	88.7
Northern	95.1	86.2	83.0
Western	94.6	94.4	92.8

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(3938)	(2325)	(3938)	(2325)	(3938)	(2325)
All	14.3	16.2	28.8	37.4	35.6	44.4
Age Group						
15-19	10.4	13.2	11.9	31.4	18.5	36.7
20-24	14.4	16.5	31.6	38.6	38.3	46.2
25-29	15.0	15.6	39.9	43.3	45.7	49.4
30-34	16.9	18.1	39.2	40.4	46.4	47.8
35-39	16.3	16.5	33.3	34.9	40.7	42.3
40-44	14.5	14.4	30.5	31.4	37.0	37.9
45-49	17.3	17.1	23.5	28.4	33.0	36.3
Marital Status						
Married, or in union	16.2	na	37.4	na	44.4	na
Unmarried, sexually active	15.5	na	23.8	na	34.5	na
Parity						
0-1 children	15.6	16.9	34.9	37.6	41.1	44.6
2-3 children	16.1	17.2	37.9	39.5	44.6	46.3
4+ children	16.6	16.4	37.7	39.0	45.2	46.2
Residence						
Urban	14.1	15.7	24.5	32.1	30.9	38.2
Rural	14.3	16.4	30.5	39.3	37.5	46.5
Education						
Never	15.0	15.0	28.0	30.1	34.2	35.2
Primary	13.7	15.1	31.7	38.3	38.0	45.1
Secondary	16.3	21.6	25.1	39.1	33.4	47.8
Technical & vocational	9.8	7.4	26.9	35.4	31.7	39.9
University	10.7	11.1	17.1	29.0	23.3	34.0
Wealth Quintile						
Lowest	16.1	18.3	34.2	40.3	40.0	46.6
Lower	13.7	15.1	32.7	41.8	38.8	47.3
Middle	14.9	15.8	29.0	37.7	37.8	45.6
Higher	14.0	16.0	27.5	36.3	34.6	44.1
Highest	12.7	15.5	21.8	30.7	28.2	38.0
Region						
Central	9.9	11.8	23.2	30.8	28.5	36.8
Eastern	17.8	19.7	35.8	44.4	42.9	51.6
Northern	19.6	21.3	34.7	43.3	42.1	50.2
Western	11.8	13.2	24.0	32.6	31.9	40.1

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1645	2624	4269
Households Occupied	1579	2569	4148
Households Interviewed	1491	2532	4023
Household Response Rate ¹	94.43%	98.56%	96.99%
Interviews with Women			
Number of Eligible Women ²	1519	2550	4069
Number of Eligible Women Interviewed	1444	2494	3938
Eligible Woman Response Rate ³	95.06%	97.80%	96.78%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.295	0.019	0.256	0.337	0.373	0.019	0.333	0.414
Currently using a traditional method	0.055	0.010	0.037	0.081	0.075	0.014	0.050	0.110
Currently using any contraceptive method	0.349	0.016	0.317	0.383	0.448	0.014	0.418	0.478
Currently using DMPA-IM	0.156	0.028	0.105	0.224	0.164	0.030	0.111	0.235
Currently using DMPA-SC	0.147	0.032	0.091	0.228	0.167	0.031	0.112	0.242
Currently using condoms	0.089	0.017	0.060	0.131	0.052	0.016	0.028	0.096
Currently using implants	0.264	0.024	0.217	0.316	0.277	0.025	0.228	0.331
Chose method by self or jointly in past 12 months	0.887	0.020	0.838	0.923	0.889	0.020	0.838	0.925
Informed by provider about other methods	0.638	0.026	0.581	0.692	0.662	0.025	0.608	0.712
Informed by provider about side effects	0.597	0.028	0.537	0.655	0.616	0.038	0.532	0.693
Satisfied with provider: Would return and refer friend/relative to provider	0.892	0.024	0.829	0.933	0.907	0.026	0.837	0.949
Visited by health worker who talked about family planning in past 12 months	0.143	0.022	0.103	0.194	0.162	0.024	0.117	0.220

¹ Married includes married women and those who are living with a man