

## PMA Nigeria Phase 2 Survey Female Questionnaire

READ THIS WARNING: This female questionnaire is not			
linked to a household questionnaire. ONLY continue if there is no linked female questionnaire under the "Edit Saved Form" Menu.			
Press OK to continue		Оок	
		) Yes ) No	
Provide your signature to acknowledge that there is no linked female questionnaire.			
Close and exit this form without saving. Look for a linked female questionnaire through the 'Edit Saved Forms' Menu.			
State		<ul><li>◯ Kano</li><li>◯ Lagos</li></ul>	
LGA		<i>ODK will populate a list of appropriate LGA based on the selected state.</i>	
Locality		<i>ODK will populate a list of appropriate locality based on the selected LGA.</i>	
Enumeration Area:		<i>ODK will populate a list of appropriate EAs based on the selected locality.</i>	
Structure number:			
Household number:			
001a. Are you in the correct household? EA: \${EA} Structure #: \${structure} Household #: \${household}	O Y O N		
001a. Are you in the correct household? EA: \${EA} Household head: \${HQ_ODK_display_name}			
002. Your name:			
Is this your name?		○ Yes ○ No	
002. Enter your name below. Please record your name			



003a. Current date and time.			Day: Month: Year:
Is this date and time correct?		⊖ Yes ⊖ No	
003b. Record the correct date and time.		<u>.</u>	Day: Month: Year:
004a. The following info is from the household questionnaire. Please review to make sure you are interviewing the correct respondent.			
004a. The following info is what you provided previou Please review.	sly.		
State: \${level1_unlinked}			
LGA: \${level2_unlinked}			
Locality: \${level3_unlinked}			
Enumeration Area: \${EA_unlinked}			
Structure number: \${structure_unlinked}\${hq_structu	re}		
Household number: \${household_unlinked}\${hq_household}			
004b. Is the above information correct?		⊖ Yes ⊖ No	
005. CHECK: You should be attempting to interview \${firstname}. Is that correct?		•	
If misspelled, select "yes" and update the name in question "010." If this is the wrong person, you have two options: (1) exit and ignore changes to this form. Open the correct form.	() Y () N		
Or (2) find and interview the person whose name appears above.			
006. Is the respondent present and available to be interviewed today?	() Y () N		
007. How well acquainted are you with the respondent?		<ul> <li>Very well acquainted</li> <li>Well acquainted</li> <li>Not well acquainted</li> <li>Not acquainted</li> </ul>	
INFORMED CONSENT			





PERFORMANCE MONITORING FOR ACTION	
Find the woman between the ages of 15-49 associated with this Female Questionnaire. The interview must have auditory privacy. Administer the consent procedures.	
Is the respondent a minor who requires the consent of a guardian? <i>Married minors do not need the consent of an adult.</i>	○ Yes ○ No
Read the following to the parent/guardian of the minor.	
Hello. My name is	
and I am working for Center for Research, Evaluation Resources, and Development. We are conducting a local survey that asks women about various reproductive health issues, including knowledge, attitudes, and use of contraception. Your female child/ward has been selected to participate in this survey. We would very much appreciate her participation in this survey. The information that she will provide will help us inform	
the government to better plan health services. The survey usually takes 60 minutes to complete. Whatever information she will provide will be kept strictly confidential and only fully de-identified data will be used when conducting analyses, presenting results, or sharing data. Participation in this survey is entirely voluntary. If we should come to any question she don't want to answer, just let her tell me and I will go on to the next question. You can choose not to participate	
at all or she can stop the interview at any time. However, we hope that she will participate in this survey since her views are important. If you have any questions about the study and her right as a research participant, you may ask me now or you may also contact Dr. Musa Sani Zakirai at Center for Research, Evaluation Resources and Development in Ile-ife, Nigeria at +234 8094749830. At this time, do you want to ask me anything about the survey? May I begin the interview with her now?	
Hello, my name is I am one of the interviewers for the PMA/Lagos survey that is supported by the Center for Research, Evaluation Resources and Development. The survey will collect information from selected households about household characteristics, reproductive behaviour among women of child bearing age and water and sanitation. Your household is one of those selected to participate in the survey. Would it be alright for me to ask the girl/young woman who has been selected from this household some questions about education, reproductive health and birth history?	
•	Page 3





PERFORMANCE MONITORING FOR ACTION	
Topics that will be discussed include such things as	
age, education, marital status, birth history and	
contraception.	
008a. May I begin the interview with her now?	⊖ Yes
looda. May i begin the interview with her now :	○ No
	~
Hello. My name is	
and I am	
working for Center for Research, Evaluation	
Resources, and Development. We are conducting a	
local survey that asks women about various	
reproductive health issues, including knowledge,	
attitudes, and use of contraception. We would very	
much appreciate your participation in this survey.	
This information will help us inform the government	
to better plan health services. The survey usually	
takes 60 minutes to complete. Whatever information	
you provide will be kept strictly confidential and only	
fully de-identified data will be used when conducting	
analyses, presenting results, or sharing data.	
Participation in this survey is entirely voluntary. If we	
should come to any question you don't want to	
answer, just let me know and I will go on to the next	
question. You can choose not to participate at all or	
you can stop the interview at any time. However, we	
hope that you will participate in this survey since your	
views are important. If you have any questions about	
the study and your right as a research participant,	
you may ask me now or you may also contact Dr.	
Musa Sani Zakirai at Center for Research, Evaluation	
Resources and Development in Ile-ife, Nigeria at +234	
8094749830. At this time, do you want to ask me	
anything about the survey?	
Thank you for agreeing to hear more about the	
survey.	
This research is being conducted by Drs. Scott Radloff	
and Phil Anglewicz of the Johns Hopkins University,	
and Dr. Funmilola OlaOlorun on behalf of the Center	
for Research Evaluation and Resource Development,	
Ile-Ife. This study is sponsored by the Bill & Melinda	
Gates Foundation through the Bill & Melinda Gates	
Institute for Population and Reproductive Health,	
Johns Hopkins University, Baltimore, MD.	
The purpose of this research is to learn more about	
your reproductive behavior, and how you and your	
household have been impacted by the coronavirus	
pandemic in order to provide government and other	
stakeholders with data to improve interventions and	
programs aimed at this population.	
We are asking you to join our study because you	
were interviewed by a member of our team in	
December 2019/January 2020 for a similar survey, and	
agreed to be contacted again. If you agree to	
participate in the study, we will ask you some of the	
	·





same questions we asked before, as well as how this virus has impacted you. The questionnaire should take about 30 minutes to complete. After you complete the survey, you will be provided with recharge cards worth N300.

In total, we expect you to be involved in the original research for which we first contacted you for 3 years. Your participation in the study will only include annual or biannual surveys in-person or by phone.

There are no major risks to participating in the study, but you may get tired or bored when completing the questionnaire. Some questions may be personal or sensitive and may make you feel embarrassed or uncomfortable. Please let us know if you feel distressed.

There is a small risk that someone outside the study will see your information. We will do our best to keep your information safe by not including your name anywhere in the survey. Upon completion of the survey, data will be sent to and stored on a secure, password-protected server. Only authorized individuals will be able to access the data. All data are encrypted when transferred. When we share your information with other researchers, we will ask them to use the same protections.

Your participation in this research will not cost you anything, apart from some of your time.

There is no direct benefit to you from being in this study. We hope this knowledge will help us understand about reproductive health issues among women in Lagos, and how the coronavirus is affecting women's lives. The data collected from this study will provide information for future research, interventions, and programs.

All information collected in this study will be given code numbers, and no names will be recorded. Your responses cannot be linked to you in any way, and your name or any identifier will not be used in any publications or reports from this study.

Your participation in this research is entirely voluntary. You do not have to join, it is your choice. There will be no penalty if you decide not to join.

If you choose not to participate, this will not affect your ability to participate in other surveys or receive services in your community.

You will be given a small token for your time. You will receive recharge cards worth ₦300 for participating in the study.

You can also choose to withdraw from the research at any time. Please note that any information that has been obtained from you before you choose to withdraw may have been used in data analysis or report writing. These cannot be removed, but the





PERFORMANCE MONITORING FOR ACTION	
researchers will comply with your wish as much as it is practicable.	
If you suffer any injury as a result of your participation in this research, the project will ensure you are referred to appropriate services.	
What happens to research participants and communities when the research is over? The researchers will post the outcome of the research on the project website. During the course of this research, you will be informed about anything that may affect your continued participation, or your health.	
If this research leads to commercial products, the Johns Hopkins University shall own it. There is no plan to contact any participant now or in the future about such commercial benefits.	
We are not aware of anything that may prevent the researchers from conducting the research in a manner that will be fair.	
Statement of person giving verbal consent: The description of the research has been read to me, or translated into language I understand. I have also talked it over with the interviewer to my satisfaction. I understand that my participation is voluntary. I know enough about the purpose, methods, risks and benefits of the research study to judge that I want to take part in it. I understand that I may freely stop being part of the study at any time. I am willing to participate.	
This research has been approved by the Lagos State University Health Research Ethics Committee (LASUTH HERC) and the committee can be contacted at Health Research and Ethics Committee, Lagos State University Teaching Hospital, Lagos State. The phone number of the committee administrator is +234 805 526 2563. In addition, if you have any question about your participation in this research, you can contact the local principal investigator, Dr. OlaOlorun, at her office in the Department of Community Medicine, College of Medicine, University of Ibadan. The phone is +234 813 173 3297.	
Thank you for agreeing to hear more about the survey. There are a few things you should know about this survey: 1. You get to decide if you want to be in the survey and whatever you decide is OK. 2. It is also OK to say 'Yes' and change your mind later. You can stop being in the survey at any time. If you want to stop, please tell me and I will not be upset. 3. You can say 'Yes' to the study and as I ask you questions, you can say 'No' to any question that you do not want to answer. 4. Your answers will be kept strictly confidential. That means that your answers will just be between you and me and will never be connected	
	Page 6





to your name or any other personal information. 5. Sometimes you might not know the answer to a question or might not want to answer a question. I would rather you say you don't know or that you don't want to answer a question than tell me a story that isn't true. 6. We will document your address so	
we can visit you at least one time a year for the 4 year duration of this study.	
I wanted to give you some additional information on the type of questions I will ask you in this survey.	
I want to tell you that some of the questions I will ask you are sensitive. I will ask you about your family, marital status and educational attainment. In addition, I will be asking about your sexual activity, pregnancy, fertility preferences and contraception. I know that these are sensitive and sometimes difficult things to talk about, but your answers will help us learn more about women in Nigeria.	
The interview will take about 45 minutes to answer the questions.	
There is little or no possibility that bad things will happen as a result of answering these questions. As I told you, some of the questions are sensitive and answering questions like this can be difficult, but you can choose not to answer questions that are difficult or end your participation at any time.	
There are no direct benefits for being in the survey. This means that you will not get any money or gifts for being in this survey.	
The interviewer has told me about the survey research. I had a chance to ask questions. I know that being in the survey is my choice. No one will be upset if I don't want to be in the survey or if I change my mind later. I know I can ask questions any time. I know that my answers will be kept confidential. I want to be in the survey.	
008a. May I begin the interview now?	○ Yes ○ No
008b. Respondent's signature	
Please ask the respondent to sign or check the box in agreement of their participation.	
Checkbox	0
WARNING: The respondent has not signed or checked the box, despite agreeing to be interviewed in the previous question. To conduct the survey, the respondent must sign or touch the checkbox. You may go back to obtain a signature or check the box or you should go back to the previous question to indicate the respondent does not want to be interviewed.	



009. Interviewer's name: \${your_name} <i>Mark your name as a witness to the consent process.</i>	0
009. Interviewer's name Please record your name as a witness to the consent process. You previously entered "\${name_typed}."	
010. Respondent's first name. You may correct the spelling here if it is not correct, but you must be interviewing the person whose name appears below.	
011. Was this woman interviewed in Phase 1?	<ul><li>○ Yes</li><li>○ No</li></ul>

## Section 1 – Respondent's Background, Marital Status, Employment, and Migration

Now I would like to ask about your background and socioeconomic conditions.

101. In what month and year were you born? The age in the household roster is \${hq_age}.	
101. In what month and year were you born?	
Month:	<ul> <li>January</li> <li>February</li> <li>March</li> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Do not know</li> </ul>
Year:	Year:
102. How old were you at your last birthday? Age in the Household Roster: \${hq_age} <i>Must be more than 14. Must agree with 101.</i> Phase 1 Birthday: \${p1_fq_birthdate}	





WARNING: The age you entered for 102 is \${age}, which makes her ineligible for interview. She must be at least 15 years old and not more than 49 years old. If that age is not correct, go back to the previous screen and enter the correct age.		
102a. CHECK: Based on the response you entered in 101, the respondent's age is more than 1 year different than she answered during phase 1. Did you enter 101 correctly? Phase 1 age: \${p1_age} Age from this questionnaire: \${age}	○ Yes ○ No	
103. Have you attended school in the past 12 months?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>	
104. What is the highest level of school you attended? Only record formal schooling. Do not record bible or koranic school or short courses.	<ul> <li>Never attended</li> <li>Primary</li> <li>Secondary</li> <li>Higher</li> <li>No response</li> </ul>	
105. What is the highest [class/year] you completed at that level? <i>Enter -99 for no response.</i>		
XS_101. How old were you when you left school?		
COV_1. Following the emergence of Coronavirus (COVID-19), schools were closed for a time. Were you attending school at that time?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>	
COV_2. Has your school reopened ?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>	
COV_3. Did you resume school when your school opened after Coronavirus (COVID-19) restrictions were lifted?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>	
COV_4. Did you stop school in the past 12 months for any other reason than Coronavirus (COVID-19)?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>	
The next set of questions ask about difficulties you may have doing certain activities because of a health problem		
I CL 100 Cap you please tell me if you currently have		



LCL_100a. Seeing, even if wearing glasses?	<ul> <li>No difficulty</li> <li>Some difficulty</li> <li>A lot of difficulty</li> <li>Cannot do at all</li> <li>No response</li> </ul>
LCL_100b. Hearing, even if wearing hearing aid?	<ul> <li>No difficulty</li> <li>Some difficulty</li> <li>A lot of difficulty</li> <li>Cannot do at all</li> <li>No response</li> </ul>
LCL_100c. Walking or climbing steps?	<ul> <li>No difficulty</li> <li>Some difficulty</li> <li>A lot of difficulty</li> <li>Cannot do at all</li> <li>No response</li> </ul>
LCL_100d. Remembering things or concentrating?	<ul> <li>No difficulty</li> <li>Some difficulty</li> <li>A lot of difficulty</li> <li>Cannot do at all</li> <li>No response</li> </ul>
LCL_100e. Self-care such as washing or dressing?	<ul> <li>No difficulty</li> <li>Some difficulty</li> <li>A lot of difficulty</li> <li>Cannot do at all</li> <li>No response</li> </ul>
LCL_100f. Communicating, for example understandin being understood?	g or Or No difficulty O Some difficulty O A lot of difficulty O Cannot do at all O No response
107. What was the main reason for stopping your education?	<ul> <li>Finished education</li> <li>Failed exams</li> <li>Did not enjoy school</li> <li>School was too far</li> <li>Wanted to start working</li> <li>Got married</li> <li>Got pregnant</li> <li>Parents did not want you to continue</li> <li>Economic reasons</li> <li>Menstruation / period</li> <li>Illness</li> <li>Other</li> <li>No response</li> </ul>





r	- F
108. Are you currently enrolled in any training program?	<ul> <li>Yes</li> <li>No</li> <li>No response</li> </ul>
109. Are you currently married or living together with a man as if married? Probe: If no, ask whether the respondent is divorced, separated, or widowed.	<ul> <li>Yes, currently married</li> <li>Yes, living with a man</li> <li>Not currently in union: Divorced / separated</li> <li>Not currently in union: Widow</li> <li>No, never in union</li> <li>No response</li> </ul>
110. What is the highest level of schooling your husband/partner attended, attended, no schooling, primary, secondary, or higher?	<ul> <li>Never attended</li> <li>Primary</li> <li>Secondary</li> <li>Higher</li> <li>No response</li> </ul>
PL_101. Did you start living with your current husband / partner in past 12 months?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
111. How much were you involved in the decision to get married – very much, not very much or not at all?	<ul> <li>Very much</li> <li>Not very much</li> <li>Not at all</li> <li>No response</li> </ul>
112. How much do you think you will be involved in the decision to get married – very much, not very much or not at all?	<ul> <li>Very much</li> <li>Not very much</li> <li>Not at all</li> <li>No response</li> </ul>
113. Have you ever had a partner / boyfriend?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
XS_102. How old were you the first time you had a boyfriend or partner?	
114. Do you currently have a boyfriend or partner?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
XS_103. How many times have you been married or lived with a man as if married? <i>Enter -99 for no response.</i>	
XS_104. In what month and year did you start living w your FIRST husband / partner? Select 'Do not know' for month and '2030' for year to indicat 'No Response'.	





Month:		<ul> <li>January</li> <li>February</li> <li>March</li> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Do not know</li> </ul>
Year:		Year:
Date cannot be in the future. You entered: \${husband_cohabit_start_first_lab} Today: \${today}		<u></u>
Date of first living with husband/partner cannot be before respondent's birth. You entered: \${husband_cohabit_start_first_lab} Respondent's birth: \${birthdate_lab}		
Date of first living with husband/partner cannot be before respondent's birth. You entered: \${hcf_y_lab} Respondent's birth: \${birthdate_lab}		
XS_104a. CHECK: Based on the response you entered in XS_104, the respondent was possibly 15 years old or younger at the time of her first marriage. Did you enter XS_104 correctly?	O Y O N	
115. Now I would like to ask about when you started liv with your CURRENT husband / partner. In what mont was that? Select 'Do not know' for month to indicate 'No Response'.		
115. Now I would like to ask about when you started liv with your CURRENT/MOST RECENT husband / partner what month and year was that? Select 'Do not know' for month and '2030' for year to indicat 'No Response'.	r. In	
Month:		<ul> <li>January</li> <li>February</li> <li>March</li> <li>April</li> <li>May</li> <li>June</li> <li>July</li> </ul>





		<ul> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Do not know</li> </ul>	
Year:			Year:
Date cannot be in the future. You entered: \${husband_cohabit_start_cur_lab} Today: \${today}			
Date of living with current / most recent husband/partner cannot be before respondent's birth. You entered: \${husband_cohabit_start_cur_lab} Respondent's birth: \${birthdate_lab}			
Date of living with current / most recent husband/partner cannot be before respondent's birth. You entered: \${hcr_y_lab} Respondent's birth: \${birthdate_lab}			
Date of living with current / most recent husband/partner cannot be before date respondent started living with first partner. You entered: \${husband_cohabit_start_cur_lab} Date started living with first partner: \${husband_cohabit_start_first_lab}			
Year of living with current / most recent husband/partner cannot be before year respondent started living with first partner. You entered: \${hcr_y_lab} Year started living with first partner: \${hcf_y_lab}			
115a. CHECK: Based on the response you entered in 115, the respondent was possibly 15 years old or younger at the time of her current or most recent marriage. Did you enter 115 correctly?	⊖ Y ⊖ N		
LCL_101. Does your husband / partner have other wives or does he live with other women as if married?	_		
XS_105. How long have you been living continuously in [NAME OF CURRENT PLACE OF RESIDENCE]? Enter answer in years. Enter 0 if less than 1 year. Enter -95 for always. Enter -96 for visitor. Enter -99 for no response.			
LCL_102. How long have you been living in Lagos?			





Enter 0 if less than 1 year. Enter -95 for always. Enter -96 for visitor. Enter -99 for no response.	
XS_106. How long have you been living continuously in this particular house / structure? Enter answer in years. Enter 0 if less than 1 year. Enter -95 for always. Enter -96 for visitor. Enter -99 for no response.	
116. In the last 12 months, for how many nights have you slept away from your community? PROBE: Community is the area where you are currently living <i>Enter -99 for no response</i> .	
117. In the last 12 months, for how many nights has your husband/partner slept away from your community? PROBE: Community is the area where you are currently living <i>Enter -99 for no response</i> .	
COV_5. You previously mentioned that you spent some time away from your current community this year, did you leave your current community to avoid being infected with Coronavirus (COVID-19)?	<ul> <li>Yes</li> <li>No</li> <li>Do not know</li> <li>No response</li> </ul>
118. As you know, some women take up jobs for which they are paid in cash or kind. Others sell things, have a small business or work on the family farm or in the family business. Aside from your own housework, have you done any work in the last seven days?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
119. Aside from your own housework, have you done any work in the last 12 months?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
120. Are you paid in cash or kind for this work or are you not paid at all?	<ul> <li>Cash</li> <li>Cash and kind</li> <li>In-kind</li> <li>Not paid</li> <li>No response</li> </ul>
121. Who usually makes decisions about making large household purchases: you, your husband/partner, you and your husband/partner jointly, or someone else?	<ul> <li>Respondent</li> <li>Husband/partner</li> <li>Respondent and husband/partner</li> <li>Someone else</li> <li>No response</li> </ul>
122. Who usually makes decisions about making household purchases for daily needs: you, your husband/partner, you and your husband/partner jointly, or someone else?	<ul> <li>Respondent</li> <li>Husband/partner</li> <li>Respondent and husband/partner</li> <li>Someone else</li> <li>No response</li> </ul>





123. Who usually makes decisions about getting medical treatment for yourself: you, your husband/partner, you and your husband/partner jointly, or someone else?	<ul> <li>Respondent</li> <li>Husband/partner</li> <li>Respondent and husband/partner</li> <li>Someone else</li> <li>No response</li> </ul>
EMP_1. Who usually makes decisions about buying clothes for yourself: you, your husband/partner, you and your husband/partner jointly, or someone else?	<ul> <li>Respondent</li> <li>Husband/partner</li> <li>Respondent and husband/partner</li> <li>Someone else</li> <li>No response</li> </ul>
EMP_2. Who usually makes decisions about how your earnings will be used: you, your husband/partner, you and your husband/partner jointly, or someone else?	<ul> <li>Respondent</li> <li>Husband/partner</li> <li>Respondent and husband/partner</li> <li>Someone else</li> <li>No response</li> </ul>
EMP_3. Who usually makes decisions about how your husband/partner's earnings will be used: you, your husband/partner, you and your husband/partner jointly, or someone else?	<ul> <li>Respondent</li> <li>Husband/partner</li> <li>Respondent and husband/partner</li> <li>Someone else</li> <li>No response</li> </ul>
EMP_4. Do you own any land, either jointly or by yourself? PROBE: This does not include land owned only by your husband.	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
EMP_5. Would you say that the money that you earn is more than what your husband/partner earns, less than what he earns, or about the same?	<ul> <li>○ More</li> <li>○ Less</li> <li>○ Same</li> <li>○ No response</li> </ul>
COV_6. Are you currently economically reliant on your husband/partner for basic needs?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
EMP_6. Did you take part in any of these activities over the past 30 days? <i>Read each option aloud and select if yes.</i>	<ul> <li>Agricultural work</li> <li>Raising poultry / livestock</li> <li>Producing ghee / cheese / butter</li> <li>Collecting fuel / wood-cutting</li> <li>Preparing food</li> <li>Sewing / embroidery / crocheting</li> <li>Producing straw products / carpets / textile / ropes</li> <li>Offering services for others in a house, shop, or hotel</li> <li>Independent paid work</li> <li>Buying / selling goods in the market / the street / at home</li> </ul>





	<ul> <li>Helping in construction work</li> <li>Learning a skill</li> <li>None of the above</li> <li>No response</li> </ul>
FIN_1. Do you currently have any savings for the future, such as a bank account, savings group, or cash?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
FIN_2. Do you currently have any mobile money accounts (e.g. Firstmonie, Diamond yello account, OPay)?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
FIN_3. When it comes to managing your money and financial matters, what is your level of knowledge?	<ul> <li>Not knowledgeable at all</li> <li>Not very knowledgeable</li> <li>Somewhat knowledgeable</li> <li>Very knowledgeable</li> <li>No response</li> </ul>
FIN_4. Do you know where to go for financial information or advice?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
FIN_5. Do you have financial goals toward which you are working? PROBE: These are specific financial goals you have setup for yourself.	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>

## Section 2 – Reproduction, Pregnancy & Fertility Preferences

201. Now I would like to ask about all the births you have had during your life. Have you ever given birth?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
202. How many times have you given birth? Enter -99 for no response.	
Note: This respondent reported in Phase 1 that she has given birth.	
PL_201. Have you had any births since \${p1_survey_date_lab}?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
PL_202. When was that birth? Select 'Do not know' for month and '2030' for year to indicat 'No Response'. CALENDAR: Enter the birth and duration of pregnancy in th calendar.	
Month:	<ul> <li>○ January</li> <li>○ February</li> <li>○ March</li> </ul>





	<ul> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> </ul>
Year:	O Do not know Year:
Date cannot be in the future. You entered: \${panel_birth_lab} Today: \${today}	
First birth cannot be before respondent was 10 years of age. You entered: \${panel_birth_lab} Respondent's birth date: \${birthdate_lab}	
CALENDAR: Add a "birth" annotation next to the month \${panel_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
XS_201. When was your FIRST birth? Please record the date of the first live birth. Date should be found by calculating forward or backward from memorable events if needed. Select 'Do not know' for month and '2030' for year to indicat 'No Response'. CALENDAR: If the birth was after \${cc_start_date_lab} enter birth and duration of pregnancy in the calendar.	
Month:	<ul> <li>January</li> <li>February</li> <li>March</li> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Do not know</li> </ul>
Year:	Year:
Date cannot be in the future. You entered: \${first_birth_lab} Today: \${today}	

Page 17





First birth cannot be before respondent was 10 years of age. You entered: \${first_birth_lab} Respondent's birth date: \${birthdate_lab}		
CALENDAR: Add a "birth" annotation next to the month \${first_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.		
XS_202. When was your MOST RECENT birth? Please record the date of the first live birth. Date should be found by calculating forward or backward from memorable events if needed. Select 'Do not know' for month and '2030' for year to indicat 'No Response'. CALENDAR: If the birth was after \${cc_start_date_lab} enter birth and duration of pregnancy in the calendar.		
Month:	<ul> <li>January</li> <li>February</li> <li>March</li> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Do not know</li> </ul>	
Year:		Year:
Date cannot be in the future. You entered: \${recent_birth_lab} Today: \${today}		
Date of most recent birth cannot be before respondent was 10 years of age. You entered: \${recent_birth_lab} Respondent's birth date: \${birthdate_lab}		
Date of most recent birth must be at least 6 months after the first birth. You entered: \${recent_birth_lab} First birth: \${first_birth_lab}		
Year of most recent birth cannot be before first birth. You entered: \${rb_y_lab} Year of first birth: \${fb_y_lab}		
CALENDAR: Add a "birth" annotation next to the month \${recent_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.		





XS_203. Have you had any other births since \${cc_start_date_lab}?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
XS_204. When was that birth? Please record the date of the MOST RECENT live birth. The d should be found by calculating backwards from memorable events if needed. Select 'Do not know' for month and '2030' for year to indicate 'No Response'. CALENDAR: Enter the birth and duration of pregnancy in the calendar.	le nte
Month:	<ul> <li>January</li> <li>February</li> <li>March</li> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Do not know</li> </ul>
Year:	Year:
XS_204 ERROR Go back and correct entry. Entry must be no earlier than: \${cc_start_date_lab} Date entered: \${other_birth_lab}	
CALENDAR: Add a "birth" annotation next to the month \${other_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
XS_205. Have you ever had a pregnancy that miscarried, was aborted, or ended in a stillbirth since \${cc_start_date_lab}?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
XS_206. When did that pregnancy end? Select 'Do not know' for month and '2030' for year to indicate 'No Response'. CALENDAR: Enter the termination and duration of pregnance in the calendar.	
Month:	<ul> <li>January</li> <li>February</li> <li>March</li> </ul>





	<ul> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Do not know</li> </ul>	
Year:		Year:
XS_206 ERROR Go back and correct entry. Entry must be no earlier than: \${cc_start_date_lab} Date entered: \${pregnancy_end_lab} CALENDAR: Add a "termination" annotation next to the month \${pregnancy_end_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.		
PL_203. Have you had a pregnancy that miscarried, was aborted, or ended in a stillbirth since \${p1_survey_date_lab}?		
PL_204. When did that pregnancy end? Select 'Do not know' for month and '2030' for year to indicat 'No Response'. CALENDAR: Enter the termination and duration of pregnan in the calendar.		
Month:	<ul> <li>January</li> <li>February</li> <li>March</li> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Do not know</li> </ul>	
Year:		Year:
CALENDAR: Add a "termination" annotation next to the month \${panel_preg_end_lab} in the		





contraceptive calendar paper aid and enter the duration of the pregnancy.	
203. Are you pregnant now?	<ul> <li>Yes</li> <li>No</li> <li>Unsure</li> <li>No response</li> </ul>
204. How many months pregnant are you?	
The most recent birth was: \${rec_birth_date}	
##### Please record the number of completed months. Enter -88 do not know, -99 for No response. CALENDAR: Enter number of months pregnant in the calen	
Add a "pregnant" annotation next to the current date \${today_ym} in the contraceptive calendar paper aid.	
Add a "pregnant" annotation next to the most recent \${months_pregnant} months, including in \${today_ym}, in the contraceptive calendar paper aid.	
205. When did your last menstrual period start? If you select days, weeks, months, or years, you will enter a number for X on the next screen. Enter 0 days for today, not 0 weeks/months/years.	<ul> <li>X days ago</li> <li>X weeks ago</li> <li>X months ago</li> <li>X years ago</li> <li>Menopausal / Hysterectomy</li> <li>Before last birth</li> <li>Never menstruated</li> <li>No response</li> </ul>
You entered "Never menstruated" in 205 but the respondent indicates she previously gave birth. Is that what she said? <i>If no, return to the previous screen and change the</i> <i>response.</i>	○ Yes ○ No
205. Enter \${menstrual_period_lab} Enter 0 days for today, not 0 weeks/months/years.	
You entered that the respondent is \${months_pregnant} months pregnant, but she said her last menstrual period started \${menstrual_period_value} (\${menstrual_period_lab}) ago. Is that what she said? <i>If no, return to the previous screen and change the</i> <i>response.</i>	○ Yes ○ No
You entered "Never menstruated" in 205 but 203 indicates that the respondent is pregnant currently. Is that what she said? <i>If no, return to the previous screen and change the</i> <i>response.</i>	○ Yes ○ No





206a. Now I would like to ask a question about your la birth.	st	
206b. Now I would like to ask a question about your current pregnancy.		
At the time you became pregnant, did you want to become pregnant then, did you want to wait until late or did you not want to have any more children at all?	er,	
At the time you became pregnant, did you want to become pregnant then, did you want to wait until late or did you not want to have any children at all?	er,	
#####	<ul> <li>Then</li> <li>Later</li> <li>Not at all</li> <li>No response</li> </ul>	
207a. Before you became pregnant with your last birth, which best describes your situation? <i>Read response options and select one</i>	<ul> <li>You and your partner had agreed for you to get pregnant</li> <li>You and your partner had discussed having children together but had not agreed for you to get pregnant</li> <li>You and your partner had never discussed having children together</li> <li>No response</li> </ul>	
207b. Before you became pregnant with your current pregnancy, which best describes your situation? <i>Read response options and select one</i>	<ul> <li>You and your partner had agreed for you to get pregnant</li> <li>You and your partner had discussed having children together but had not agreed for you to get pregnant</li> <li>You and your partner had never discussed having children together</li> <li>No response</li> </ul>	
Now I have some questions about the future.		
208a. Would you like to have a child or would you prefer not to have any children?	<ul> <li>Have a child</li> <li>Prefer no children</li> <li>Says she can't get pregnant</li> <li>Undecided / Do not know</li> <li>No response</li> </ul>	
208a. Would you like to have another child or would you prefer not to have any more children?	<ul> <li>Have another child</li> <li>No more</li> <li>Says she can't get pregnant</li> <li>Undecided / Do not know</li> <li>No response</li> </ul>	
208b. After the child you are expecting now, would you like to have another child or would you prefer not to have any more children?	<ul> <li>Have another child</li> <li>No more</li> <li>Says she can't get pregnant</li> </ul>	





	<ul> <li>Undecided / Do not know</li> <li>No response</li> </ul>	
209a. How long would you like to wait from now before the birth of a child? If you select months or years, you will enter a number for X on the next screen. Select "Years" if more than 36 months. Please check that you correctly entered the value for months/years.	<ul> <li>X months</li> <li>X years</li> <li>Soon/now</li> <li>Says she can't get pregnant</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>	
209a. How long would you like to wait from now before the birth of another child? If you select months or years, you will enter a number for X on the next screen. Select "Years" if more than 36 months. Please check that you correctly entered the value for months/years.	<ul> <li>X months</li> <li>X years</li> <li>Soon/now</li> <li>Says she can't get pregnant</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>	
209b. After the birth of the child you are expecting now, how long would you like to wait before the birth of another child? <i>If you select months or years, you will enter a number for X on the next screen.</i> <i>Select "Years" if more than 36 months.</i> <i>Please check that you correctly entered the value for months/years.</i>	<ul> <li>X months</li> <li>X years</li> <li>Soon/now</li> <li>Says she can't get pregnant</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>	
209c. Enter the number of \${waitchild} you would like to wait:		
210a. When you found out you were pregnant, how did you feel?	<ul> <li>Very happy</li> <li>Sort of happy</li> <li>Mixed happy and unhappy</li> <li>Sort of unhappy</li> <li>Very unhappy</li> <li>No response</li> </ul>	
210b. If you got pregnant now, how would you feel?	<ul> <li>Very happy</li> <li>Sort of happy</li> <li>Mixed happy and unhappy</li> <li>Sort of unhappy</li> <li>Very unhappy</li> <li>No response</li> </ul>	
COV_7. Have you changed your mind about wanting to get pregnant due to concerns about Coronavirus (COVID-19)?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>	
Section 3 – Contraception		





Now I would like to talk about family planning - the various ways or methods that a couple can use to delay or avoid a pregnancy.

An image will appear on the screen for some methods. If the respondent says that she has not heard of the method or if she hesitates to answer, read the probe aloud and show her the image, if available.

301a. Have you ever heard of female sterilization? PROBE: Women can have an operation to avoid having any more children.	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301b. Have you ever heard of male sterilization? PROBE: Men can have an operation to avoid having any more children.	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
301c. Have you ever heard of the contraceptive implant? PROBE: Women can have one or several small rods placed in her upper arm by a doctor or nurse, which can prevent pregnancy for one or more years. [implant_150x300.png]	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301d. Have you ever heard of the IUD? PROBE: Women can have a loop or coil placed inside them by a doctor or a nurse. [IUD_150x300.png]	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301e. Have you ever heard of injectables? PROBE: Women can have an injection by a health provider that stops them from becoming pregnant for one or more months. [sayana_depo_150x300.jpg]	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301f. Have you heard that there is a type of injectable that you can inject yourself? [sayana_only.jpg]	<ul> <li>Yes</li> <li>No</li> <li>No response</li> </ul>
301g. From whom did you hear about it?	<ul> <li>Provider</li> <li>Community health worker</li> <li>Pharmacist</li> <li>Friend</li> <li>Husband/partner</li> <li>Other family member</li> <li>Radio/TV</li> <li>Books/Magazine</li> <li>Advertisement/Flyer</li> <li>Other</li> <li>No response</li> </ul>
301h. Have you ever heard of the (birth control) pill? PROBE: Women can take a pill every day to avoid becoming pregnant. [pill_150x300.png]	<ul> <li>Yes</li> <li>No</li> <li>No response</li> </ul>





301i. Have you ever heard of emergency contraception? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent pregnancy.	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301j. Have you ever heard of male condoms? PROBE: Men can put a rubber sheath on their penis before sexual intercourse. [male_condom_150x300.png]	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301k. Have you ever heard of female condoms? PROBE: Women can put a sheath in their vagina before sexual intercourse. [female_condom_150x300.png]	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
301l. Have you ever heard of the diaphragm? PROBE: Women can place a thin flexible disk in their vagina before sexual intercourse. [Diaphragm_150x300.png]	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301m. Have you ever heard of foam or jelly as a contraceptive method? PROBE: Women can place a suppository, jelly, or cream in their vagina before sexual intercourse to prevent pregnancy. [spermicide_150x300.png]	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301n. Have you ever heard of the standard days method or Cycle Beads? PROBE: A Woman can use a string of colored beads to know the days she can get pregnant. On the days she can get pregnant, she and her partner use a condom or do not have sexual intercourse. [SDM-Beads_only.png]	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301o. Have you ever heard of the Lactational Amenorrhea Method or LAM?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
301p. Have you ever heard of the rhythm method? PROBE: Women can avoid pregnancy by not having sexual intercourse on the days of the month they think they can get pregnant.	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301q. Have you ever heard of the withdrawal method? PROBE: Men can be careful and pull out before climax.	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
301r. Have you ever heard of any other ways or methods that women or men can use to avoid pregnancy?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>





302. Are you or your partner currently doing something or using any method to delay or avoid getting pregnant?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>	
303. Just to check, are you or your partner doing any of the following to avoid pregnancy: deliberately avoiding sex on certain days, using a condom, using withdrawal or using emergency contraception?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>	
304. Which method or methods are you using? PROBE: Anything else? <i>Select all methods mentioned. SCROLL TO THE BOTTOM to</i> <i>all choices.</i>	<ul> <li>Female sterilization</li> <li>Male sterilization</li> <li>Implant</li> <li>IUD</li> <li>Injectables</li> <li>Pill</li> <li>Emergency Contraception</li> <li>Male condom</li> <li>Female condom</li> <li>Female condom</li> <li>Foam/Jelly</li> <li>Standard Days/Cycle beads</li> <li>LAM</li> <li>Rhythm method</li> <li>Withdrawal</li> <li>Other traditional method</li> <li>No response</li> </ul>	
Check here to acknowledge you considered all option	s. 🔘	
LCL_301. PROBE: Was the injection administered via syringe or small needle? <i>Show the image to the respondent.</i> [sayana_depo_150x300.jpg]	<ul> <li>Syringe</li> <li>Small needle (Sayana Press)</li> <li>No response</li> </ul>	
LCL_302. Who administered the injection?	<ul> <li>Self</li> <li>Partner/husband</li> <li>Other family/friend</li> <li>Doctor/nurse/midwife</li> <li>Pharmacist/Drug shop employee</li> <li>CHW</li> <li>Another user I know</li> <li>No response</li> </ul>	
305. Does your husband/partner know that you are using \${current_method_label}?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>	
305. Does your husband/partner know that you are using family planning?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>	





LCL_303. Did the provider tell you or your partner that this method was permanent?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
306. If you needed family planning, where would you go?	<ul> <li>Government Hospital</li> <li>Government Health Center</li> <li>Family planning clinic</li> <li>Mobile clinic (public)</li> <li>TBA/Fieldworker (public)</li> <li>Private hospital/clinic</li> <li>Pharmacy</li> <li>Chemist/PMS Store</li> <li>Private doctor or nurse</li> <li>Mobile clinic (private)</li> <li>TBA/Fieldworker (private)</li> <li>Shop</li> <li>FBO/Church</li> <li>Friend / relative</li> <li>NGO</li> <li>Market / hawking</li> <li>Community event</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>
307. Why would you choose this location?	<ul> <li>Close to home</li> <li>Discreet location</li> <li>Know confidentiality will be respected</li> <li>Have the method that I want</li> <li>Providers have a good reputation</li> <li>Recommend by friend/relative</li> <li>Method available for low cost/free</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>
308. Please tell me if you agree or disagree with the following statement: I would feel too shy or embarrassed to get family planning at a clinic, health center or physician's office if needed. PROBE: This question is specifically about your feelings.	<ul> <li>○ Agree</li> <li>○ Disagree</li> <li>○ No response</li> </ul>
309. Please tell me if you agree or disagree with the following statement: I would feel too shy or embarrassed to get family planning at the pharmacy or chemist if needed. PROBE: This question is specifically about your feelings.	<ul> <li>○ Agree</li> <li>○ Disagree</li> <li>○ No response</li> </ul>





310. You said that you are not currently using a contraceptive method. Do you think you will use a contraceptive method to delay or avoid getting pregnant at any time in the future?	<ul> <li>Yes</li> <li>No</li> <li>Do not know</li> <li>No response</li> </ul>
311. Do you think you will use a contraceptive method to delay or avoid getting pregnant at any time in the future?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ Do not know</li> <li>○ No response</li> </ul>
312. When do you think you will start using a method?	<ul> <li>X months</li> <li>X years</li> <li>Soon/now</li> <li>After the birth of this child</li> <li>Do not know</li> <li>No response</li> </ul>
Enter \${fp_start_lab}:	
313. What method do you think you will use?	<ul> <li>Female sterilization</li> <li>Male sterilization</li> <li>Implant</li> <li>IUD</li> <li>Injectables</li> <li>Pill</li> <li>Emergency Contraception</li> <li>Male condom</li> <li>Female condom</li> <li>Female condom</li> <li>Diaphragm</li> <li>Foam/Jelly</li> <li>Standard Days/Cycle beads</li> <li>LAM</li> <li>Rhythm method</li> <li>Withdrawal</li> <li>Other traditional method</li> <li>No response</li> </ul>
314. Who would you prefer to have administer the injectable? <i>Read all options</i>	<ul> <li>Health professional</li> <li>Self</li> <li>Partner/friend/family</li> <li>Do not know</li> <li>No response</li> </ul>
315. Would your husband/partner be supportive of you using family planning?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ Do not know</li> <li>○ No response</li> </ul>





<ul> <li>Yes</li> <li>No</li> <li>Do not know</li> <li>No response</li> </ul>			
<ul> <li>Mainly respondent</li> <li>Mainly husband/partner</li> <li>Joint decision</li> <li>Other</li> <li>No response</li> </ul>			
Now I'm going to ask you a few sensitive questions about your relationship with your husband/partner. You do not have to answer these questions if you do not want to. We can pause at any time. If you do not feel comfortable answering any of the questions, let me know and I will either move onto the next statement or skip this section entirely.			
,			

ENSURE PRIVACY.

318. In the last 12 months has your husband/partner: <i>1 = Yes 0 = No -99 = No Response</i>				
	1		0	-99
318a. Made you feel bad or treated you badly for wanting to use a FP method to delay or prevent pregnancy?	0		0	0
318b. Tried to force or pressure you to become pregnant?	$\bigcirc$		$\bigcirc$	0
318c. Said he would leave you if you did not get pregnant?	$\bigcirc$		$\bigcirc$	0
318d. Told you he would have a baby with someone else if you did not get pregnant?	$\bigcirc$		$\bigcirc$	0
318e. Taken away your family planning or kept you from going to the clinic to get family planning?	0		0	0
319. Since what month and year have you been using \${current_method_label} without stopping? <i>Calculate backwards from memorable events if needed.</i> <i>CALENDAR: Enter episode of contraceptive use in the calendar.</i>				
Most Recent Birth: \${rec_birth_date}				
Recent miscarriage, abortion, stillbirth: \${pregnancy_end_lab}				





Current Marriage: \${rec_husband_date}		
Carrent Marnage. quec_nasband_dater		
Month:	<ul> <li>January</li> <li>February</li> <li>March</li> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Do not know</li> </ul>	
Year:		Year:
Date cannot be in the future. You entered: \${begin_using_full_lab} Today: \${today}	<u>.</u>	
Date of starting \${current_method_label} cannot be before 10 years of age. You entered: \${begin_using_full_lab} Respondent's birth date: \${birthdate_lab}		
Date of starting \${current_method_label} without stopping cannot be before most recent birth. You entered: \${begin_using_full_lab} Most recent birth: \${recent_birth_lab}		
Date of starting \${current_method_label} without stopping cannot be before most recent birth. You entered: \${bus_y_lab} Most recent birth: \${rb_y_lab}		
Date of starting \${current_method_label} without stopping cannot be before recent miscarriage, abortion, or stillbirth. You entered: \${begin_using_full_lab} Recent miscarriage, abortion, or stillbirth: \${pregnancy_end_lab}		
Date of starting \${current_method_label} without stopping cannot be before recent miscarriage, abortion, or stillbirth. You entered: \${bus_y_lab} Recent miscarriage, abortion, or stillbirth: \${ab_y_lab}		
Add an annotation for \${current_method_label} next to the current date \${today_ym} in the contraceptive calendar paper aid.		





Add an annotation for \${current_method_label} from \${ccal_start_date_label} to the current date \${today_ym} in the contraceptive calendar paper aid.	
320. You first started using \${current_method_label} on \${start_date_lab}. Where did you or your partner get it at that time? <i>Scroll to bottom to see all choices.</i>	<ul> <li>Government Hospital</li> <li>Government Health Center</li> <li>Family planning clinic</li> <li>Mobile clinic (public)</li> <li>TBA/Fieldworker (public)</li> <li>Private hospital/clinic</li> <li>Pharmacy</li> <li>Chemist/PMS Store</li> <li>Private doctor or nurse</li> <li>Mobile clinic (private)</li> <li>TBA/Fieldworker (private)</li> <li>Shop</li> <li>FBO/Church</li> <li>Friend / relative</li> <li>NGO</li> <li>Market / hawking</li> <li>Community event</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>
320. Where did you or your partner get \${current_method_label} when you first started using it? <i>Scroll to bottom to see all choices.</i>	<ul> <li>Government Hospital</li> <li>Government Health Center</li> <li>Family planning clinic</li> <li>Mobile clinic (public)</li> <li>TBA/Fieldworker (public)</li> <li>Private hospital/clinic</li> <li>Pharmacy</li> <li>Chemist/PMS Store</li> <li>Private doctor or nurse</li> <li>Mobile clinic (private)</li> <li>TBA/Fieldworker (private)</li> <li>Shop</li> <li>FBO/Church</li> <li>Friend / relative</li> <li>NGO</li> <li>Market / hawking</li> <li>Community event</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>





Check here to acknowledge you considered all optior	ns. 🔘
321. When you obtained your \${current_method_label}, were you told by the provider about side effects or problems you might have with a method to delay or avoid pregnancy?	<ul> <li>Yes</li> <li>No</li> <li>No response</li> </ul>
322. Were you told what to do if you experienced side effects or problems?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
IMP_301. CHECK. In question 304, the respondent mentioned that she had been using implants. Is that correct? If she says she is not currently using implants, please verify her answer and go back to 304 and select the correct method.	○ Yes ○ No
IMP_302. At the visit when the implant was inserted, were you told for how long the implant would protect you from pregnancy?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
IMP_303. How long were you told ? If you select months or years, you will enter a number for X on the next screen. Please check that you correctly entered the value for months/years.	<ul> <li>X months</li> <li>X years</li> <li>Do not know</li> <li>No response</li> </ul>
IMP_303. Enter the number of \${implant_duration_lab} you were told: <i>If more than 12 months record in years</i>	
IMP_304. Were you told where you could go to have the implant removed? Provider: \${provider_label}	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ Do not know</li> <li>○ No response</li> </ul>
323. At that time, were you told by the family planning provider about methods of family planning other than the \${current_method_label} that you could use?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
324. At that time, were you told that you could switch to a different method in the future?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
325. During that visit, did you obtain the method you wanted to delay or avoid getting pregnant?	<ul> <li>Yes</li> <li>No</li> <li>Did not have a preference</li> <li>No response</li> </ul>
326. Why didn't you obtain the method you wanted?	<ul> <li>Method out of stock that day</li> <li>Method not available at all</li> <li>Provider not trained to provide the method</li> </ul>





	<ul> <li>Provider recommended a different method</li> <li>Not eligible for method</li> <li>Decided not to adopt a method</li> <li>Too costly</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>
327a. During that visit, who made the final decision about what method you got?	<ul> <li>You alone</li> <li>Provider</li> <li>Partner</li> <li>You and provider</li> <li>You and partner</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>
327b. Who made the final decision to use rhythm?	<ul> <li>You alone</li> <li>Provider</li> <li>Partner</li> <li>You and provider</li> <li>You and partner</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>
327b. Who made the final decision to use LAM?	<ul> <li>You alone</li> <li>Provider</li> <li>Partner</li> <li>You and provider</li> <li>You and partner</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>
328. Would you return to this provider? Provider: \${provider_label}	<ul> <li>Yes</li> <li>No</li> <li>Do not know</li> <li>No response</li> </ul>
329. Would you refer your relative or friend to this provider / facility? Provider: \${provider_label}	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ Do not know</li> <li>○ No response</li> </ul>
330. When you started using \${current_method_label}, did you feel pressured by your provider to accept a specific method?	<ul> <li>Yes</li> <li>No</li> <li>Did not have a preference</li> <li>No response</li> </ul>





331. Which method did you feel pressured to use?	<ul> <li>Female sterilization</li> <li>Male sterilization</li> <li>Implant</li> <li>IUD</li> <li>Injectables</li> <li>Pill</li> <li>Emergency Contraception</li> <li>Male condom</li> <li>Female condom</li> <li>Female condom</li> <li>Diaphragm</li> <li>Foam/Jelly</li> <li>Standard Days/Cycle beads</li> <li>LAM</li> <li>Rhythm method</li> <li>Withdrawal</li> <li>Other traditional method</li> <li>No response</li> </ul>
332. Right before you started using \${current_method_label} in \${begin_using_full_lab}, were you doing something else or using a different method to delay or avoid getting pregnant?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
333. Which method were you using?	<ul> <li>Male sterilization</li> <li>Implant</li> <li>IUD</li> <li>Injectables</li> <li>Pill</li> <li>Emergency Contraception</li> <li>Male condom</li> <li>Female condom</li> <li>Diaphragm</li> <li>Foam/Jelly</li> <li>Standard Days/Cycle beads</li> <li>LAM</li> <li>Rhythm method</li> <li>Withdrawal</li> <li>Other traditional method</li> <li>No response</li> </ul>
LCL_304. PROBE: Was the injection administered via syringe or small needle? [sayana_depo_150x300.jpg]	<ul> <li>○ Syringe</li> <li>○ Small needle (Sayana Press)</li> <li>○ No response</li> </ul>
IMP_305. In the past 12 months, have you tried to have your current implant removed?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
IMP_306. Where did you go or who attempted to remove your implant?	<ul> <li>Government Hospital</li> <li>Government Health Center</li> </ul>



	<ul> <li>Family planning clinic</li> <li>Mobile clinic (public)</li> <li>TBA/Fieldworker (public)</li> <li>Private hospital/clinic</li> <li>Pharmacy</li> <li>Chemist/PMS Store</li> <li>Private doctor or nurse</li> <li>Mobile clinic (private)</li> <li>TBA/Fieldworker (private)</li> <li>Shop</li> <li>FBO/Church</li> <li>Friend / relative</li> <li>NGO</li> <li>Market / hawking</li> <li>Community event</li> <li>Self</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>
IMP_307. Why were you not able to have your implant removed?	<ul> <li>Facility not open</li> <li>Qualified provider not available</li> <li>Provider attempted but could not remove the implant</li> <li>Provider refused</li> <li>Cost of removal services</li> <li>Travel cost</li> <li>Provider counseled against removal</li> <li>Told to return another day</li> <li>Referred elsewhwere</li> <li>Other</li> <li>Do not know</li> <li>No response</li> </ul>
334. Have you ever done anything or tried in any way to delay or avoid getting pregnant?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
XS_301. How old were you when you first used a method to delay or avoid getting pregnant? The respondent said she was \${age} years old at her last birthday. Enter the age in years. Enter -88 if the respondent does not know. Enter -99 if there is no response. Cannot be younger than 9.	
Check: You entered that the respondent first used family planning at the age of \${age_at_first_use}. Is that what she said? <i>Go back and change XS_301 if that is not correct.</i>	○ Yes ○ No





335. How many living children did you have at that time, if any? Note: the respondent said that she gave birth \${birth_events} times in 202. <i>Enter -99 for no response</i> .		
WARNING: you entered that the respondent gave birth \${birth_events} times in 202, and you entered that the respondent had \${age_at_first_use_children} children alive at the time she first used a method to delay or avoid getting pregnant in 335. Is this what the respondent said? <i>It may be that the answers to 202 and 335 are correct. This</i> <i>screen is a warning for verification.</i>	⊖ y ⊖ n	
336. Have you used emergency contraception at any time in the last 12 months? PROBE: As an emergency measure after unprotected sexual intercourse women can take special pills at any time within five days to prevent pregnancy.	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>	
337. You said that you do not want a child soon and th you are not using a method to avoid pregnancy.	at	
337. You said that you do not want another child soon and that you are not using a method to avoid pregnancy.		
337. You said that you do not want any children and that you are not using a method to avoid pregnancy.		
337. You said that you do not want any more children and that you are not using a method to avoid pregnancy.		
Can you tell me why you are not using a method to prevent pregnancy? PROBE: Any other reason? <i>RECORD ALL REASONS MENTIONED Cannot select "Not Married" if 109 is "Yes, currently married".</i> <i>Scroll to bottom to see all choices.</i>		<ul> <li>Not married</li> <li>Infrequent sex / Not having sex</li> <li>Menopausal / Hysterectomy</li> <li>Subfecund / Infecund</li> <li>Not menstruated since last birth</li> <li>Breastfeeding</li> <li>Husband away for multiple days</li> <li>Up to God / fatalistic</li> <li>Respondent opposed</li> <li>Husband / partner opposed</li> <li>Others opposed</li> <li>Religious prohibition</li> <li>Knows no method</li> <li>Knows no source</li> <li>Fear of side effects</li> <li>Health concerns</li> <li>Lack of access / too far</li> <li>Costs too much</li> <li>Preferred method not available</li> <li>No method available</li> </ul>





Check here to acknowledge you considered all o		□ Inte □ Oth □ Do		o use body's processes
Check here to acknowledge you considered and				
COV_8. Can you tell me if any of the following Coronavirus (COVID-19) related reasons contribute why you are not using a method to prevent pregnancy? <i>Read each option aloud and select if yes.</i>	e to clos not gov F hea C	sed, app availab Desired Unable t vernmer Fear of k althcare Other	pointment n product(s) r to access sen nt restriction peing infecte facilities the above	r doctor's office ot possible, services not available rvices because of ns on movement ed with COVID-19 at
338. Would you say that not using contraception is mainly your decision, mainly your husband/partne decision or did you both decide together?	is ON er's OJ	-		tner
339. In the last 12 months, were you visited by a community health worker who talked to you abou family planning?	_		onse	
340. In the last 12 months, have you visited a healt facility or camp for care for yourself? <i>For any health services.</i>	1 ()		onse	
340. In the last 12 months, have you visited a healt facility or camp for care for yourself or your childre <i>For any health services.</i>	en?	Yes No No respo	onse	
341. Did any staff member at the health facility spe to you about family planning methods?	O r	Yes No No respo	onse	
342. In the last 12 months have you: 1 = Yes 0 = No -99 = No Response				
342a. Heard about family planning on the radio?			0 〇	-99

PERFORMANCE MONITORING FOR ACTION			BLO	NS HC	DPKINS ECHOOL EALTH	Bill & Melinda Population ar	a Gates Institute for nd Reproductive Health		
342b. Seen anything about family planning on the television?	0	0		0		0			
342c. Read about family planning in a newspaper or magazine?	0	$\bigcirc$		) C		)			
342d. Received a voice or text message about family planning on a mobile phone?	0			$\bigcirc$		$\bigcirc$			
342e. Seen anything on social media about family planning that is Facebook, Viber, Twitter, WhatsApp or others?	$\bigcirc$	0		0		0			
343. People have different opinions about family planning. In your community, would you say mo people, some people or few people have the follo opinions about family planning: <i>1 = Most 2 = Some 3 = Few -99 = No Response</i>	. In your community, would you say most ome people or few people have the following about family planning:								
	1	2			3		-99		
343a. Adolescents who use family planning are promiscuous.	0	0		(	C		$\bigcirc$		
343b. Using family planning preserves a woman's health	0	0	0		$\bigcirc$		$\bigcirc$		
343c. Family planning is only for women who are married.	0	0		(	C		$\bigcirc$		
343d. Women who use family planning can better support their children's schooling	$\bigcirc$	0		$\bigcirc$		0			
343e. Family planning is only for women who don't want any more children.	$\bigcirc$	0	$\bigcirc$						$\bigcirc$
343f. People who use family planning have a better quality of life.	0	0	$\bigcirc$		0 0		0		
344. Now, we would now like to know about you personal opinions about these issues. Do you str agree, agree, disagree, strongly disagree with th following statements? <i>4 = Strongly agree 3 = Agree 2 = Disagree 1 = Strongly o</i> <i>99 = No response</i>	ongly e								
	4	3	2	2	1		-99		
344a. Adolescents who use family planning are promiscuous.	$\bigcirc$	$\bigcirc$		$\mathbf{)}$	$\bigcirc$		$\bigcirc$		
344b. Using family planning preserves a woman's health	$\bigcirc$	$\bigcirc$	C	$\mathbf{)}$	$\bigcirc$		$\bigcirc$		
344c. Family planning is only for women who are married.	$\bigcirc$	$\bigcirc$	0	>	$\bigcirc$		$\bigcirc$		
344d. Women who use family planning can better support their children's schooling	0	$\bigcirc$		)	0		0		





344e. Family planning is only for women who don't want any more children.	$\bigcirc$		0	(	)	$\bigcirc$	$\bigcirc$	
344f. People who use family planning have a better quality of life.	0		0	(	)	0	0	
345. How important is it for you to achieve the following in the next two years: 1 = Very important 2 = Somewhat important 3 = Not important - 99 = No Response								
	1		2			3	-99	
345a. Complete secondary school / technical school / vocation school	С	)	0		0		0	
345b. Attend university / tertiary institution	С	)	0		(	C	$\bigcirc$	
345c. Have a good job	С	)	0		(	C	$\bigcirc$	
345d. Start a business	С	$\bigcirc$		$\bigcirc$		C	$\bigcirc$	
345e. Find a partner	$\bigcirc$		0		$\bigcirc$		$\bigcirc$	
345f. Get married	0		0		(	C	$\bigcirc$	
345g. Have children	$\bigcirc$		$\bigcirc$		$\bigcirc$		$\bigcirc$	
346. Do you have any health insurance or are you a member of a mutual health organization?								
<ul> <li>7. What type of health insurance do you have?</li> <li>CORD ALL MENTIONED</li> <li>I Health insurance</li> <li>I Health insurance through employer</li> <li>I Mutual health</li> <li>Organization/Community-based health</li> <li>Insurance</li> <li>I Other privately purchased commercial</li> <li>I health insurance</li> <li>I Other</li> <li>I National Health Insurance (NHIS)</li> <li>I Health insurance through employer</li> <li>I Mutual health</li> <li>I Mutual health</li></ul>								
<b>Section 4 – Sexual Activity</b> CHECK FOR THE PRESENCE OF OTHERS. BEFORE CONTINUING, MAKE EVERY EFFORT TO ENSURE PRIVACY.								

Now I would like to ask some questions about sexual activity in order to gain a better understanding of some important life issues. Let me assure you again that your answers are completely confidential and will not be told to anyone. If we should come to any question that you don't want to answer, just let me know and we will go to the next question.





401. How old were you when you first had sexual intercourse?	
Current age: \${age}	
Number of live births: \${birth_events}	
The respondent is pregnant	
Enter the age in years. Enter -77 if she has never had sex. Enter -99 for no response Enter -88 for do not know.	
WARNING: you entered -77, but the respondent is currently pregnant or has given birth before. Go back and fix. <i>The timing of the number of births should agree with 401</i>	
WARNING: the respondent gave birth \${birth_events} times, but first had sex at the age of \${age_at_first_sex}, only \${years_since_first_sex} years ago. Is that correct? <i>The timing of the number of births should agree with 401</i> .	○ Yes ○ No
You entered that the respondent was \${p2_age_at_first_sex} years old the first time she had sexual intercourse. Is that what the she said? <i>Go back and change 401 if it is not correct.</i>	○ Yes ○ No
You entered that the respondent's age at first sex was \${p2_age_at_first_sex}. Previously the respondent said she has given birth at an earlier age: \${age_first_birth}. Is that correct? <i>Go back and change "age at first sex" if it is not correct</i>	○ Yes ○ No
402. Looking back to the first time you had sexual intercourse, do you think you would have preferred to: have waited longer before having sex with anyone, not have waited so long, or was it the right time?	<ul> <li>Waited longer</li> <li>Not have waited so long</li> <li>It was the right time</li> <li>No response</li> </ul>
403. The first time you had sexual intercourse, would you say you and your partner were both equally willing to have sexual intercourse was one of you more willing than the other?	<ul> <li>Equally willing</li> <li>Respondent more willing</li> <li>Partner more willing</li> <li>No response</li> </ul>
404. Which of these applied to you at the first time you had sex? <i>Read each option aloud and select if yes.</i>	<ul> <li>I was curious</li> <li>I was carried away</li> <li>I was under the influence of a substance</li> <li>I was doing what was expected of me</li> <li>I was forced against my will</li> <li>None of the above</li> <li>No response</li> </ul>





405. Did you and your partner want to avoid a pregnancy the first time you had sexual intercourse?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
406. Did you or your partner do something or use any method to delay or avoid getting pregnant?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
407. When was the last time you had sexual intercour	se?
Respondent is \${months_pregnant} months pregnan	
Answer must be in days or weeks up to 4 weeks or 30 days	
##### If less than 12 months ago, answer must be recorded in mor weeks, or days. Enter 0 days for today. You will enter a number for X on the next screen.	<ul> <li>X days ago</li> <li>X weeks ago</li> <li>X months ago</li> <li>X years ago</li> <li>No response</li> </ul>
407. Enter \${last_time_sex_lab}. If today, enter zero days only, not zero weeks/months/years. Must agree with the age of first sexual intercourse and the pregnancy status.	
The respondent is pregnant. The time since last sex must not be earlier than one month prior to the start of pregnancy. If number of months pregnant is unknown, then the time since last sex must be less than 11 months. Months pregnant: \${months_pregnant} Last time sex units: \${last_time_sex} Last time sex value: \${last_time_sex_value}	
The respondent cannot enter a time since last sex that would be before her age at first sex. Age at first sex: \${age_at_first_sex} Current age: \${age} Last time sex units: \${last_time_sex} Last time sex value: \${last_time_sex_value}	
408. The last time you had sex did you or your partner use any method to avoid or prevent a pregnancy?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
409. What method did you or your partner use?	<ul> <li>Female sterilization</li> <li>Male sterilization</li> <li>Implant</li> <li>IUD</li> <li>Injectables</li> <li>Pill</li> <li>Emergency Contraception</li> <li>Male condom</li> </ul>





	<ul> <li>Female condom</li> <li>Diaphragm</li> <li>Foam/Jelly</li> <li>Standard Days/Cycle beads</li> <li>LAM</li> <li>Rhythm method</li> <li>Withdrawal</li> <li>Other traditional method</li> <li>No response</li> </ul>
410. Whose choice was it to use that method?	<ul> <li>Respondent</li> <li>Respondent and partner</li> <li>Partner</li> <li>Someone else</li> <li>No response</li> </ul>
Section 5 – Women and Girls I	Empowerment Section
Now I'm going to ask you a series of statements abou indicate how much you think these statements cou you agree or disagree with the statement. Some w consider each one as different. We can pause at a answering any of the statements, let me know ar	ld apply to you by indicating how strongly vill seem similar but we would like you to any time. If you do not feel comfortable
501. If I use family planning, my husband/partner may seek another sexual partner.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
502. If I use family planning, I may have trouble getting pregnant the next time I want to.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
503a. There could be conflict in my relationship/marriage if I use family planning.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>





	○ Strongly disagree (1) ○ 2
503b. There will be conflict in my relationship/marriage if I use family planning.	<ul> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
504. If I use family planning, my children may not be born normal.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
505. If I use family planning, my body may experience side effects that will disrupt my relations with my husband/partner.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_2. I can decide to switch from one family planning method to another if I want to.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_3. I feel confident telling my provider what is important for me when selecting a family planning method.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_4. I feel confident discussing family planning with my husband/partner.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
Now I'm going to ask you a series of statements about pregnancy and childbearing. Please indicate	





how much you think these statements could apply to you by indicating how strongly you agree or disagree with the statement. Some will seem similar but we would like you to consider each one as different. We can pause at any time. If you do not feel comfortable answering any of the statements, let me know and I will move onto the next statement.	
WGE_5a. I want to complete my education before I have a child.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_5b. I wanted to complete my education before I had a child.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_6. If I rest between pregnancies, I can take better care of my family.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_7a. I can decide when I want to start having children.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_7b. I could decide when I wanted to start having children.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_8. I feel confident discussing with my husband/partner when to start having children.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> </ul>





	<ul> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_9. I can decide when to have another child.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_10a. I will be able to negotiate with my husband/partner when to stop having children.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
WGE_10b. I can negotiate with my husband/partner when to stop having children.	<ul> <li>Strongly disagree (1)</li> <li>2</li> <li>3</li> <li>4</li> <li>Strongly agree (5)</li> <li>Do not know</li> <li>No response</li> </ul>
<b>Section 6 – COVID-19</b> We understand that Coronavirus (COVID-19) has imp in learning more about how ye	acted many people's lives. We are interested
COV_9. How concerned are you about getting infected with Coronavirus (COVID-19) yourself? <i>Read all options</i>	<ul> <li>Very concerned</li> <li>Concerned</li> <li>A little concerned</li> <li>Not concerned</li> <li>I was infected with Coronavirus (COVID-19)</li> <li>No response</li> </ul>
COV_10. During the last 12 months, how much of a loss of income did your household experience? <i>Read all options</i>	<ul> <li>None</li> <li>Complete</li> <li>Partial</li> <li>No response</li> </ul>





COV_11. Was the income loss resulting from Coronavirus (COVID-19) restrictions?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ Do not know</li> <li>○ No response</li> </ul>
COV_12. Has your household income recovered partially or fully in the past 4 weeks?	<ul> <li>Yes, partially recovered</li> <li>Yes, fully Recovered</li> <li>Not recovered</li> <li>Do not know</li> <li>No response</li> </ul>
COV_13. During the past 4 weeks, did you or any household member go a whole day and night without eating anything because there was not enough food?	<ul> <li>Yes</li> <li>No</li> <li>Do not know</li> <li>No response</li> </ul>
COV_14. During the past 4 weeks, how often did this happen?	<ul> <li>Rarely (1-2 times)</li> <li>Sometimes (3-10 times)</li> <li>Often (more than 10 times)</li> <li>Do not know</li> <li>No response</li> </ul>
COV_15. During the past 4 weeks, did you want to visit a health facility for any of the following services? <i>Read each option aloud and select if yes.</i>	<ul> <li>Family planning services</li> <li>ANC</li> <li>Delivery</li> <li>PNC</li> <li>Child's health</li> <li>Immunization</li> <li>Pick up of regular medications</li> <li>Emergency services</li> <li>General health services</li> <li>Other</li> <li>Did not want to access a health facility</li> <li>No response</li> </ul>
COV_16. During the past 4 weeks, did you experience any of the following difficulties in accessing healthcare services? <i>Read each option aloud and select if yes.</i>	<ul> <li>Healthcare facility or doctor's office closed, appointment not possible, services not available</li> <li>Desired product(s) not available</li> <li>Partner does not approve</li> <li>No transportation to access healthcare services</li> <li>Unable to access services because of government restrictions on movement</li> <li>Unable to afford healthcare services</li> <li>Fear of being infected with COVID-19 at healthcare facilities</li> <li>Other</li> <li>Did not experience difficulties</li> </ul>





	accessing care
COV_17. Did you successfully access the health services you needed?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
COV_18. Did you stop or interrupt your contraceptive use at any time due to Coronavirus (COVID-19) restrictions?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
Follow-up Co	onsent
801. Thank you for the time you have kindly granted us. Would you be willing to participate in another survey one year from now?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
802. Do you have access to a phone?	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>
803a. Can I have your primary phone number in case we would like to follow up with you in the future?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
803b. What is your primary phone number? Enter an 11-digit number without the country code. Do not include spaces or dashes.	
803c. Can you repeat the number again? Enter an 11-digit number without the country code. Do not include spaces or dashes.	
803d. Is this your personal phone number? A personal phone is not shared with other people.	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
804a. Can I have your secondary phone number in case we would like to follow up with you in the future?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>
804b. What is your secondary phone number? Enter an 11-digit number without the country code. Do not include spaces or dashes.	
804c. Can you repeat the number again? Enter an 11-digit number without the country code. Do not include spaces or dashes.	
804d. Is this your personal phone number? A personal phone is not shared with other people.	<ul> <li>○ Yes</li> <li>○ No</li> <li>○ No response</li> </ul>



805. Is \${firstname_raw} the name you go by in your household?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>		
806. What is the name you go by in your household?			
807. Is \${firstname_raw} the name you go by in your community?	<ul><li>○ Yes</li><li>○ No</li><li>○ No response</li></ul>		
808. What is the name you go by in your community?			
Thank the respondent for her time. The respondent is finished, but there are still more questions for you to complete outside the home.			
Thank you. There are still more questions for you to complete outside the home.			
Location and Question	onnaire result		
095. Location Take a GPS point near the entrance to the household. Record location when the accuracy is smaller than 6 m.			
096. How many times have you visited this household to interview this female respondent?	<ul> <li>○ 1st time</li> <li>○ 2nd time</li> <li>○ 3rd time</li> </ul>		
097. In what language was this interview conducted?	<ul> <li>English</li> <li>Hausa</li> <li>Yoruba</li> <li>Pidgin</li> <li>Other</li> </ul>		
098. Questionnaire Result Record the result of the questionnaire.	<ul> <li>Completed</li> <li>Not at home</li> <li>Postponed</li> <li>Refused</li> <li>Partly completed</li> <li>Incapacitated</li> <li>Deceased</li> <li>Moved out of study area</li> </ul>		
CONTRACEPTIVE CALENDAR			
Please enter answers from visual aid paper			





	1
CALENDAR: Add a "birth" annotation next to the month \${panel_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
CALENDAR: Add a "birth" annotation next to the month \${first_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
CALENDAR: Add a "birth" annotation next to the month \${recent_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
CALENDAR: Add a "birth" annotation next to the month \${other_birth_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
CALENDAR: Add a "termination" annotation next to the month \${pregnancy_end_lab} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
CALENDAR: Add a "termination" annotation next to the month \${panel_preg_end} in the contraceptive calendar paper aid and enter the duration of the pregnancy.	
Add a "pregnant" annotation next to the current date \${today_ym} in the contraceptive calendar paper aid.	
Add a "pregnant" annotation next to the most recent \${months_pregnant} months, including in \${today_ym}, in the contraceptive calendar paper aid.	
Add an annotation for \${current_method_label} next to the current date \${today_ym} in the contraceptive calendar paper aid.	
Add an annotation for \${current_method_label} from \${ccal_start_date_label} to the current date \${today_ym} in the contraceptive calendar paper aid.	
Is the information above consistent with what you have written in the paper aid?	<ul><li>○ Yes</li><li>○ No</li></ul>
2021: ENTER VALUE FROM COL. 1	
Enter Value December 2021	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>0. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> </ul>





	$\bigcirc$
	🔾 9. Male Condom
	$\bigcirc$ 10. Female Condom
	🔿 11. Diaphragm
	🔾 12. Foam / Jelly
	○ 12. Fourity Selly ○ 13. Std Days / Cycle beads
	○ 14. LAM
	$\bigcirc$ 30. Rhythm method
	$\bigcirc$ 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
Enter Value November 2021	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> </ul>
	○ 39. Other traditional methods
	O B. Births
	O P. Pregnancies
	$\bigcirc$ T. Terminations
	$\bigcirc$ 0. No method used
	$\bigcirc$ 1. Female Sterilization
	○ 2. Male Sterilization
	○ 3. Implant
Enter Value October 2021	○ 4. IUD
	○ 5. Injectables
	O 7. Pill
	$\bigcirc$ 8. Emergency Contraception
	🔿 9. Male Condom
	$\bigcirc$ 10. Female Condom
	🗍 11. Diaphragm
	○ 12. Foam / Jelly
	<ul> <li>○ 12. Fourth Selly</li> <li>○ 13. Std Days / Cycle beads</li> </ul>





	○ 14. LAM ○ 30. Rhythm method
	◯ 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
Enter Value September 2021	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value August 2021	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>



	1
Enter Value July 2021	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value June 2021	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value May 2021	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>0. No method used</li> <li>1. Female Sterilization</li> </ul>





	○ 2. Male Sterilization
	◯ 3. Implant
	0 4. IUD
	<ul> <li>○ 1.10 2</li> <li>○ 5. Injectables</li> </ul>
	○ 7. Pill
	<ul> <li>7. Fin</li> <li>8. Emergency Contraception</li> </ul>
	$\bigcirc$ 9. Male Condom
	-
	0 10. Female Condom
	○ 11. Diaphragm
	○ 12. Foam / Jelly
	$\bigcirc$ 13. Std Days / Cycle beads
	◯ 14. LAM
	🔾 30. Rhythm method
	$\bigcirc$ 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
	⊖ B. Births
	○ P. Pregnancies
	○ T. Terminations
	$\bigcirc$ 0. No method used
	$\bigcirc$ 1. Female Sterilization
	🔾 2. Male Sterilization
	○ 3. Implant
	0 4. IUD
	$\bigcirc$ 5. Injectables
	○ 7. Pill
Enter Value April 2021	○ 7.1 m ○ 8. Emergency Contraception
	$\bigcirc$ 9. Male Condom
	$\bigcirc$ 10. Female Condom
	-
	11. Diaphragm
	12. Foam / Jelly
	○ 13. Std Days / Cycle beads
	○ 14. LAM
	O 30. Rhythm method
	🔾 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
	🔿 B. Births
	○ P. Pregnancies
	○ T. Terminations
	$\bigcirc$ 0. No method used
Enter Value March 2021	$\bigcirc$ 1. Female Sterilization
	🔿 2. Male Sterilization
	🔿 3. Implant
	0 4. IUD
	○ 5. Injectables
	○ 7. Pill
	$\smile \cdots \cdots$





	🔘 8. Emergency Contraception
	9. Male Condom
	0 10. Female Condom
	<ul> <li>○ 10.1 cm/dc condom</li> <li>○ 11. Diaphragm</li> </ul>
	12. Foam / Jelly
	-
	○ 13. Std Days / Cycle beads
	○ 14. LAM
	O 30. Rhythm method
	🔿 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
	🔿 B. Births
	○ P. Pregnancies
	○ T. Terminations
	0. No method used
	$\bigcirc$ 1. Female Sterilization
	$\bigcirc$ 2. Male Sterilization
	3. Implant
	-
	○ 5. Injectables
Enter Value February 2021	O 7. Pill
	0 8. Emergency Contraception
	$\bigcirc$ 9. Male Condom
	$\bigcirc$ 10. Female Condom
	🔿 11. Diaphragm
	🔿 12. Foam / Jelly
	🔿 13. Std Days / Cycle beads
	○ 14. LAM
	$\bigcirc$ 30. Rhythm method
	○ 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
	<ul> <li>B. Births</li> <li>P. Pregnancies</li> </ul>
	_
	O T. Terminations
	0. No method used
	$\bigcirc$ 1. Female Sterilization
	$\bigcirc$ 2. Male Sterilization
	🔾 3. Implant
Enter Value January 2021	() 4. IUD
	$\bigcirc$ 5. Injectables
	◯ 7. Pill
	○ 8. Emergency Contraception
	9. Male Condom
	$\bigcirc$ 10. Female Condom
	<ul> <li>○ 11. Diaphragm</li> </ul>
	12. Foam / Jelly





	◯ 13. Std Days / Cycle beads
	○ 14. LAM
	$\bigcirc$ 30. Rhythm method
	🔾 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
Please verify your inputs for 2021. Are they correct?	◯ Yes
Please verify your inputs for 2021. Are they correct?	○ No
2020: ENTER VALUE FROM COL. 1	
	⊖ B. Births
	○ P. Pregnancies
	O T. Terminations
	$\bigcirc$ 0. No method used
	-
	0 1. Female Sterilization
	O 2. Male Sterilization
	🔿 3. Implant
	○ 4. IUD
	$\bigcirc$ 5. Injectables
	○ 7. Pill
Enter Value December 2020	0 8. Emergency Contraception
	9. Male Condom
	0 10. Female Condom
	-
	🔿 11. Diaphragm
	🔿 12. Foam / Jelly
	$\bigcirc$ 13. Std Days / Cycle beads
	○ 14. LAM
	$\bigcirc$ 30. Rhythm method
	○ 31. Withdrawal
	○ 39. Other traditional methods
	B. Births
	O P. Pregnancies
	O T. Terminations
	$\bigcirc$ 0. No method used
	0
	O 1. Female Sterilization
	○ 2. Male Sterilization
Enter Value November 2020	🔾 3. Implant
	() 4. IUD
	$\bigcirc$ 5. Injectables
	○ 7. Pill
	8. Emergency Contraception
	9. Male Condom
	_
	🔿 10. Female Condom





	<ul> <li>○ 11. Diaphragm</li> <li>○ 12. Foam / Jelly</li> <li>○ 13. Std Days / Oycle boads</li> </ul>
	<ul> <li>○ 13. Std Days / Cycle beads</li> <li>○ 14. LAM</li> </ul>
	$\bigcirc$ 30. Rhythm method
	$\bigcirc$ 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
	[ - [
	O B. Births
	O P. Pregnancies
	O T. Terminations
	O 0. No method used
	○ 1. Female Sterilization
	O 2. Male Sterilization
	🔾 3. Implant
	○ 4. IUD
	○ 5. Injectables
Enter Value October 2020	○ 7. Pill
	○ 8. Emergency Contraception
	○ 9. Male Condom
	○ 10. Female Condom
	○ 11. Diaphragm
	○ 12. Foam / Jelly
	○ 13. Std Days / Cycle beads
	$\bigcirc$ 14. LAM
	○ 30. Rhythm method ○ 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
	[ - [
	O B. Births
	O P. Pregnancies
	O T. Terminations
	0. No method used
	○ 1. Female Sterilization
	○ 2. Male Sterilization
	○ 3. Implant
Enter Value September 2020	○ 5. Injectables
	○ 7. Pill
	$\bigcirc$ 8. Emergency Contraception
	○ 9. Male Condom
	○ 10. Female Condom
	11. Diaphragm
	12. Foam / Jelly
	○ 13. Std Days / Cycle beads
	$\bigcirc$ 14. LAM
	$\bigcirc$ 30. Rhythm method



	<ul> <li>○ 31. Withdrawal</li> <li>○ 39. Other traditional methods</li> </ul>
Enter Value August 2020	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value July 2020	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value June 2020	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> </ul>



	<ul> <li>0. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value May 2020	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value April 2020	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> </ul>





	<ul> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value March 2020	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value February 2020	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> </ul>





[ <u></u>	
	<ul> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>0. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> </ul>
Enter Value January 2020	<ul> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Please verify your inputs for 2020. Are they correct?	<ul><li>○ Yes</li><li>○ No</li></ul>
CHECK: You just recorded in the calendar that the respondent is not using any method. However, earlier in the survey, the respondent said she has used "\${current_method_label}" since "\${begin_using_full_lab}". Please go back and correct this inconsistency.	
CHECK: You just recorded in the calendar that the respondent is currently using "\${cc_current_method_lab}". However, earlier in the survey, the respondent said she is not using any contraceptive method. Please go back and correct this inconsistency.	
CHECK: You just recorded in the calendar that the respondent is currently using "\${cc_current_method_lab}". However, earlier in the survey, the respondent said she has used	





'\${current_method_label}" since '\${begin_using_full_lab}". The methods are different. Please go back and correct this inconsistency.	
2019: ENTER VALUE FROM COL. 1	
Enter Value December 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value November 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>



Enter Value October 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value September 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value August 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>0. No method used</li> <li>1. Female Sterilization</li> </ul>





	<ul> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value July 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value June 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>0. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> </ul>





	<ul> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value May 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value April 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> </ul>





	🔿 13. Std Days / Cycle beads
	$\bigcirc$ 14. LAM
	○ 30. Rhythm method
	$\bigcirc$ 31. Withdrawal
	•
	○ 39. Other traditional methods
	O B. Births
	○ P. Pregnancies
	○ T. Terminations
	$\bigcirc$ 0. No method used
	$\bigcirc$ 1. Female Sterilization
	○ 2. Male Sterilization
	$\bigcirc$ 3. Implant
	○ 4. IUD
	<ul> <li>○ 5. Injectables</li> </ul>
	○ 7. Pill
Enter Value March 2019	0
	○ 8. Emergency Contraception
	9. Male Condom
	○ 10. Female Condom
	🔿 11. Diaphragm
	🔿 12. Foam / Jelly
	$\bigcirc$ 13. Std Days / Cycle beads
	○ 14. LAM
	$\bigcirc$ 30. Rhythm method
	🔿 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
	O B. Births
	-
	<ul> <li>○ P. Pregnancies</li> <li>○ T. Terminations</li> </ul>
	)
	0. No method used
	○ 1. Female Sterilization
	O 2. Male Sterilization
	🔾 3. Implant
	() 4. IUD
	$\bigcirc$ 5. Injectables
Enter Value Echrupry 2019	◯ 7. Pill
Enter Value February 2019	$\bigcirc$ 8. Emergency Contraception
	🔿 9. Male Condom
	🔿 10. Female Condom
	🔿 11. Diaphragm
	🔾 12. Foam / Jelly
	○ 13. Std Days / Cycle beads
	○ 14. LAM
	○ 30. Rhythm method
	○ 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods



Enter Value January 2019	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Please verify your inputs for 2019. Are they correct?	○ Yes ○ No
2018: ENTER VALUE FROM COL. 1	
Enter Value December 2018	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> </ul>



Enter Value November 2018	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value October 2018	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value September 2018	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>0. No method used</li> <li>1. Female Sterilization</li> </ul>





	🔾 2. Male Sterilization
	○ 3. Implant
	0 4. IUD
	$\bigcirc$ 5. Injectables
	○ 7. Pill
	○ 7.1 m ○ 8. Emergency Contraception
	$\bigcirc$ 9. Male Condom
	$\bigcirc$ 10. Female Condom
	○ 10.1 emale condom ○ 11. Diaphragm
	○ 11. Diapinagin ○ 12. Foam / Jelly
	<ul> <li>○ 12. Fourth series</li> <li>○ 13. Std Days / Cycle beads</li> </ul>
	<ul> <li>○ 13. Stu Days / Cycle Deads</li> <li>○ 14. LAM</li> </ul>
	○ 14. LAN
	○ 31. Withdrawal
	-
	○ 39. Other traditional methods
	🔿 B. Births
	○ P. Pregnancies
	○ T. Terminations
	$\bigcirc$ 0. No method used
	$\bigcirc$ 1. Female Sterilization
	$\bigcirc$ 2. Male Sterilization
	🔾 3. Implant
	() 4. IUD
	$\bigcirc$ 5. Injectables
	○ 7. Pill
Enter Value August 2018	$\stackrel{\scriptstyle \smile}{\bigcirc}$ 8. Emergency Contraception
	9. Male Condom
	$\bigcirc$ 10. Female Condom
	<ul> <li>○ 11. Diaphragm</li> </ul>
	12. Foam / Jelly
	○ 1.2.1. Gainty Solidy ○ 13. Std Days / Cycle beads
	$\bigcirc$ 14. LAM
	○ 30. Rhythm method
	$\bigcirc$ 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
	🔘 B. Births
Enter Value July 2018	○ P. Pregnancies
	$\bigcirc$ T. Terminations
	$\bigcirc$ 0. No method used
	$\bigcirc$ 1. Female Sterilization
	$\bigcirc$ 2. Male Sterilization
	🔿 3. Implant
	() 4. IUD
	$\bigcirc$ 5. Injectables
	○ 7. Pill
	-





	<ul> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value June 2018	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value May 2018	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>1. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> </ul>





	🔾 13. Std Days / Cycle beads
	○ 14. LAM
	○ 30. Rhythm method
	$\bigcirc$ 31. Withdrawal
	о́
	○ 39. Other traditional methods
	🔿 B. Births
	○ P. Pregnancies
	○ T. Terminations
	$\bigcirc$ 0. No method used
	○ 1. Female Sterilization
	$\bigcirc$ 2. Male Sterilization
	$\bigcirc$ 3. Implant
	○ 4. IUD
	<ul> <li>○ 5. Injectables</li> </ul>
	○ 7. Pill
Enter Value April 2018	0
	○ 8. Emergency Contraception
	9. Male Condom
	0 10. Female Condom
	🔿 11. Diaphragm
	🔿 12. Foam / Jelly
	$\bigcirc$ 13. Std Days / Cycle beads
	○ 14. LAM
	$\bigcirc$ 30. Rhythm method
	🔿 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods
	O B. Births
	-
	<ul> <li>○ P. Pregnancies</li> <li>○ T. Terminations</li> </ul>
	))
	0. No method used
	○ 1. Female Sterilization
	$\bigcirc$ 2. Male Sterilization
	🔾 3. Implant
	○ 4. IUD
	$\bigcirc$ 5. Injectables
Entor Value March 2018	◯ 7. Pill
Enter Value March 2018	$\bigcirc$ 8. Emergency Contraception
	🔿 9. Male Condom
	🔿 10. Female Condom
	🔿 11. Diaphragm
	🔾 12. Foam / Jelly
	○ 13. Std Days / Cycle beads
	○ 14. LAM
	○ 30. Rhythm method
	○ 31. Withdrawal
	$\bigcirc$ 39. Other traditional methods





Enter Value February 2018	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Enter Value January 2018	<ul> <li>B. Births</li> <li>P. Pregnancies</li> <li>T. Terminations</li> <li>O. No method used</li> <li>I. Female Sterilization</li> <li>2. Male Sterilization</li> <li>3. Implant</li> <li>4. IUD</li> <li>5. Injectables</li> <li>7. Pill</li> <li>8. Emergency Contraception</li> <li>9. Male Condom</li> <li>10. Female Condom</li> <li>11. Diaphragm</li> <li>12. Foam / Jelly</li> <li>13. Std Days / Cycle beads</li> <li>14. LAM</li> <li>30. Rhythm method</li> <li>31. Withdrawal</li> <li>39. Other traditional methods</li> </ul>
Please verify your inputs for 2018. Are they correct?	○ Yes ○ No
Look for COL. 2 on the visual aid paper	





2021: ENTER VALUE FROM COL. 2	
Enter Value December 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value November 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value October 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value September 2021	<ul> <li>○ 1. Infrequent sex / husband away</li> <li>○ 2. Became pregnant while using</li> </ul>



	<ul> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value August 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value July 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value June 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> </ul>



	<ul> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value May 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value April 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value March 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> </ul>



	<ul> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value February 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value January 2021	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
2020: ENTER VALUE FROM COL. 2	
Enter Value December 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> </ul>





	-
	<ul> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value November 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value October 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value September 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> </ul>



	<ul> <li>○ 12. Marital dissolution / separation</li> <li>○ 96. Other</li> </ul>
Enter Value August 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value July 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value June 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>



Enter Value May 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value April 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value March 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value February 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> </ul>



	<ul> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value January 2020	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
2019: ENTER VALUE FROM COL. 2	
Enter Value December 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value November 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> </ul>



	<ul> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value October 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value September 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value August 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> </ul>



	<ul> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value July 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value June 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value May 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> </ul>





	<ul> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value April 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value March 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value February 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> </ul>



	<ul> <li>○ 12. Marital dissolution / separation</li> <li>○ 96. Other</li> </ul>
Enter Value January 2019	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
2018: ENTER VALUE FROM COL. 2	
Enter Value December 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value November 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> </ul>



	<ul> <li>○ 12. Marital dissolution / separation</li> <li>○ 96. Other</li> </ul>
Enter Value October 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value September 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value August 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>





Enter Value July 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value June 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value May 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value April 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> </ul>



	<ul> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value March 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value February 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Enter Value January 2018	<ul> <li>1. Infrequent sex / husband away</li> <li>2. Became pregnant while using</li> <li>3. Wanted to become pregnant</li> <li>4. Husband / partner disapproved</li> <li>5. Wanted more effective method</li> <li>6. Side effects / health concerns</li> </ul>





	<ul> <li>7. Lack of access / too far</li> <li>8. Costs too much</li> <li>9. Inconvenient to use</li> <li>10. Up to god / fatalistic</li> <li>11. Difficult to get pregnant / menopausal</li> <li>12. Marital dissolution / separation</li> <li>96. Other</li> </ul>
Please verify your inputs for 2021. Compare with your paper aide. COL. 1       COL. 2       MONTH \${cc_2021_12_s}. \${cc_2021_11_s}. \${cc_2021_10_s}. \${cc_2021_09_s}. \${cc_2021_08_s}. \${cc_2021_07_s}. \${cc_2021_06_s}. \${cc_2021_05_s}. \${cc_2021_04_s}. \${cc_2021_03_s}. \${cc_2021_02_s}. \${cc_2021_01_s}. Are they correct?	○ Yes ○ No
Please verify your inputs for 2020. Compare with your paper aide. COL. 1       COL. 2       MONTH \${cc_2020_12_s}. \${cc_2020_11_s}. \${cc_2020_10_s}. \${cc_2020_09_s}. \${cc_2020_08_s}. \${cc_2020_07_s}. \${cc_2020_06_s}. \${cc_2020_05_s}. \${cc_2020_04_s}. \${cc_2020_03_s}. \${cc_2020_02_s}. \${cc_2020_01_s}. Are they correct?	○ Yes ○ No
Please verify your inputs for 2019. Compare with your paper aide. COL. 1       COL. 2       MONTH \${cc_2019_12_s}. \${cc_2019_11_s}. \${cc_2019_10_s}. \${cc_2019_09_s}. \${cc_2019_08_s}. \${cc_2019_07_s}. \${cc_2019_06_s}. \${cc_2019_05_s}. \${cc_2019_04_s}. \${cc_2019_03_s}. \${cc_2019_02_s}. \${cc_2019_01_s}. Are they correct?	○ Yes ○ No
Please verify your inputs for 2018. Compare with your paper aide. COL. 1       COL. 2       MONTH \${cc_2018_12_s}. \${cc_2018_11_s}. \${cc_2018_10_s}. \${cc_2018_09_s}. \${cc_2018_08_s}. \${cc_2018_07_s}. \${cc_2018_06_s}. \${cc_2018_05_s}. \${cc_2018_04_s}. \${cc_2018_03_s}. \${cc_2018_02_s}. \${cc_2018_01_s}. Are they correct? Take picture of contraceptive calendar visual aid	○ Yes ○ No