

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE for
POPULATION and REPRODUCTIVE HEALTH

Nigeria (Kano) Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

Suggested citation: Centre for Research, Evaluation Resources and Development (CRERD), Bayero University Kano (BUK), and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Nigeria (Kano) Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Nigeria-Kano-P3-CS SOIs. 2022. Nigeria and Baltimore, Maryland, USA.*

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	1144	1144
Age Group			
15-19	25.1	287	287
20-24	17.8	204	214
25-29	18.1	207	191
30-34	12.4	142	145
35-39	12.7	145	138
40-44	8.3	95	106
45-49	5.5	63	63
Marital Status			
Married, or in union	71.8	822	789
Unmarried, sexually active	0.3	3	7
Parity			
0-1 children	6.6	75	80
2-3 children	18.8	215	215
4+ children	45.7	523	498
Residence			
Urban	35.5	406	509
Rural	64.5	738	635
Education			
Never	46.2	529	478
Primary	15.5	177	184
Secondary	33.1	378	388
Higher	5.2	60	94
Wealth Quintile			
Lowest	16.5	188	172
Lower	21.0	241	254
Middle	21.8	250	187
Higher	19.3	221	194
Highest	21.4	245	337

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	15.0	20.4	13.7	18.7	1.3	1.7
Age Group						
15-19	1.7	7.2	1.7	7.2	0.0	0.0
20-24	9.1	12.0	7.8	10.1	1.4	1.9
25-29	20.5	21.4	19.2	20.0	1.3	1.4
30-34	26.9	27.7	24.1	24.7	2.9	3.0
35-39	26.5	28.1	23.8	25.3	2.7	2.8
40-44	23.1	24.2	23.1	24.2	0.0	0.0
45-49	10.9	12.1	9.3	10.3	1.6	1.8
Marital Status						
Married, or in union	20.4	na	18.7	na	1.7	na
Unmarried, sexually active	--	na	--	na	--	na
Parity						
0-1 children	14.8	14.9	14.8	14.9	0.0	0.0
2-3 children	20.4	20.9	18.7	19.1	1.7	1.7
4+ children	21.4	22.1	19.3	20.0	2.1	2.2
Residence						
Urban	24.3	39.0	22.4	35.9	1.9	3.0
Rural	9.9	12.4	9.0	11.2	0.9	1.2
Education						
Never	14.4	15.3	13.0	13.9	1.4	1.5
Primary	12.9	16.3	12.0	15.1	0.9	1.2
Secondary	12.2	28.5	11.1	25.8	1.1	2.7
Higher	44.8	66.8	42.5	63.3	2.3	3.5
Wealth Quintile						
Lowest	9.9	10.7	9.9	10.7	0.0	0.0
Lower	8.8	11.3	8.1	10.5	0.7	0.9
Middle	10.7	15.6	10.5	15.3	0.2	0.3
Higher	14.0	20.3	12.2	17.7	1.8	2.6
Highest	30.4	46.5	27.0	41.1	3.4	5.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 182)										Married Users ¹ (N = 177)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.0	28.1	0.6	31.6	9.0	20.1	0.5	1.8	0.0	8.4	0.0	28.7	0.6	32.3	8.5	19.4	0.5	1.4	0.0	8.6
Age Group																				
15-19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
20-24	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
25-29	0.0	30.6	0.0	30.8	7.7	24.5	0.0	0.0	0.0	6.3	0.0	31.4	0.0	31.6	7.9	22.7	0.0	0.0	0.0	6.5
30-34	0.0	20.6	1.5	36.0	10.9	16.2	0.0	4.2	0.0	10.6	0.0	21.2	1.6	37.1	8.2	16.7	0.0	4.3	0.0	10.9
35-39	0.0	32.3	0.0	34.9	11.0	11.7	0.0	0.0	0.0	10.1	0.0	32.3	0.0	34.9	11.0	11.7	0.0	0.0	0.0	10.1
40-44	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Marital Status																				
Married, or in union	0.0	28.7	0.6	32.3	8.5	19.4	0.5	1.4	0.0	8.6	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
2-3 children	0.0	38.4	2.2	22.4	9.3	17.8	0.0	1.8	0.0	8.1	0.0	39.4	2.3	23.0	6.9	18.3	0.0	1.9	0.0	8.3
4+ children	0.0	24.2	0.0	37.0	9.7	19.6	0.0	0.0	0.0	9.7	0.0	24.4	0.0	37.3	9.7	18.8	0.0	0.0	0.0	9.7
Residence																				
Urban	0.0	32.1	1.0	32.2	9.3	13.9	0.8	3.1	0.0	7.6	0.0	32.6	1.0	32.7	9.5	13.1	0.8	2.5	0.0	7.8
Rural	0.0	22.7	0.0	30.9	8.5	28.5	0.0	0.0	0.0	9.4	0.0	23.3	0.0	31.8	7.2	28.1	0.0	0.0	0.0	9.6
Education																				
Never	0.0	25.6	0.5	29.7	7.9	26.8	0.0	0.0	0.0	9.4	0.0	25.9	0.5	30.0	8.0	26.0	0.0	0.0	0.0	9.5
Primary	0.0	25.8	0.0	48.2	11.7	5.5	0.0	1.4	0.0	7.3	0.0	26.2	0.0	48.9	11.9	5.6	0.0	0.0	0.0	7.4
Secondary	0.0	33.4	1.3	39.3	9.3	7.7	0.0	0.0	0.0	9.0	0.0	35.0	1.3	41.2	7.2	5.8	0.0	0.0	0.0	9.4
Higher	0.0	27.8	0.0	9.7	9.1	34.9	3.0	10.2	0.0	5.2	0.0	28.1	0.0	9.8	9.2	35.4	3.0	9.1	0.0	5.3
Wealth Quintile																				
Lowest	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lower	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Middle	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Higher	0.0	18.4	0.0	46.3	1.9	17.0	0.0	3.6	0.0	12.8	0.0	18.6	0.0	46.8	1.9	17.2	0.0	2.6	0.0	12.9
Highest	0.0	36.3	1.3	24.7	5.0	17.8	1.1	2.6	0.0	11.2	0.0	36.9	1.3	25.2	5.1	16.8	1.1	2.2	0.0	11.4

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 1144)	Married Women ³ (N = 789)	All Women (N = 1144)	Married Women ³ (N = 789)
Total				
All	9.5	12.7	4.3	6.0
Age Group				
15-19	0.7	2.6	1.0	4.6
20-24	5.0	6.3	2.7	3.8
25-29	12.9	13.3	6.3	6.7
30-34	18.1	18.4	6.0	6.3
35-39	15.3	16.2	8.6	9.1
40-44	16.0	16.8	7.0	7.4
45-49	9.3	10.3	0.0	0.0
Marital Status				
Married, or in union	12.7	na	6.0	na
Unmarried, sexually active	--	na	--	na
Parity				
0-1 children	9.1	8.6	5.8	6.3
2-3 children	10.5	10.4	8.3	8.7
4+ children	14.2	14.6	5.2	5.4
Residence				
Urban	14.4	22.8	8.0	13.1
Rural	6.7	8.3	2.2	2.9
Education				
Never	9.2	9.8	3.8	4.1
Primary	8.6	10.8	3.3	4.3
Secondary	6.9	15.4	4.2	10.4
Higher	30.0	44.5	12.4	18.8
Wealth Quintile				
Lowest	5.7	5.8	4.2	4.8
Lower	5.9	7.5	2.2	2.9
Middle	9.5	13.9	1.0	1.4
Higher	9.6	13.9	2.6	3.8
Highest	15.6	23.4	11.4	17.8

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1144)			Married Women ¹ (N = 789)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	15.8	4.5	20.2	21.8	6.2	28.1
Age Group						
15-19	3.2	0.4	3.6	14.2	1.8	16.0
20-24	19.8	0.0	19.8	27.8	0.0	27.8
25-29	20.5	4.7	25.3	21.8	5.1	26.8
30-34	29.9	5.9	35.8	31.2	6.3	37.4
35-39	18.5	10.6	29.0	19.6	11.2	30.8
40-44	13.1	16.5	29.6	13.8	17.3	31.1
45-49	10.3	1.4	11.7	11.4	1.6	13.0
Marital Status						
Married, or in union	21.8	6.2	28.1	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	14.2	1.6	15.8	15.4	1.7	17.1
2-3 children	20.4	0.5	21.0	21.5	0.6	22.1
4+ children	23.6	9.1	32.7	24.5	9.5	34.0
Residence						
Urban	8.4	2.2	10.6	13.3	3.6	16.9
Rural	19.8	5.7	25.5	25.5	7.4	32.9
Education						
Never	20.3	6.4	26.6	21.9	6.9	28.8
Primary	19.7	7.6	27.4	25.3	9.8	35.1
Secondary	9.0	1.0	10.0	21.4	2.4	23.8
Higher	6.8	0.6	7.4	10.3	0.9	11.2
Wealth Quintile						
Lowest	14.3	4.6	18.9	16.4	5.3	21.7
Lower	15.7	3.1	18.8	21.1	4.2	25.4
Middle	18.8	8.4	27.2	27.4	12.2	39.6
Higher	20.1	3.5	23.6	29.4	5.2	34.6
Highest	10.0	2.6	12.5	14.9	4.0	18.8

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=1144)					Married Women ² (N=789)				
	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	15.0	13.7	20.2	35.2	39.0	20.4	18.7	28.1	48.5	38.6
Age Group										
15-19	1.7	1.7	3.6	5.3	--	7.2	7.2	16.0	23.2	--
20-24	9.1	7.8	19.8	28.9	26.9	12.0	10.1	27.8	39.9	25.4
25-29	20.5	19.2	25.3	45.7	41.9	21.4	20.0	26.8	48.2	41.5
30-34	26.9	24.1	35.8	62.7	38.4	27.7	24.7	37.4	65.2	37.9
35-39	26.5	23.8	29.0	55.5	42.9	28.1	25.3	30.8	58.8	42.9
40-44	23.1	23.1	29.6	52.7	43.8	24.2	24.2	31.1	55.3	43.8
45-49	10.9	9.3	11.7	22.5	--	12.1	10.3	13.0	25.0	--
Marital Status										
Married, or in union	20.4	18.7	28.1	48.5	38.6	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	na	na	na	na	na
Parity										
0-1 children	14.8	14.8	15.8	30.6	<i>48.4</i>	14.9	14.9	17.1	32.0	<i>46.5</i>
2-3 children	20.4	18.7	21.0	41.4	45.3	20.9	19.1	22.1	43.0	44.6
4+ children	21.4	19.3	32.7	54.1	35.7	22.1	20.0	34.0	56.1	35.6
Residence										
Urban	24.3	22.4	10.6	34.9	64.2	39.0	35.9	16.9	55.9	64.3
Rural	9.9	9.0	25.5	35.4	25.3	12.4	11.2	32.9	45.3	24.8
Education										
Never	14.4	13.0	26.6	41.0	31.7	15.3	13.9	28.8	44.1	31.5
Primary	12.9	12.0	27.4	40.3	29.7	16.3	15.1	35.1	51.4	29.4
Secondary	12.2	11.1	10.0	22.2	50.0	28.5	25.8	23.8	52.3	49.3
Higher	44.8	42.5	7.4	52.2	<i>81.3</i>	66.8	63.3	11.2	78.0	<i>81.1</i>
Wealth Quintile										
Lowest	9.9	9.9	18.9	28.8	<i>34.3</i>	10.7	10.7	21.7	32.4	<i>32.9</i>
Lower	8.8	8.1	18.8	27.6	29.4	11.3	10.5	25.4	36.7	28.5
Middle	10.7	10.5	27.2	37.9	27.7	15.6	15.3	39.6	55.2	27.7
Higher	14.0	12.2	23.6	37.6	32.5	20.3	17.7	34.6	54.9	32.2
Highest	30.4	27.0	12.5	43.0	62.9	46.5	41.1	18.8	65.3	63.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=632)			Married ¹ Women with 1 or More Births (N=610)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	76.7	18.1	5.2	76.2	18.4	5.4
Age Group						
15-19	<i>87.7</i>	<i>12.3</i>	<i>0.0</i>	<i>86.4</i>	<i>13.6</i>	<i>0.0</i>
20-24	88.5	11.5	0.0	88.4	11.6	0.0
25-29	78.0	17.3	4.7	77.9	17.3	4.8
30-34	73.2	26.8	0.0	72.1	27.9	0.0
35-39	67.0	17.9	15.1	65.9	18.5	15.6
40-44	66.6	19.0	14.4	65.9	19.4	14.7
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	76.2	18.4	5.4	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	86.9	13.1	0.0	85.6	14.4	0.0
2-3 children	85.1	14.3	0.6	84.6	14.7	0.6
4+ children	71.4	20.6	8.1	71.1	20.7	8.3
Residence						
Urban	76.7	19.6	3.7	76.1	20.1	3.8
Rural	76.7	17.4	5.8	76.2	17.8	6.0
Education						
Never	78.5	13.9	7.6	78.3	13.9	7.7
Primary	72.1	24.9	3.0	70.3	26.6	3.2
Secondary	74.4	24.2	1.5	73.9	24.6	1.5
Higher	<i>82.2</i>	<i>17.8</i>	<i>0.0</i>	<i>81.3</i>	<i>18.7</i>	<i>0.0</i>
Wealth Quintile						
Lowest	79.2	15.1	5.7	78.7	15.4	5.9
Lower	81.7	17.7	0.6	81.5	17.9	0.6
Middle	69.9	20.8	9.3	69.0	21.4	9.6
Higher	71.8	20.6	7.6	70.7	21.4	7.9
Highest	81.5	15.8	2.7	81.6	15.6	2.8

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 166)
Total				
All	70.9	27.9	1.2	
Age Group				
15-19	--	--	--	
20-24	--	--	--	
25-29	57.3	42.7	0.0	
30-34	84.1	15.9	0.0	
35-39	77.9	19.8	2.3	
40-44	--	--	--	
45-49	--	--	--	
Marital Status				
Married, or in union	70.6	28.6	0.8	
Unmarried, sexually active	--	--	--	
Parity				
0-1 children	--	--	--	
2-3 children	62.7	37.3	0.0	
4+ children	74.0	24.8	1.2	
Residence				
Urban	55.3	43.9	0.7	
Rural	92.2	6.0	1.9	
Education				
Never	83.4	14.8	1.8	
Primary	55.6	42.9	1.5	
Secondary	57.1	42.9	0.0	
Higher	72.2	26.5	1.3	
Wealth Quintile				
Lowest	--	--	--	
Lower	--	--	--	
Middle	--	--	--	
Higher	38.0	59.1	2.9	
Highest	62.8	36.8	0.5	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(166)	(161)	(166)	(161)	(153)	(150)	(166)	(161)
All	91.8	92.0	94.4	94.7	99.6	99.6	90.4	90.6
Age Group								
15-19	--	--	--	--	--	--	--	--
20-24	--	--	--	--	--	--	--	--
25-29	91.5	91.3	94.8	94.6	100.0	100.0	85.5	85.1
30-34	95.6	95.5	89.5	89.1	100.0	100.0	97.7	97.6
35-39	92.3	92.3	96.3	96.3	98.3	98.3	88.3	88.3
40-44	--	--	--	--	--	--	--	--
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	92.0	na	94.7	na	99.6	na	90.6	na
Unmarried, sexually active	--	na	--	na	na	na	--	na
Parity								
0-1 children	--	--	--	--	--	--	--	--
2-3 children	88.7	88.4	93.6	93.5	100.0	100.0	85.9	85.5
4+ children	92.4	92.3	95.2	95.2	99.4	99.4	91.3	91.2
Residence								
Urban	86.4	86.8	91.5	92.1	99.3	99.3	85.4	85.9
Rural	99.3	99.3	98.4	98.4	100.0	100.0	97.3	97.2
Education								
Never	94.5	94.5	97.5	97.5	99.2	99.1	95.0	95.0
Primary	77.4	78.6	95.2	96.7	--	--	68.9	70.0
Secondary	95.0	94.7	94.2	93.9	100.0	100.0	92.2	91.8
Higher	91.3	92.5	85.8	86.9	100.0	100.0	92.8	94.0
Wealth Quintile								
Lowest	--	--	--	--	--	--	--	--
Lower	--	--	--	--	--	--	--	--
Middle	--	--	--	--	--	--	--	--
Higher	90.5	91.6	94.6	95.7	100.0	100.0	87.2	88.2
Highest	92.5	92.9	92.5	92.8	100.0	100.0	93.9	94.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 165)	(N = 165)	(N = 165)
All	99.6	99.6	99.4
Age Group			
15-19	--	--	--
20-24	--	--	--
25-29	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>
30-34	<i>98.9</i>	<i>100.0</i>	<i>98.9</i>
35-39	<i>100.0</i>	<i>100.0</i>	<i>100.0</i>
40-44	--	--	--
45-49	--	--	--
Marital Status			
Married, or in union	99.8	100.0	99.8
Unmarried, sexually active	--	--	--
Parity			
0-1 children	--	--	--
2-3 children	<i>99.1</i>	<i>100.0</i>	<i>99.1</i>
4+ children	100.0	100.0	100.0
Residence			
Urban	99.2	99.3	98.9
Rural	100.0	100.0	100.0
Education			
Never	100.0	100.0	100.0
Primary	<i>100.0</i>	<i>98.5</i>	<i>98.5</i>
Secondary	100.0	100.0	100.0
Higher	<i>97.3</i>	<i>98.7</i>	<i>97.3</i>
Wealth Quintile			
Lowest	--	--	--
Lower	--	--	--
Middle	--	--	--
Higher	<i>100.0</i>	<i>98.8</i>	<i>98.8</i>
Highest	98.9	99.5	98.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1144)	(789)	(1144)	(789)	(1144)	(789)
All	3.7	4.1	20.4	27.3	21.9	28.6
Age Group						
15-19	1.1	1.6	4.0	17.3	4.7	17.3
20-24	2.8	2.0	19.6	27.0	21.2	28.0
25-29	6.2	5.4	32.7	34.4	35.1	35.8
30-34	5.1	5.4	34.0	33.9	35.1	35.1
35-39	4.1	3.1	27.1	26.1	28.0	27.0
40-44	6.1	6.4	26.8	27.5	29.1	29.9
45-49	3.5	3.8	2.3	2.6	4.1	4.6
Marital Status						
Married, or in union	4.1	na	27.3	na	28.6	na
Unmarried, sexually active	--	na	--	na	--	na
Parity						
0-1 children	7.0	6.4	25.9	28.2	28.4	29.6
2-3 children	5.9	5.8	33.7	33.2	34.2	33.7
4+ children	3.7	3.4	25.9	26.2	27.7	27.9
Residence						
Urban	6.0	7.6	20.5	32.2	23.1	34.3
Rural	2.5	2.6	20.4	25.2	21.2	26.1
Education						
Never	2.6	2.3	24.4	25.5	25.2	26.2
Primary	4.5	5.1	23.9	28.8	24.8	30.0
Secondary	3.7	6.5	13.1	31.0	15.0	33.0
Higher	11.2	13.4	21.9	30.5	27.9	36.0
Wealth Quintile						
Lowest	2.6	2.5	30.1	32.6	31.1	33.8
Lower	4.0	4.0	19.8	25.3	20.9	26.3
Middle	0.3	0.5	17.3	24.9	17.7	25.4
Higher	3.3	3.5	12.8	17.6	14.9	19.4
Highest	8.2	10.5	23.7	36.0	26.4	38.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	385	490	875
Households Occupied	374	464	838
Households Interviewed	371	463	834
Household Response Rate ¹	99.20%	99.78%	99.52%
Interviews with Women			
Number of Eligible Women ²	511	645	1156
Number of Eligible Women Interviewed	509	635	1144
Eligible Woman Response Rate ³	99.61%	98.45%	98.96%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.137	0.024	0.095	0.195	0.187	0.032	0.129	0.263
Currently using a traditional method	0.013	0.004	0.007	0.022	0.017	0.005	0.009	0.033
Currently using any contraceptive method	0.150	0.025	0.106	0.209	0.204	0.034	0.143	0.283
Currently using DMPA-IM	0.316	0.042	0.236	0.409	0.323	0.043	0.242	0.417
Currently using DMPA-SC	0.090	0.036	0.040	0.192	0.085	0.036	0.036	0.189
Currently using condoms	0.018	0.014	0.004	0.074	0.014	0.014	0.002	0.079
Currently using implants	0.281	0.041	0.205	0.371	0.287	0.042	0.208	0.381
Chose method by self or jointly in past 12 months	0.988	0.008	0.953	0.997	0.992	0.006	0.960	0.998
Informed by provider about other methods	0.918	0.044	0.766	0.975	0.920	0.045	0.762	0.977
Informed by provider about side effects	0.944	0.028	0.848	0.981	0.947	0.028	0.845	0.983
Satisfied with provider: Would return and refer friend/relative to provider	0.994	0.005	0.967	0.999	0.998	0.003	0.978	1.000
Visited by health worker who talked about family planning in past 12 months	0.037	0.016	0.016	0.085	0.041	0.018	0.017	0.095

¹ Married includes married women and those who are living with a man