

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Nigeria (Lagos) Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

Suggested citation: Centre for Research, Evaluation Resources and Development (CRERD), Bayero University Kano (BUK), and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Nigeria (Lagos) Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Nigeria-Lagos-P3-CS SOIs. 2022. Nigeria and Baltimore, Maryland, USA.*

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	1426	1426
Age Group			
15-19	18.0	257	263
20-24	12.4	176	180
25-29	13.6	193	195
30-34	15.2	217	211
35-39	17.4	248	233
40-44	13.5	193	196
45-49	9.9	141	148
Marital Status			
Married, or in union	56.9	811	805
Unmarried, sexually active	8.6	123	130
Parity			
0-1 children	9.4	134	145
2-3 children	34.1	487	477
4+ children	17.7	252	255
Residence			
Urban	100.0	1426	1426
Education			
Never	1.6	23	20
Primary	9.2	132	115
Secondary	54.5	777	811
Higher	34.7	495	480
Wealth Quintile			
Lowest	17.6	251	216
Lower	18.4	262	282
Middle	20.4	291	337
Higher	21.1	300	317
Highest	22.6	322	274

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	41.0	53.3	26.7	32.1	14.3	21.3
Age Group						
15-19	6.7	--	4.1	--	2.6	--
20-24	39.1	<i>47.0</i>	31.9	<i>36.3</i>	7.2	<i>10.7</i>
25-29	44.7	49.1	31.4	31.4	13.3	17.7
30-34	50.5	55.9	29.7	33.1	20.8	22.8
35-39	54.9	54.9	36.3	34.9	18.6	20.0
40-44	61.1	63.7	37.3	35.7	23.8	28.0
45-49	34.5	37.6	19.0	19.1	15.5	18.5
Marital Status						
Married, or in union	53.3	na	32.1	na	21.3	na
Unmarried, sexually active	73.3	na	58.3	na	15.1	na
Parity						
0-1 children	30.4	27.7	19.1	17.8	11.3	9.8
2-3 children	59.9	61.7	36.6	35.3	23.3	26.4
4+ children	58.7	62.3	38.2	39.6	20.4	22.7
Residence						
Urban	41.0	53.3	26.7	32.1	14.3	21.3
Education						
Never	--	--	--	--	--	--
Primary	45.1	46.9	37.3	35.6	7.8	11.3
Secondary	33.7	49.5	21.1	29.2	12.6	20.3
Higher	52.2	60.5	32.7	34.5	19.5	26.0
Wealth Quintile						
Lowest	36.0	39.4	28.7	28.8	7.4	10.7
Lower	35.0	48.7	24.5	32.4	10.5	16.4
Middle	42.6	55.1	27.5	32.2	15.1	22.9
Higher	38.5	52.3	22.6	29.9	15.9	22.4
Highest	50.8	64.7	30.2	35.7	20.6	29.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 582)										Married Users ¹ (N = 430)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.7	12.5	2.7	7.4	0.7	8.9	8.8	22.7	0.5	34.9	1.0	16.5	3.1	8.9	1.0	9.6	6.9	12.5	0.7	39.9
Age Group																				
15-19	--	--	--	--	--	--	--	--	--	--	na	na	na	na	na	na	na	na	na	na
20-24	0.0	2.8	0.0	2.7	0.0	7.7	15.0	51.3	2.1	18.4	--	--	--	--	--	--	--	--	--	--
25-29	0.0	10.8	2.1	5.1	0.8	8.7	8.1	33.9	0.7	29.8	0.0	18.6	0.0	5.9	1.3	11.7	5.4	19.8	1.2	36.0
30-34	0.0	16.3	2.5	7.4	0.0	8.7	11.2	12.7	0.0	41.1	0.0	18.4	2.8	8.3	0.0	8.0	11.0	10.7	0.0	40.8
35-39	0.0	18.7	4.0	8.0	2.0	10.9	7.6	14.8	0.0	33.9	0.0	20.9	4.5	7.5	2.3	11.6	7.1	9.6	0.0	36.5
40-44	1.9	12.8	4.4	11.7	0.6	10.6	1.7	16.4	0.9	38.9	2.2	13.6	4.3	13.2	0.7	9.4	0.6	11.0	1.0	44.0
45-49	3.8	7.1	1.4	9.1	0.0	4.9	13.3	15.4	0.0	45.0	4.4	5.6	1.6	6.4	0.0	3.2	13.1	16.5	0.0	49.2
Marital Status																				
Married, or in union	1.0	16.5	3.1	8.9	1.0	9.6	6.9	12.5	0.7	39.9	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	1.0	2.8	2.9	0.0	3.9	15.6	53.3	0.0	20.5	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	13.3	4.4	0.6	0.0	6.7	12.6	25.3	0.0	37.1	0.0	18.3	0.0	0.0	0.0	9.2	15.0	22.0	0.0	35.5
2-3 children	0.6	14.8	2.3	8.9	0.7	8.5	7.6	16.5	1.1	38.9	0.6	16.0	2.3	8.3	0.8	7.8	6.9	13.2	1.2	42.8
4+ children	1.7	16.7	4.9	11.8	1.4	13.7	6.9	8.1	0.0	34.8	1.8	17.3	5.3	12.1	1.5	13.2	5.4	6.9	0.0	36.4
Residence																				
Urban	0.7	12.5	2.7	7.4	0.7	8.9	8.8	22.7	0.5	34.9	1.0	16.5	3.1	8.9	1.0	9.6	6.9	12.5	0.7	39.9
Education																				
Never	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Primary	0.0	11.8	2.2	18.5	0.0	18.5	2.7	29.0	0.0	17.3	0.0	16.4	3.0	22.0	0.0	20.7	0.0	13.7	0.0	24.1
Secondary	0.5	12.0	1.8	5.6	1.3	8.2	9.8	22.8	0.5	37.3	0.7	15.9	2.2	7.5	1.9	9.7	9.5	10.7	0.8	41.1
Higher	0.8	13.2	3.8	6.5	0.3	7.6	9.4	20.7	0.4	37.3	1.1	16.9	4.0	7.5	0.3	7.3	6.2	13.3	0.5	42.9
Wealth Quintile																				
Lowest	0.0	12.1	2.3	7.5	0.0	8.8	12.0	36.8	0.0	20.4	0.0	19.3	4.0	13.2	0.0	11.2	12.6	12.8	0.0	27.0
Lower	0.0	12.4	3.1	13.6	0.8	9.9	8.4	21.9	0.0	30.0	0.0	17.5	3.2	16.0	1.1	10.2	6.1	12.3	0.0	33.6
Middle	2.0	11.7	1.9	5.9	2.2	6.5	6.3	28.1	0.0	35.5	2.6	14.4	0.7	6.6	2.9	8.6	5.6	17.0	0.0	41.5
Higher	0.5	11.9	2.1	2.8	0.7	12.1	7.9	18.8	1.8	41.4	0.7	15.2	2.7	2.9	0.9	13.0	2.7	16.9	2.2	42.9
Highest	0.6	13.9	3.8	8.4	0.0	8.0	9.9	14.2	0.7	40.6	0.8	17.2	4.7	9.3	0.0	7.0	9.0	6.4	0.8	44.9

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 1426)	Married Women ³ (N = 805)	All Women (N = 1426)	Married Women ³ (N = 805)
Total				
All	20.2	21.1	6.5	10.9
Age Group				
15-19	4.1	--	0.0	--
20-24	30.8	<i>30.8</i>	1.1	<i>5.4</i>
25-29	25.6	22.3	5.8	9.1
30-34	20.2	21.3	9.5	11.9
35-39	23.9	20.9	12.5	13.9
40-44	25.6	22.9	11.7	12.8
45-49	14.8	14.7	4.2	4.4
Marital Status				
Married, or in union	21.1	na	10.9	na
Unmarried, sexually active	55.5	na	2.8	na
Parity				
0-1 children	13.7	12.8	5.4	5.1
2-3 children	26.0	23.6	10.6	11.7
4+ children	24.6	24.4	13.7	15.2
Residence				
Urban	20.2	21.1	6.5	10.9
Education				
Never	--	--	--	--
Primary	31.0	26.5	6.3	9.1
Secondary	16.3	19.9	4.8	9.3
Higher	23.4	21.2	9.3	13.3
Wealth Quintile				
Lowest	23.5	19.6	5.2	9.2
Lower	19.1	22.3	5.4	10.1
Middle	20.8	22.5	6.7	9.7
Higher	17.0	20.2	5.6	9.7
Highest	20.9	21.0	9.3	14.6

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1426)			Married Women ¹ (N = 805)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	3.8	4.7	8.4	5.6	7.8	13.4
Age Group						
15-19	0.3	0.4	0.7	--	--	--
20-24	4.5	1.0	5.5	<i>9.6</i>	<i>4.7</i>	<i>14.3</i>
25-29	6.2	1.0	7.2	9.4	1.9	11.3
30-34	4.1	2.7	6.8	4.5	3.0	7.5
35-39	7.8	4.6	12.4	8.7	4.5	13.2
40-44	1.7	11.4	13.1	2.0	13.4	15.4
45-49	1.0	16.3	17.3	1.3	20.2	21.5
Marital Status						
Married, or in union	5.6	7.8	13.4	na	na	na
Unmarried, sexually active	6.3	2.9	9.2	na	na	na
Parity						
0-1 children	9.5	1.9	11.4	11.9	2.4	14.3
2-3 children	4.8	6.2	11.0	5.3	6.6	11.9
4+ children	3.9	13.2	17.2	4.5	14.8	19.3
Residence						
Urban	3.8	4.7	8.4	5.6	7.8	13.4
Education						
Never	--	--	--	--	--	--
Primary	2.8	11.5	14.3	4.0	16.7	20.8
Secondary	3.8	4.6	8.4	6.1	8.9	15.0
Higher	4.1	3.1	7.2	5.8	4.1	9.9
Wealth Quintile						
Lowest	5.7	9.4	15.1	8.9	17.2	26.1
Lower	2.5	4.7	7.2	4.4	8.2	12.6
Middle	4.4	5.9	10.2	5.7	9.8	15.5
Higher	4.0	2.8	6.8	6.2	4.4	10.6
Highest	2.4	1.7	4.1	3.9	2.6	6.5

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=1426)					Married Women ² (N=805)				
	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	41.0	26.7	8.4	49.5	54.0	53.3	32.1	13.4	66.8	48.0
Age Group										
15-19	6.7	4.1	0.7	7.3	--	--	--	--	--	--
20-24	39.1	31.9	5.5	44.6	71.6	<i>47.0</i>	<i>36.3</i>	<i>14.3</i>	<i>61.3</i>	--
25-29	44.7	31.4	7.2	51.9	60.5	49.1	31.4	11.3	60.4	52.0
30-34	50.5	29.7	6.8	57.3	51.9	55.9	33.1	7.5	63.5	52.2
35-39	54.9	36.3	12.4	67.3	54.0	54.9	34.9	13.2	68.1	51.2
40-44	61.1	37.3	13.1	74.2	50.4	63.7	35.7	15.4	79.1	45.1
45-49	34.5	19.0	17.3	51.8	36.7	37.6	19.1	21.5	59.1	32.3
Marital Status										
Married, or in union	53.3	32.1	13.4	66.8	48.0	na	na	na	na	na
Unmarried, sexually active	73.3	58.3	9.2	82.6	70.6	na	na	na	na	na
Parity										
0-1 children	30.4	19.1	11.4	41.8	45.8	27.7	17.8	14.3	41.9	<i>42.6</i>
2-3 children	59.9	36.6	11.0	70.9	51.6	61.7	35.3	11.9	73.6	48.0
4+ children	58.7	38.2	17.2	75.8	50.4	62.3	39.6	19.3	81.6	48.6
Residence										
Urban	41.0	26.7	8.4	49.5	54.0	53.3	32.1	13.4	66.8	48.0
Education										
Never	--	--	--	--	--	--	--	--	--	--
Primary	45.1	37.3	14.3	59.4	62.8	46.9	35.6	20.8	67.7	52.6
Secondary	33.7	21.1	8.4	42.0	50.2	49.5	29.2	15.0	64.5	45.2
Higher	52.2	32.7	7.2	59.4	55.1	60.5	34.5	9.9	70.4	49.0
Wealth Quintile										
Lowest	36.0	28.7	15.1	51.2	56.1	39.4	28.8	26.1	65.5	43.9
Lower	35.0	24.5	7.2	42.3	58.1	48.7	32.4	12.6	61.3	52.8
Middle	42.6	27.5	10.2	52.8	52.0	55.1	32.2	15.5	70.6	45.7
Higher	38.5	22.6	6.8	45.3	49.8	52.3	29.9	10.6	62.9	47.5
Highest	50.8	30.2	4.1	54.9	55.0	64.7	35.7	6.5	71.2	50.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=442)			Married ¹ Women with 1 or More Births (N=412)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	79.6	15.1	5.3	80.3	14.1	5.6
Age Group						
15-19	na	na	na	na	na	na
20-24	56.7	33.3	10.0	63.1	26.2	10.7
25-29	76.8	21.6	1.7	77.0	21.0	1.9
30-34	82.6	12.4	5.0	82.1	12.7	5.2
35-39	85.4	7.9	6.7	85.5	7.6	6.9
40-44	77.0	16.4	6.6	77.5	15.4	7.1
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	80.3	14.1	5.6	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	65.2	28.9	6.0	68.7	24.5	6.8
2-3 children	86.0	10.8	3.2	85.4	11.3	3.3
4+ children	73.1	15.9	11.0	73.8	14.6	11.6
Residence						
Urban	79.6	15.1	5.3	80.3	14.1	5.6
Education						
Never	--	--	--	--	--	--
Primary	84.0	11.8	4.1	82.9	12.7	4.4
Secondary	77.4	16.5	6.0	79.7	13.9	6.4
Higher	81.5	13.5	5.0	81.2	13.6	5.2
Wealth Quintile						
Lowest	80.5	14.1	5.4	81.4	12.5	6.1
Lower	76.6	13.8	9.6	76.7	12.8	10.4
Middle	79.5	14.4	6.1	81.5	12.1	6.4
Higher	81.5	14.4	4.0	82.8	13.0	4.2
Highest	79.3	17.6	3.1	79.0	17.8	3.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 370)
Total				
All	46.1	35.4	18.5	
Age Group				
15-19	--	--	--	
20-24	29.0	30.1	40.9	
25-29	40.1	47.2	12.8	
30-34	50.6	32.0	17.4	
35-39	48.4	39.8	11.8	
40-44	55.0	27.4	17.5	
45-49	<i>60.8</i>	<i>27.3</i>	<i>12.0</i>	
Marital Status				
Married, or in union	51.2	37.6	11.2	
Unmarried, sexually active	35.8	31.5	32.6	
Parity				
0-1 children	--	--	--	
2-3 children	49.7	32.3	18.0	
4+ children	56.3	34.2	9.4	
Residence				
Urban	46.1	35.4	18.5	
Education				
Never	--	--	--	
Primary	<i>52.5</i>	<i>17.5</i>	<i>30.0</i>	
Secondary	43.3	38.8	17.9	
Higher	47.8	37.2	15.0	
Wealth Quintile				
Lowest	37.6	32.3	30.1	
Lower	50.4	32.7	16.9	
Middle	44.7	32.1	23.2	
Higher	52.9	34.9	12.2	
Highest	45.9	42.7	11.4	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(370)	(255)	(370)	(255)	(139)	(125)	(370)	(255)
All	42.1	55.7	35.7	46.7	83.5	88.0	45.7	57.3
Age Group								
15-19	--	na	--	na	na	na	--	na
20-24	9.7	--	12.8	--	--	--	13.4	--
25-29	29.0	<i>49.1</i>	26.1	<i>48.2</i>	--	--	34.9	<i>45.7</i>
30-34	53.0	55.0	34.7	36.5	--	--	53.2	54.1
35-39	61.2	66.7	51.7	56.4	<i>88.6</i>	<i>87.8</i>	61.6	66.0
40-44	50.4	57.2	43.7	51.7	<i>92.4</i>	<i>92.2</i>	58.8	67.4
45-49	<i>39.8</i>	<i>39.8</i>	<i>43.4</i>	<i>36.2</i>	--	--	<i>41.0</i>	<i>41.2</i>
Marital Status								
Married, or in union	55.7	na	46.7	na	88.0	na	57.3	na
Unmarried, sexually active	12.7	na	13.0	na	--	na	22.1	na
Parity								
0-1 children	--	--	--	--	--	--	--	--
2-3 children	52.8	56.7	43.9	48.0	87.7	88.7	54.7	58.9
4+ children	57.9	59.5	50.1	51.5	88.7	<i>90.3</i>	57.9	59.5
Residence								
Urban	42.1	55.7	35.7	46.7	83.5	88.0	45.7	57.3
Education								
Never	--	--	--	--	--	--	--	--
Primary	<i>42.2</i>	<i>53.6</i>	<i>36.1</i>	<i>45.9</i>	--	--	<i>44.1</i>	<i>56.6</i>
Secondary	41.8	55.2	38.3	49.2	82.2	90.2	44.3	54.2
Higher	43.1	58.4	33.0	45.4	88.5	90.5	48.5	62.1
Wealth Quintile								
Lowest	37.4	<i>57.5</i>	31.3	<i>52.8</i>	--	--	36.0	<i>53.1</i>
Lower	45.7	<i>60.1</i>	41.6	<i>50.0</i>	<i>88.7</i>	--	45.9	<i>58.9</i>
Middle	36.8	46.9	34.9	44.5	<i>73.8</i>	<i>72.5</i>	49.0	55.9
Higher	38.9	50.7	33.9	38.4	<i>87.1</i>	--	45.0	51.9
Highest	49.9	62.5	36.7	49.1	<i>87.0</i>	<i>87.0</i>	50.6	63.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 368)	(N = 368)	(N = 368)
All	88.1	85.7	81.0
Age Group			
15-19	--	--	--
20-24	77.8	79.2	69.0
25-29	84.7	79.7	76.1
30-34	94.0	89.3	86.5
35-39	92.3	84.3	84.3
40-44	88.0	94.6	84.5
45-49	<i>95.1</i>	<i>90.8</i>	<i>88.3</i>
Marital Status			
Married, or in union	95.9	92.7	91.4
Unmarried, sexually active	75.9	70.5	57.9
Parity			
0-1 children	--	--	--
2-3 children	87.4	85.1	79.9
4+ children	98.2	95.0	94.3
Residence			
Urban	88.1	85.7	81.0
Education			
Never	--	--	--
Primary	72.9	76.3	65.2
Secondary	91.5	82.9	80.9
Higher	89.0	91.4	85.8
Wealth Quintile			
Lowest	80.3	81.8	73.2
Lower	92.6	80.0	77.9
Middle	92.4	82.1	82.1
Higher	92.0	88.0	87.6
Highest	84.5	94.0	83.3

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(1426)	(805)	(1426)	(805)	(1426)	(805)
All	9.3	12.7	18.2	29.6	21.7	33.2
Age Group						
15-19	2.6	--	1.1	--	2.9	--
20-24	8.4	<i>20.2</i>	14.3	<i>60.7</i>	17.6	<i>65.0</i>
25-29	9.1	8.7	23.6	37.9	28.7	40.5
30-34	15.4	17.6	34.0	40.4	37.7	44.2
35-39	12.8	13.4	29.6	32.5	32.6	35.0
40-44	9.0	9.8	13.7	15.7	17.4	19.6
45-49	7.7	9.2	8.5	9.0	13.5	15.3
Marital Status						
Married, or in union	12.7	na	29.6	na	33.2	na
Unmarried, sexually active	6.7	na	6.6	na	10.4	na
Parity						
0-1 children	14.8	17.1	31.8	36.6	36.2	41.2
2-3 children	11.1	12.1	27.6	30.4	30.4	33.5
4+ children	10.7	11.9	25.1	28.3	29.0	32.4
Residence						
Urban	9.3	12.7	18.2	29.6	21.7	33.2
Education						
Never	--	--	--	--	--	--
Primary	12.6	16.1	19.8	25.6	23.6	30.3
Secondary	7.2	10.6	16.7	32.4	19.6	35.3
Higher	12.1	14.6	20.6	28.2	24.9	32.5
Wealth Quintile						
Lowest	9.3	13.7	19.8	34.9	23.2	38.4
Lower	6.5	8.4	14.2	25.4	17.6	28.3
Middle	7.9	12.7	14.8	23.6	18.1	28.3
Higher	6.7	9.3	17.1	28.0	18.8	29.8
Highest	15.2	17.8	24.2	35.1	29.7	40.1

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1843	N/A	1843
Households Occupied	1703	N/A	1703
Households Interviewed	1588	N/A	1588
Household Response Rate ¹	93.25%	0.00%	93.25%
Interviews with Women			
Number of Eligible Women ²	1498	N/A	1498
Number of Eligible Women Interviewed	1426	N/A	1426
Eligible Woman Response Rate ³	95.19%	0.00%	95.19%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.267	0.016	0.237	0.300	0.321	0.020	0.282	0.361
Currently using a traditional method	0.143	0.012	0.121	0.169	0.213	0.018	0.179	0.251
Currently using any contraceptive method	0.410	0.019	0.372	0.450	0.533	0.025	0.483	0.583
Currently using DMPA-IM	0.074	0.012	0.054	0.102	0.089	0.014	0.064	0.122
Currently using DMPA-SC	0.007	0.003	0.003	0.016	0.010	0.004	0.004	0.022
Currently using condoms	0.227	0.032	0.170	0.297	0.125	0.017	0.094	0.164
Currently using implants	0.125	0.016	0.096	0.161	0.165	0.020	0.128	0.209
Chose method by self or jointly in past 12 months	0.815	0.043	0.714	0.886	0.888	0.023	0.832	0.928
Informed by provider about other methods	0.421	0.040	0.344	0.502	0.557	0.040	0.475	0.636
Informed by provider about side effects	0.357	0.032	0.295	0.424	0.467	0.037	0.394	0.542
Satisfied with provider: Would return and refer friend/relative to provider	0.810	0.043	0.707	0.882	0.914	0.019	0.868	0.945
Visited by health worker who talked about family planning in past 12 months	0.093	0.025	0.054	0.155	0.127	0.031	0.077	0.202

¹ Married includes married women and those who are living with a man