

# PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE for  
POPULATION and REPRODUCTIVE HEALTH

## Democratic Republic of Congo (Kongo Central) Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

Suggested citation: University of Kinshasa School of Public Health and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Democratic Republic of Congo (Kongo Central) Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Democratic Republic of Congo-Kongo Central-P3-CS SOIs. 2022. Kinshasa, DRC and Baltimore,*

## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	1856	1856
<b>Age Group</b>			
15-19	21.1	392	417
20-24	16.6	309	314
25-29	15.3	285	284
30-34	13.2	246	227
35-39	14.4	267	274
40-44	9.9	184	174
45-49	9.3	174	166
<b>Marital Status</b>			
Married, or in union	59.5	1104	1069
Unmarried, sexually active	15.4	286	305
<b>Parity</b>			
0-1 children	15.1	280	289
2-3 children	24.0	445	437
4+ children	36.8	684	636
<b>Education</b>			
Never	6.8	126	116
Primary	28.2	524	458
Secondary	61.7	1145	1200
Higher	3.3	61	82
<b>Wealth Quintile</b>			
Lowest	17.8	331	229
Lower	16.5	307	253
Middle	20.0	371	326
Higher	22.9	424	461
Highest	22.8	423	587

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	39.1	43.4	26.3	28.6	12.9	14.8
<b>Age Group</b>						
15-19	25.3	43.8	15.2	29.2	10.1	14.6
20-24	51.3	49.6	34.1	30.1	17.2	19.5
25-29	54.9	52.3	38.9	35.8	16.0	16.5
30-34	45.9	47.1	33.1	34.4	12.7	12.7
35-39	41.8	46.7	27.2	29.5	14.6	17.2
40-44	36.7	39.3	24.8	25.5	11.9	13.8
45-49	12.2	14.5	7.0	8.0	5.1	6.5
<b>Marital Status</b>						
Married, or in union	43.4	na	28.6	na	14.8	na
Unmarried, sexually active	60.0	na	41.8	na	18.2	na
<b>Parity</b>						
0-1 children	45.0	44.8	34.6	29.3	10.4	15.6
2-3 children	46.5	48.6	33.0	34.2	13.5	14.4
4+ children	38.1	41.1	24.3	25.7	13.8	15.4
<b>Education</b>						
Never	18.7	21.9	11.1	13.5	7.5	8.4
Primary	35.4	42.6	22.4	27.5	12.9	15.1
Secondary	41.5	47.2	28.5	31.8	13.0	15.4
Higher	69.5	<i>40.7</i>	48.7	<i>22.1</i>	20.8	<i>18.6</i>
<b>Wealth Quintile</b>						
Lowest	37.1	47.0	24.1	29.8	13.1	17.2
Lower	31.9	37.8	20.4	23.4	11.5	14.4
Middle	32.1	39.2	18.8	21.7	13.3	17.4
Higher	39.1	41.8	29.4	31.0	9.7	10.9
Highest	52.2	51.9	35.7	37.9	16.6	14.0

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

### Background Characteristics

#### All Users (N = 761)

#### Married Users<sup>1</sup> (N = 480)

	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	
<b>Total</b>																					
All	2.7	25.3	0.1	9.5	3.5	4.3	9.1	10.4	2.1	32.9	4.1	29.5	0.1	9.8	4.3	4.1	4.8	7.6	1.5	34.1	
<b>Age Group</b>																					
15-19	0.0	13.2	0.0	3.5	2.2	6.8	15.0	17.1	2.3	40.0	<i>0.0</i>	<i>22.1</i>	<i>0.0</i>	<i>7.8</i>	<i>5.6</i>	<i>4.7</i>	<i>8.8</i>	<i>15.9</i>	<i>1.7</i>	<i>33.4</i>	
20-24	0.0	20.0	0.0	7.5	3.3	4.9	14.8	14.0	2.0	33.5	0.0	26.1	0.0	4.7	2.4	4.2	12.8	10.3	0.2	39.4	
25-29	2.0	28.7	0.0	9.4	3.2	4.0	8.3	13.2	2.0	29.1	2.9	28.9	0.0	7.5	3.8	4.6	4.6	13.5	2.6	31.5	
30-34	1.7	33.8	0.0	13.7	4.5	3.2	8.5	5.4	1.5	27.7	2.1	36.6	0.0	13.0	5.3	3.5	5.1	5.5	1.8	27.1	
35-39	5.2	31.1	0.4	10.8	1.6	3.7	2.4	8.9	1.1	34.9	6.1	31.5	0.5	11.7	1.8	4.3	0.9	5.0	1.2	36.9	
40-44	8.8	26.4	0.3	14.9	3.5	4.5	4.3	0.0	5.0	32.4	10.0	28.8	0.0	15.4	4.0	5.1	0.0	0.0	1.8	35.0	
45-49	<i>13.4</i>	<i>15.8</i>	<i>0.0</i>	<i>8.7</i>	<i>19.1</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>0.8</i>	<i>42.3</i>	--	--	--	--	--	--	--	--	--	--	
<b>Marital Status</b>																					
Married, or in union	4.1	29.5	0.1	9.8	4.3	4.1	4.8	7.6	1.5	34.1	na	na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	0.0	11.7	0.1	10.2	2.5	6.2	20.9	15.6	2.5	30.4	na	na	na	na	na	na	na	na	na	na	
<b>Parity</b>																					
0-1 children	0.0	24.9	0.0	11.7	3.6	7.3	17.0	7.9	4.4	23.2	0.0	22.6	0.0	7.8	5.6	5.3	14.5	5.2	4.3	34.7	
2-3 children	0.0	31.7	0.2	10.4	3.7	4.3	8.0	10.4	2.3	28.9	0.0	33.2	0.1	11.5	2.7	4.9	5.3	11.1	1.4	29.7	
4+ children	7.6	30.2	0.1	10.4	4.6	3.3	2.0	4.6	0.9	36.3	8.2	29.3	0.1	9.8	5.0	3.5	1.6	4.1	1.0	37.4	
<b>Education</b>																					
Never	<i>6.2</i>	<i>41.3</i>	<i>0.0</i>	<i>5.9</i>	<i>0.0</i>	<i>0.0</i>	<i>1.3</i>	<i>4.2</i>	<i>0.7</i>	<i>40.4</i>	--	--	--	--	--	--	--	--	--	--	
Primary	7.8	29.3	0.2	8.6	1.5	4.6	3.9	6.5	1.0	36.6	8.5	30.1	0.2	9.2	1.6	4.8	2.9	6.3	1.1	35.4	
Secondary	0.8	24.5	0.0	9.5	4.8	4.8	10.2	11.4	2.6	31.4	1.4	27.9	0.1	10.5	6.2	4.1	6.4	8.9	1.9	32.7	
Higher	0.0	7.3	0.4	16.5	0.4	0.3	23.9	19.8	1.4	29.9	--	--	--	--	--	--	--	--	--	--	
<b>Wealth Quintile</b>																					
Lowest	1.0	35.1	0.0	12.6	0.0	0.8	7.7	7.5	0.1	35.2	1.2	37.5	0.0	9.6	0.0	0.9	6.0	8.0	0.1	36.6	
Lower	4.6	21.7	0.0	5.0	9.4	8.2	5.7	6.9	2.4	36.1	5.8	18.2	0.0	4.6	10.4	7.3	6.9	5.7	3.0	38.2	
Middle	3.4	35.2	0.0	4.6	2.0	5.9	1.7	4.5	1.4	41.4	4.4	30.7	0.0	6.0	2.6	6.7	2.2	2.9	0.1	44.5	
Higher	4.7	27.6	0.2	10.8	4.9	4.9	8.1	10.6	3.3	24.9	8.0	35.8	0.3	8.3	4.9	4.3	3.4	7.4	1.7	26.0	
Highest	0.9	14.2	0.2	11.6	2.7	3.3	16.2	16.7	2.4	31.7	1.9	22.9	0.2	18.7	4.9	2.6	5.8	13.1	2.9	27.0	

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods <sup>1</sup>		Long Acting Methods <sup>2</sup>	
	All Women (N = 1856)	Married Women <sup>3</sup> (N = 1069)	All Women (N = 1856)	Married Women <sup>3</sup> (N = 1069)
<b>Total</b>				
All	15.3	14.0	11.0	14.6
<b>Age Group</b>				
15-19	11.8	19.5	3.3	9.7
20-24	23.8	17.1	10.3	12.9
25-29	22.1	19.2	16.9	16.6
30-34	16.8	16.1	16.3	18.3
35-39	11.8	11.7	15.3	17.8
40-44	11.8	10.3	13.0	15.2
45-49	3.5	4.0	3.5	3.9
<b>Marital Status</b>				
Married, or in union	14.0	na	14.6	na
Unmarried, sexually active	34.7	na	7.1	na
<b>Parity</b>				
0-1 children	23.3	19.1	11.2	10.1
2-3 children	18.2	18.0	14.8	16.2
4+ children	9.9	10.3	14.4	15.4
<b>Education</b>				
Never	2.2	0.9	8.9	12.6
Primary	9.3	11.0	13.2	16.5
Secondary	18.0	17.9	10.5	13.8
Higher	43.3	<i>12.9</i>	5.4	<i>9.2</i>
<b>Wealth Quintile</b>				
Lowest	10.6	11.6	13.4	18.2
Lower	12.0	14.3	8.4	9.1
Middle	6.4	8.0	12.4	13.7
Higher	16.7	12.5	12.7	18.4
Highest	27.7	24.9	8.0	13.0

<sup>1</sup> Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

<sup>2</sup> Long-acting methods include IUD, implants, and sterilization (male and female).

<sup>3</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1856)			Married Women <sup>1</sup> (N = 1069)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	14.4	4.9	19.3	18.1	6.4	24.5
<b>Age Group</b>						
15-19	14.0	4.4	18.4	33.6	10.6	44.2
20-24	20.1	3.0	23.1	26.0	2.6	28.6
25-29	19.0	5.8	24.7	22.8	6.3	29.1
30-34	18.4	3.3	21.7	22.2	4.1	26.3
35-39	15.4	5.2	20.5	19.7	6.5	26.2
40-44	4.7	8.9	13.5	4.8	10.8	15.7
45-49	0.7	6.0	6.6	0.9	8.1	9.0
<b>Marital Status</b>						
Married, or in union	18.1	6.4	24.5	na	na	na
Unmarried, sexually active	18.7	7.3	25.9	na	na	na
<b>Parity</b>						
0-1 children	21.7	5.2	26.9	23.3	5.6	28.9
2-3 children	16.2	3.7	19.9	20.5	4.3	24.8
4+ children	13.1	7.0	20.0	14.7	8.1	22.8
<b>Education</b>						
Never	17.3	8.1	25.4	19.0	8.0	27.0
Primary	16.1	6.4	22.4	18.3	6.6	24.9
Secondary	13.8	4.1	18.0	17.9	6.1	24.0
Higher	4.6	1.1	5.6	<i>15.1</i>	<i>3.6</i>	<i>18.7</i>
<b>Wealth Quintile</b>						
Lowest	16.4	10.7	27.1	21.6	11.0	32.6
Lower	16.0	5.0	21.0	19.2	5.5	24.7
Middle	19.1	4.4	23.5	22.0	6.4	28.4
Higher	15.4	3.7	19.1	17.8	5.2	23.0
Highest	6.6	2.0	8.6	9.0	3.6	12.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

Characteristics	All Women (N=1856)					Married Women <sup>2</sup> (N=1069)				
	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	39.1	26.3	19.3	58.5	44.9	43.4	28.6	24.5	67.9	42.1
<b>Age Group</b>										
15-19	25.3	15.2	18.4	43.7	34.7	43.8	29.2	44.2	88.0	<i>33.1</i>
20-24	51.3	34.1	23.1	74.4	45.8	49.6	30.1	28.6	78.2	38.5
25-29	54.9	38.9	24.7	79.6	48.9	52.3	35.8	29.1	81.4	44.0
30-34	45.9	33.1	21.7	67.5	49.1	47.1	34.4	26.3	73.4	46.8
35-39	41.8	27.2	20.5	62.3	43.6	46.7	29.5	26.2	72.9	40.4
40-44	36.7	24.8	13.5	50.2	49.4	39.3	25.5	15.7	55.0	46.5
45-49	12.2	7.0	6.6	18.8	<i>37.3</i>	14.5	8.0	9.0	23.4	<i>34.0</i>
<b>Marital Status</b>										
Married, or in union	43.4	28.6	24.5	67.9	42.1	na	na	na	na	na
Unmarried, sexually active	60.0	41.8	25.9	86.0	48.6	na	na	na	na	na
<b>Parity</b>										
0-1 children	45.0	34.6	26.9	71.9	48.1	44.8	29.3	28.9	73.7	39.7
2-3 children	46.5	33.0	19.9	66.4	49.8	48.6	34.2	24.8	73.4	46.5
4+ children	38.1	24.3	20.0	58.2	41.8	41.1	25.7	22.8	63.9	40.2
<b>Education</b>										
Never	18.7	11.1	25.4	44.1	25.2	21.9	13.5	27.0	48.9	<i>27.7</i>
Primary	35.4	22.4	22.4	57.8	38.8	42.6	27.5	24.9	67.5	40.8
Secondary	41.5	28.5	18.0	59.5	47.9	47.2	31.8	24.0	71.2	44.6
Higher	69.5	48.7	5.6	75.1	64.8	<i>40.7</i>	<i>22.1</i>	<i>18.7</i>	<i>59.4</i>	--
<b>Wealth Quintile</b>										
Lowest	37.1	24.1	27.1	64.2	37.5	47.0	29.8	32.6	79.6	37.4
Lower	31.9	20.4	21.0	52.9	38.5	37.8	23.4	24.7	62.5	37.4
Middle	32.1	18.8	23.5	55.6	33.8	39.2	21.7	28.4	67.6	32.2
Higher	39.1	29.4	19.1	58.2	50.5	41.8	31.0	23.0	64.8	47.8
Highest	52.2	35.7	8.6	60.8	58.7	51.9	37.9	12.6	64.5	58.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=836)			Married <sup>1</sup> Women with 1 or More Births (N=658)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	40.5	53.2	6.3	43.5	51.0	5.5
<b>Age Group</b>						
15-19	15.5	81.4	3.0	<i>21.0</i>	<i>79.0</i>	<i>0.0</i>
20-24	28.5	65.3	6.2	31.3	62.7	6.0
25-29	46.6	50.3	3.1	50.6	46.7	2.7
30-34	42.6	53.2	4.2	42.7	53.6	3.7
35-39	47.9	47.0	5.1	45.7	49.6	4.7
40-44	55.3	25.3	19.4	57.9	27.4	14.8
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	43.5	51.0	5.5	na	na	na
Unmarried, sexually active	23.0	64.3	12.7	na	na	na
<b>Parity</b>						
0-1 children	23.3	71.8	4.9	29.4	67.3	3.4
2-3 children	47.4	48.5	4.1	50.1	45.7	4.2
4+ children	43.5	48.0	8.5	43.0	50.0	7.0
<b>Education</b>						
Never	40.5	53.5	6.0	<i>39.6</i>	<i>53.2</i>	<i>7.2</i>
Primary	47.9	48.0	4.1	46.9	49.1	4.0
Secondary	35.8	56.4	7.8	41.0	52.5	6.6
Higher	--	--	--	--	--	--
<b>Wealth Quintile</b>						
Lowest	22.4	71.0	6.6	25.6	69.8	4.5
Lower	44.7	52.7	2.6	40.8	56.1	3.1
Middle	45.4	48.7	5.9	51.7	41.6	6.7
Higher	48.6	43.2	8.2	56.6	34.3	9.1
Highest	44.8	46.8	8.4	50.7	44.6	4.7

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 491)
<b>Total</b>				
All	55.1	40.1	4.8	
<b>Age Group</b>				
15-19	60.7	30.2	9.1	
20-24	63.7	30.7	5.6	
25-29	46.8	49.1	4.2	
30-34	57.5	38.3	4.2	
35-39	47.7	48.4	3.8	
40-44	<i>61.0</i>	<i>36.2</i>	<i>2.8</i>	
45-49	--	--	--	
<b>Marital Status</b>				
Married, or in union	42.9	53.0	4.0	
Unmarried, sexually active	79.0	16.1	4.9	
<b>Parity</b>				
0-1 children	63.6	28.2	8.2	
2-3 children	51.0	45.3	3.7	
4+ children	47.5	49.8	2.7	
<b>Education</b>				
Never	--	--	--	
Primary	40.0	59.6	0.3	
Secondary	58.5	34.5	7.1	
Higher	<i>87.1</i>	<i>12.9</i>	<i>0.0</i>	
<b>Wealth Quintile</b>				
Lowest	<i>20.0</i>	<i>80.0</i>	<i>0.0</i>	
Lower	50.5	45.5	4.0	
Middle	59.6	40.2	0.2	
Higher	62.3	34.0	3.7	
Highest	67.8	21.3	10.9	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other <sup>2</sup> methods		Informed about side <sup>2</sup> effects		Told what to do if experienced <sup>4</sup> side effects		Told about switching <sup>2</sup> methods in future	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(491)</b>	<b>(303)</b>	<b>(491)</b>	<b>(303)</b>	<b>(247)</b>	<b>(173)</b>	<b>(491)</b>	<b>(303)</b>
All	40.2	43.6	53.3	58.3	80.6	80.1	45.5	48.9
<b>Age Group</b>								
15-19	24.4	--	28.3	--	--	--	30.0	--
20-24	37.4	<i>55.5</i>	52.8	<i>69.2</i>	70.4	<i>61.3</i>	41.8	<i>53.9</i>
25-29	55.0	51.9	65.1	67.1	69.6	<i>69.8</i>	53.2	50.3
30-34	32.4	28.8	40.1	33.1	<i>82.2</i>	--	39.9	38.7
35-39	45.2	45.7	67.4	67.1	<i>93.9</i>	<i>93.1</i>	56.4	55.9
40-44	<i>36.5</i>	<i>36.6</i>	<i>57.4</i>	<i>63.6</i>	<i>94.9</i>	--	<i>50.5</i>	<i>53.2</i>
45-49	--	--	--	--	--	--	--	--
<b>Marital Status</b>								
Married, or in union	43.6	na	58.3	na	80.1	na	48.9	na
Unmarried, sexually active	36.6	na	38.5	na	<i>81.5</i>	na	39.3	na
<b>Parity</b>								
0-1 children	27.9	<i>38.3</i>	52.6	<i>66.7</i>	74.3	<i>64.6</i>	33.4	<i>45.4</i>
2-3 children	46.2	45.4	55.9	55.3	77.3	79.5	53.7	51.9
4+ children	42.4	41.3	60.6	57.6	88.4	87.6	47.4	46.2
<b>Education</b>								
Never	--	--	--	--	--	--	--	--
Primary	39.7	40.0	62.7	63.7	83.5	82.7	45.6	45.4
Secondary	39.0	45.9	51.3	55.9	80.9	79.0	45.5	51.2
Higher	<i>53.8</i>	--	<i>44.8</i>	--	--	--	<i>40.6</i>	--
<b>Wealth Quintile</b>								
Lowest	<i>63.6</i>	<i>61.1</i>	<i>77.5</i>	<i>76.6</i>	<i>74.6</i>	<i>75.3</i>	<i>68.0</i>	<i>62.7</i>
Lower	29.2	<i>31.7</i>	45.5	40.7	<i>68.1</i>	--	50.8	<i>51.1</i>
Middle	21.0	<i>23.1</i>	51.6	<i>47.0</i>	<i>88.4</i>	--	24.0	<i>27.3</i>
Higher	40.7	47.8	61.8	71.7	86.2	91.3	39.9	43.8
Highest	40.7	45.7	37.3	48.4	81.1	81.5	46.0	54.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 480)</b>	<b>(N = 480)</b>	<b>(N = 480)</b>
All	58.4	54.3	42.8
<b>Age Group</b>			
15-19	47.7	43.2	30.6
20-24	58.6	56.5	45.5
25-29	66.2	60.7	49.3
30-34	52.9	45.7	34.8
35-39	62.5	57.6	45.6
40-44	59.7	62.0	49.9
45-49	--	--	--
<b>Marital Status</b>			
Married, or in union	61.6	58.0	45.9
Unmarried, sexually active	54.2	51.3	41.5
<b>Parity</b>			
0-1 children	54.9	59.6	41.2
2-3 children	61.5	50.7	42.6
4+ children	57.9	58.2	44.6
<b>Education</b>			
Never	--	--	--
Primary	56.8	53.1	41.1
Secondary	57.7	53.9	42.6
Higher	78.6	74.0	63.9
<b>Wealth Quintile</b>			
Lowest	85.0	85.3	76.0
Lower	49.5	45.6	31.0
Middle	45.3	41.9	31.4
Higher	56.8	47.5	38.4
Highest	55.2	52.7	38.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(1856)</b>	<b>(1069)</b>	<b>(1856)</b>	<b>(1069)</b>	<b>(1856)</b>	<b>(1069)</b>
All	13.1	13.6	9.7	12.5	19.6	22.3
<b>Age Group</b>						
15-19	10.5	12.2	5.4	8.6	14.0	16.5
20-24	13.9	14.7	11.6	14.0	21.5	24.8
25-29	14.3	15.3	14.6	17.6	23.3	26.1
30-34	14.9	13.5	11.2	13.8	23.2	23.9
35-39	15.3	14.2	13.2	13.9	23.5	24.0
40-44	12.9	12.4	6.1	7.5	17.5	18.1
45-49	10.3	10.5	3.7	4.8	13.5	14.8
<b>Marital Status</b>						
Married, or in union	13.6	na	12.5	na	22.3	na
Unmarried, sexually active	18.4	na	8.3	na	23.3	na
<b>Parity</b>						
0-1 children	13.0	16.8	11.6	10.8	20.2	24.4
2-3 children	17.3	17.1	11.7	13.7	23.4	24.3
4+ children	11.2	11.0	11.0	12.1	19.8	20.6
<b>Education</b>						
Never	19.5	23.7	5.2	6.1	21.3	26.1
Primary	12.0	12.2	11.7	14.2	20.0	22.5
Secondary	12.1	12.4	9.2	12.4	18.6	21.1
Higher	27.7	35.4	8.9	7.4	30.0	38.8
<b>Wealth Quintile</b>						
Lowest	5.2	7.1	8.0	10.9	11.8	15.9
Lower	7.2	6.5	12.1	14.1	16.2	18.0
Middle	14.1	15.4	8.2	9.7	19.2	21.4
Higher	13.5	13.4	9.9	13.7	19.7	22.7
Highest	22.4	26.1	10.2	14.1	28.3	34.2

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	N/A	N/A	2054
Households Occupied	N/A	N/A	1887
Households Interviewed	N/A	N/A	1861
Household Response Rate <sup>1</sup>	0.00%	0.00%	98.62%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	N/A	N/A	1896
Number of Eligible Women Interviewed	N/A	N/A	1856
Eligible Woman Response Rate <sup>3</sup>	0.00%	0.00%	97.89%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

## Sample Error Estimates

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.263	0.025	0.217	0.315	0.286	0.034	0.224	0.357
Currently using a traditional method	0.129	0.015	0.102	0.162	0.148	0.018	0.115	0.188
Currently using any contraceptive method	0.391	0.026	0.340	0.445	0.434	0.037	0.362	0.509
Currently using DMPA-IM	0.095	0.015	0.069	0.131	0.098	0.018	0.068	0.140
Currently using DMPA-SC	0.035	0.017	0.014	0.086	0.043	0.020	0.017	0.105
Currently using condoms	0.104	0.015	0.078	0.137	0.076	0.014	0.053	0.108
Currently using implants	0.253	0.037	0.186	0.333	0.295	0.044	0.216	0.388
Chose method by self or jointly in past 12 months	0.952	0.017	0.905	0.976	0.960	0.014	0.921	0.980
Informed by provider about other methods	0.402	0.065	0.280	0.537	0.436	0.067	0.309	0.572
Informed by provider about side effects	0.533	0.053	0.427	0.635	0.583	0.053	0.474	0.683
Satisfied with provider: Would return and refer friend/relative to provider	0.428	0.081	0.278	0.593	0.459	0.091	0.289	0.638
Visited by health worker who talked about family planning in past 12 months	0.131	0.035	0.077	0.216	0.136	0.036	0.079	0.223

<sup>1</sup> Married includes married women and those who are living with a man