



Performance Monitoring and Accountability 2020

Measuring Performance, Informing Policy, Empowering Communities.



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Burkina Faso Round 6: Snapshot of Indicators (SOIs)

Suggested citation: Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 6, PMA2018/Burkina Faso-R6 Snapshot of Indicators*. 2018. Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.

www.pmadata.org

facebook.com/PM4Action

instagram.com/PM4Action

Twitter: @PM4Action

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	3329	3329
Age Group			
15-19	22.5	749	764
20-24	17.3	575	616
25-29	16.5	550	556
30-34	14.5	484	466
35-39	11.6	386	375
40-44	9.7	324	300
45-49	7.8	261	252
Marital Status			
Married, or in union	73.2	2438	2228
Unmarried, sexually active	5.5	181	246
Parity			
0-1 children	39.3	1307	1488
2-3 children	22.1	737	782
4+ children	38.6	1284	1058
Residence			
Urban	23.9	797	1605
Rural	76.1	2532	1724
Education			
Never	60.0	1998	1666
Primary	15.8	526	575
Secondary 1 Cycle	17.3	576	714
Secondary 2 Cycles	4.9	165	260
Tertiary	1.9	65	114
Wealth Quintile			
Lowest	38.1	1267	913
Middle	30.4	1012	768
Highest	31.6	1051	1648

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	29.0	32.5	27.3	30.7	1.8	1.8
Age Group						
15-19	13.2	20.1	12.8	20.1	0.4	0.0
20-24	34.1	32.1	32.6	31.3	1.5	0.9
25-29	39.3	39.2	36.6	36.9	2.7	2.3
30-34	37.0	37.0	35.9	36.1	1.0	0.9
35-39	33.4	33.3	29.9	29.8	3.5	3.5
40-44	30.3	32.5	28.3	30.5	2.0	2.1
45-49	18.5	20.1	15.8	16.8	2.7	3.3
Marital Status						
Married, or in union	32.5	na	30.7	na	1.8	na
Unmarried, sexually active	57.0	na	52.4	na	4.7	na
Parity						
0-1 children	21.3	24.8	19.8	23.6	1.5	1.2
2-3 children	34.8	35.4	32.6	33.2	2.3	2.3
4+ children	33.5	34.4	31.8	32.6	1.7	1.8
Residence						
Urban	36.9	45.7	32.7	40.8	4.3	4.9
Rural	26.5	29.7	25.5	28.5	1.0	1.2
Education						
Never	25.7	27.5	24.5	26.2	1.2	1.3
Primary	33.2	40.3	30.7	37.4	2.4	3.0
Secondary 1 Cycle	31.3	49.9	29.2	47.2	2.1	2.7
Secondary 2 Cycles	35.8	44.2	32.9	41.2	2.9	3.0
Tertiary	60.8	<i>77.2</i>	51.9	<i>70.2</i>	9.0	<i>7.0</i>
Wealth Quintile						
Lowest	23.6	26.8	22.6	25.5	1.1	1.4
Middle	28.1	31.2	27.2	30.2	0.9	1.0
Highest	36.4	42.6	33.0	39.3	3.4	3.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 966)										Married Users ¹ (N = 792)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.3	39.1	3.7	15.2	11.0	10.4	0.8	13.2	0.2	6.0	0.1	41.7	4.5	17.7	12.3	11.9	0.4	5.6	0.2	5.6
Age Group																				
15-19	0.0	33.3	3.1	13.6	6.1	3.9	1.3	35.9	0.0	3.0	<i>0.0</i>	<i>39.7</i>	<i>6.8</i>	<i>30.0</i>	<i>10.4</i>	<i>8.6</i>	<i>0.0</i>	<i>4.6</i>	<i>0.0</i>	<i>0.0</i>
20-24	0.0	38.1	1.0	11.2	12.9	9.4	0.8	22.3	0.0	4.4	0.0	44.9	1.4	13.6	17.0	11.7	0.3	8.4	0.0	2.7
25-29	0.0	42.5	2.7	18.4	12.3	9.2	0.0	7.6	0.5	6.9	0.0	44.2	3.0	19.6	13.1	9.8	0.0	4.0	0.6	5.8
30-34	0.0	42.9	0.7	16.3	15.2	14.8	0.0	7.2	0.0	2.8	0.0	42.2	0.8	17.6	15.9	15.7	0.0	5.4	0.0	2.4
35-39	0.0	39.0	5.2	17.2	8.4	8.1	0.8	10.9	0.0	10.4	0.0	40.4	5.6	17.5	7.5	8.0	0.9	9.7	0.0	10.4
40-44	0.7	33.9	11.9	16.8	6.2	17.3	3.4	2.5	0.7	6.5	0.7	34.8	12.6	18.4	5.3	18.4	1.5	1.2	0.7	6.3
45-49	5.3	36.8	10.8	8.9	9.4	8.3	1.4	4.3	0.0	14.8	<i>0.0</i>	<i>37.7</i>	<i>12.0</i>	<i>9.9</i>	<i>10.4</i>	<i>8.3</i>	<i>1.5</i>	<i>3.9</i>	<i>0.0</i>	<i>16.4</i>
Marital Status																				
Married, or in union	0.1	41.7	4.5	17.7	12.3	11.9	0.4	5.6	0.2	5.6	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	1.2	19.4	0.0	2.8	6.0	3.7	4.3	54.3	0.0	8.2	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	29.1	2.0	11.3	6.5	7.8	1.1	34.7	0.4	7.1	0.0	35.4	4.0	20.2	10.1	11.9	0.6	12.1	0.8	5.0
2-3 children	0.8	40.3	3.6	15.4	16.4	11.1	1.0	4.6	0.3	6.5	0.3	40.6	3.8	15.5	16.8	11.3	1.1	4.0	0.3	6.4
4+ children	0.3	44.9	4.8	17.7	10.7	11.6	0.5	4.4	0.0	5.1	0.0	44.4	5.0	18.2	10.5	12.2	0.0	4.3	0.0	5.2
Residence																				
Urban	0.2	25.5	4.4	10.9	6.5	13.1	1.1	26.5	0.2	11.5	0.3	30.3	6.5	14.9	7.4	17.4	1.1	11.1	0.3	10.7
Rural	0.4	45.1	3.4	17.1	13.0	9.2	0.7	7.3	0.2	3.7	0.0	45.4	3.8	18.7	13.9	10.1	0.2	3.8	0.2	3.9
Education																				
Never	0.5	47.3	3.4	15.7	12.3	11.2	0.4	4.6	0.0	4.5	0.0	47.1	3.7	16.7	12.6	11.5	0.0	3.6	0.0	4.8
Primary	0.0	37.7	1.9	21.3	13.5	11.0	0.0	7.1	0.0	7.4	0.0	37.9	1.9	23.2	13.7	12.4	0.0	3.5	0.0	7.4
Secondary 1 Cycle	0.0	29.0	4.1	12.0	9.7	10.4	1.3	26.6	0.4	6.6	0.0	30.6	6.9	18.3	13.9	15.0	1.0	8.3	0.6	5.4
Secondary 2 Cycles	0.0	21.2	7.3	10.0	1.2	4.1	1.2	45.0	1.9	8.0	<i>0.0</i>	<i>28.7</i>	<i>14.6</i>	<i>10.9</i>	<i>0.0</i>	<i>7.0</i>	<i>0.0</i>	<i>28.4</i>	<i>3.8</i>	<i>6.7</i>
Tertiary	1.7	11.1	7.9	5.0	3.6	6.5	7.1	42.5	0.0	14.7	<i>3.1</i>	<i>18.4</i>	<i>14.6</i>	<i>9.2</i>	<i>6.6</i>	<i>7.2</i>	<i>11.1</i>	<i>20.6</i>	<i>0.0</i>	<i>9.1</i>
Wealth Quintile																				
Lowest	0.0	48.4	2.6	15.2	14.5	7.2	0.4	7.0	0.0	4.6	0.0	49.5	2.9	17.0	15.0	7.5	0.0	3.0	0.0	5.1
Middle	0.9	44.0	2.6	20.5	11.3	9.2	0.7	7.5	0.0	3.3	0.0	44.2	3.0	23.7	12.4	10.7	0.0	2.7	0.0	3.3
Highest	0.2	28.2	5.4	11.3	8.1	13.8	1.2	22.3	0.5	9.2	0.2	31.9	7.2	13.3	9.8	17.1	1.2	10.7	0.6	8.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 3329)			Married Women ¹ (N = 2438)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	15.9	3.3	19.1	19.1	4.2	23.3
Age Group						
15-19	14.2	0.0	14.2	29.0	0.0	29.0
20-24	20.3	0.1	20.5	23.9	0.0	23.9
25-29	20.2	0.0	20.2	21.5	0.0	21.5
30-34	19.9	2.1	22.0	21.6	2.3	24.0
35-39	19.3	6.2	25.5	20.9	6.3	27.1
40-44	5.5	13.7	19.2	6.5	15.3	21.7
45-49	2.0	11.1	13.1	2.4	12.2	14.6
Marital Status						
Married, or in union	19.1	4.2	23.3	na	na	na
Unmarried, sexually active	25.2	2.9	28.0	na	na	na
Parity						
0-1 children	12.7	0.1	12.9	19.7	0.2	19.9
2-3 children	19.5	1.0	20.5	20.4	0.8	21.2
4+ children	17.0	7.7	24.7	18.2	7.9	26.1
Residence						
Urban	7.9	2.8	10.6	10.8	4.3	15.1
Rural	18.4	3.4	21.8	20.9	4.1	25.0
Education						
Never	18.0	4.4	22.4	20.0	4.8	24.8
Primary	15.7	2.8	18.4	18.7	3.3	22.0
Secondary 1 Cycle	11.3	0.4	11.6	15.0	0.8	15.7
Secondary 2 Cycles	12.1	1.6	13.6	18.1	3.9	22.0
Tertiary	2.1	1.9	4.0	3.7	4.5	8.1
Wealth Quintile						
Lowest	19.0	4.0	23.0	22.2	4.9	27.1
Middle	17.8	3.3	21.1	20.3	4.2	24.5
Highest	10.2	2.3	12.5	13.1	3.0	16.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

All Women (N=3329)

Married Women ² (N=2438)

	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	29.0	27.3	19.1	48.1	56.6	32.5	30.7	23.3	55.8	55.0
Age Group										
15-19	13.2	12.8	14.2	27.4	46.8	20.1	20.1	29.0	49.1	40.9
20-24	34.1	32.6	20.5	54.6	59.8	32.1	31.3	23.9	56.0	55.8
25-29	39.3	36.6	20.2	59.5	61.5	39.2	36.9	21.5	60.7	60.8
30-34	37.0	35.9	22.0	59.0	60.9	37.0	36.1	24.0	61.0	59.2
35-39	33.4	29.9	25.5	58.9	50.8	33.3	29.8	27.1	60.5	49.4
40-44	30.3	28.3	19.2	49.5	57.2	32.5	30.5	21.7	54.2	56.1
45-49	18.5	15.8	13.1	31.6	49.9	20.1	16.8	14.6	34.8	48.4
Marital Status										
Married, or in union	32.5	30.7	23.3	55.8	55.0	na	na	na	na	na
Unmarried, sexually active	57.0	52.4	28.0	85.1	61.5	na	na	na	na	na
Parity										
0-1 children	21.3	19.8	12.9	34.2	58.0	24.8	23.6	19.9	44.7	52.8
2-3 children	34.8	32.6	20.5	55.4	58.8	35.4	33.2	21.2	56.7	58.5
4+ children	33.5	31.8	24.7	58.2	54.6	34.4	32.6	26.1	60.5	53.9
Residence										
Urban	36.9	32.7	10.6	47.6	68.7	45.7	40.8	15.1	60.8	67.1
Rural	26.5	25.5	21.8	48.3	52.9	29.7	28.5	25.0	54.7	52.1
Education										
Never	25.7	24.5	22.4	48.1	51.0	27.5	26.2	24.8	52.3	50.1
Primary	33.2	30.7	18.4	51.6	59.5	40.3	37.4	22.0	62.3	60.0
Secondary 1 Cycle	31.3	29.2	11.6	42.9	68.1	49.9	47.2	15.7	65.6	71.9
Secondary 2 Cycles	35.8	32.9	13.6	49.5	66.6	44.2	41.2	22.0	66.2	62.3
Tertiary	60.8	51.9	4.0	64.8	80.0	<i>77.2</i>	<i>70.2</i>	<i>8.1</i>	<i>85.4</i>	<i>82.2</i>
Wealth Quintile										
Lowest	23.6	22.6	23.0	46.7	48.3	26.8	25.5	27.1	54.0	47.2
Middle	28.1	27.2	21.1	49.1	55.3	31.2	30.2	24.5	55.7	54.2
Highest	36.4	33.0	12.5	48.9	67.6	42.6	39.3	16.0	58.7	66.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1973)			Married ¹ Women with 1 or More Births (N=1859)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	70.8	27.1	2.0	72.4	25.6	2.0
Age Group						
15-19	66.3	33.7	0.0	73.5	26.5	0.0
20-24	71.1	28.7	0.2	75.2	24.8	0.0
25-29	75.2	24.2	0.6	76.4	23.0	0.6
30-34	72.5	26.0	1.5	71.6	26.8	1.6
35-39	67.9	29.0	3.1	67.9	29.5	2.7
40-44	62.3	28.0	9.7	62.2	28.4	9.4
45-49	<i>70.5</i>	<i>11.8</i>	<i>17.7</i>	<i>70.5</i>	<i>11.8</i>	<i>17.7</i>
Marital Status						
Married, or in union	72.4	25.6	2.0	na	na	na
Unmarried, sexually active	<i>36.1</i>	<i>62.0</i>	<i>1.9</i>	na	na	na
Parity						
0-1 children	72.6	27.2	0.1	79.8	20.2	0.0
2-3 children	76.8	22.7	0.5	77.4	22.1	0.6
4+ children	66.0	30.0	4.0	65.8	30.3	3.9
Residence						
Urban	72.8	24.9	2.3	77.1	21.2	1.7
Rural	70.4	27.6	2.0	71.5	26.4	2.1
Education						
Never	71.6	26.1	2.3	71.7	26.1	2.2
Primary	72.7	25.5	1.9	74.1	24.1	1.8
Secondary 1 Cycle	63.7	35.3	0.9	72.5	26.6	0.8
Secondary 2 Cycles	68.5	31.1	0.4	81.4	18.1	0.5
Tertiary	<i>73.4</i>	<i>22.4</i>	<i>4.2</i>	<i>73.1</i>	<i>22.1</i>	<i>4.8</i>
Wealth Quintile						
Lowest	67.5	30.2	2.3	67.9	29.8	2.2
Middle	71.3	27.3	1.4	73.2	25.4	1.4
Highest	75.4	22.2	2.4	78.7	18.9	2.4

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 907)
Total				
All	61.7	24.8	13.5	
Age Group				
15-19	44.2	27.2	28.6	
20-24	54.8	25.3	19.9	
25-29	65.3	25.9	8.9	
30-34	60.9	28.4	10.7	
35-39	68.8	19.6	11.6	
40-44	78.5	14.7	6.8	
45-49	<i>61.7</i>	<i>33.7</i>	<i>4.6</i>	
Marital Status				
Married, or in union	66.2	24.8	9.0	
Unmarried, sexually active	38.0	25.0	37.0	
Parity				
0-1 children	47.7	26.3	26.0	
2-3 children	63.2	26.5	10.3	
4+ children	69.7	22.9	7.5	
Residence				
Urban	51.6	26.3	22.1	
Rural	65.7	24.2	10.0	
Education				
Never	67.2	23.5	9.3	
Primary	63.3	25.3	11.5	
Secondary 1 Cycle	57.4	22.1	20.5	
Secondary 2 Cycles	34.6	38.8	26.7	
Tertiary	38.2	33.1	28.7	
Wealth Quintile				
Lowest	66.0	22.4	11.6	
Middle	67.0	25.3	7.7	
Highest	53.9	26.4	19.7	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method ¹ who paid fees for services the last time they received the method, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 906)	Married ² Modern Contraceptive Users (N = 747)
Total		
All	84.5	83.8
Age Group		
15-19	83.4	<i>78.7</i>
20-24	87.9	86.8
25-29	83.6	83.0
30-34	85.3	86.3
35-39	83.8	82.4
40-44	79.9	78.8
45-49	<i>85.5</i>	<i>88.3</i>
Marital Status		
Married, or in union	83.8	na
Unmarried, sexually active	91.0	na
Parity		
0-1 children	87.9	86.2
2-3 children	84.0	83.5
4+ children	82.7	83.1
Residence		
Urban	89.0	87.5
Rural	82.7	82.7
Education		
Never	83.0	84.0
Primary	82.1	80.5
Secondary 1 Cycle	91.8	90.4
Secondary 2 Cycles	79.4	<i>71.4</i>
Tertiary	89.8	<i>86.0</i>
Wealth Quintile		
Lowest	81.1	80.7
Middle	84.6	84.6
Highest	87.3	86.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(907)	(748)	(907)	(748)	(407)	(347)
All	56.1	61.3	41.3	44.4	89.8	90.1
Age Group						
15-19	38.6	<i>65.2</i>	36.1	<i>49.5</i>	<i>75.4</i>	--
20-24	49.4	55.9	33.2	37.3	86.2	84.9
25-29	60.2	62.5	43.4	44.1	92.3	91.7
30-34	61.6	63.0	46.8	49.5	92.0	91.7
35-39	49.8	49.5	39.0	38.2	90.2	89.1
40-44	77.3	79.0	47.2	48.3	<i>93.2</i>	<i>95.8</i>
45-49	<i>55.4</i>	<i>57.8</i>	<i>50.5</i>	<i>53.5</i>	--	--
Marital Status						
Married, or in union	61.3	na	44.4	na	90.1	na
Unmarried, sexually active	27.5	na	23.2	na	<i>89.6</i>	na
Parity						
0-1 children	42.3	59.1	33.3	44.6	80.6	78.8
2-3 children	63.8	63.9	42.2	40.8	93.3	92.7
4+ children	60.4	60.6	45.8	46.5	92.1	92.5
Residence						
Urban	54.5	65.9	39.7	47.9	91.0	92.1
Rural	56.8	60.0	42.0	43.4	89.3	89.5
Education						
Never	55.2	56.8	40.1	40.2	88.7	88.6
Primary	68.9	70.2	55.7	56.6	91.7	92.3
Secondary 1 Cycle	52.3	67.7	38.0	47.4	93.2	95.2
Secondary 2 Cycles	49.2	<i>69.9</i>	29.8	<i>48.3</i>	<i>77.7</i>	--
Tertiary	38.7	<i>59.8</i>	24.5	<i>35.0</i>	--	--
Wealth Quintile						
Lowest	50.1	53.5	40.6	42.8	92.1	92.8
Middle	62.8	67.6	43.0	44.3	87.6	87.9
Highest	55.8	63.4	40.5	46.2	89.7	89.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider (N = 899)	Percent who would refer relative/friend (N = 899)	Percent who would return and refer friend/relative (N = 899)
Total			
All	90.5	87.5	85.4
Age Group			
15-19	82.9	80.6	79.3
20-24	90.0	87.9	86.6
25-29	90.0	89.2	84.9
30-34	91.4	88.0	85.2
35-39	89.8	88.6	88.0
40-44	98.5	85.3	85.3
45-49	<i>92.5</i>	<i>93.0</i>	<i>90.8</i>
Marital Status			
Married, or in union	93.2	89.8	88.0
Unmarried, sexually active	74.4	72.8	68.9
Parity			
0-1 children	84.6	81.8	79.9
2-3 children	91.7	90.7	87.1
4+ children	93.4	89.2	87.8
Residence			
Urban	85.4	85.5	82.2
Rural	92.5	88.3	86.7
Education			
Never	93.7	88.6	87.4
Primary	93.6	91.8	89.4
Secondary 1 Cycle	84.4	84.4	80.9
Secondary 2 Cycles	79.2	80.6	76.1
Tertiary	75.5	76.8	73.5
Wealth Quintile			
Lowest	92.7	88.5	87.0
Middle	92.1	87.0	85.4
Highest	87.3	87.0	84.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(3329)	(2438)	(3329)	(2438)	(3329)	(2438)
All	14.6	15.8	22.8	28.5	31.1	36.6
Age Group						
15-19	12.3	14.1	13.0	30.7	21.4	36.8
20-24	13.4	13.8	25.9	31.1	33.4	38.1
25-29	15.3	16.2	30.0	31.9	37.7	40.1
30-34	16.8	17.4	29.9	32.1	39.1	41.1
35-39	15.5	16.6	26.8	28.2	34.4	36.4
40-44	15.4	16.7	20.5	23.1	27.8	30.8
45-49	15.3	14.3	12.9	13.9	24.1	23.9
Marital Status						
Married, or in union	15.8	na	28.5	na	36.6	na
Unmarried, sexually active	16.4	na	11.7	na	22.0	na
Parity						
0-1 children	12.3	13.6	13.9	24.2	22.3	31.8
2-3 children	11.2	11.8	27.9	29.1	33.8	35.2
4+ children	18.8	19.1	29.0	30.3	38.4	39.7
Residence						
Urban	7.6	9.7	17.9	27.6	23.0	33.2
Rural	16.7	17.0	24.4	28.7	33.6	37.3
Education						
Never	15.6	16.2	25.2	27.7	33.4	35.9
Primary	12.8	15.3	25.2	32.0	32.3	39.9
Secondary 1 Cycle	12.1	12.1	15.3	29.3	23.9	35.9
Secondary 2 Cycles	19.0	21.6	15.4	28.7	28.7	41.7
Tertiary	7.1	<i>7.1</i>	14.4	<i>25.0</i>	19.5	<i>28.7</i>
Wealth Quintile						
Lowest	18.9	19.6	26.8	31.9	36.8	41.3
Middle	15.6	15.9	22.0	26.6	31.5	35.4
Highest	8.3	9.7	18.7	25.7	23.8	30.9

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	1437	1472	2909
Households Occupied	1384	1425	2809
Households Interviewed	1344	1419	2763
Household Response Rate ¹	97.11%	99.58%	98.36%
Interviews with Women			
Number of Eligible Women ²	1656	1752	3408
Number of Eligible Women Interviewed	1605	1724	3329
Eligible Woman Response Rate ³	96.92%	98.40%	97.68%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.273	0.016	0.242	0.305	0.307	0.019	0.271	0.345
Currently using a traditional method	0.018	0.003	0.013	0.024	0.018	0.003	0.012	0.026
Currently using any contraceptive method	0.290	0.016	0.259	0.323	0.325	0.019	0.288	0.364
Currently using DMPA-IM	0.044	0.009	0.030	0.065	0.058	0.012	0.038	0.086
Currently using DMPA-SC	0.032	0.006	0.022	0.046	0.040	0.007	0.028	0.057
Currently using condoms	0.132	0.014	0.107	0.162	0.056	0.009	0.041	0.076
Currently using implants	0.113	0.009	0.097	0.132	0.135	0.010	0.116	0.157
Chose method by self or jointly in past 12 months	0.865	0.018	0.824	0.897	0.910	0.017	0.870	0.938
Paid fees for family planning services in past 12 months	0.845	0.019	0.803	0.880	0.838	0.019	0.796	0.872
Informed by provider about other methods	0.561	0.030	0.501	0.621	0.613	0.035	0.542	0.680
Informed by provider about side effects	0.413	0.037	0.342	0.488	0.444	0.041	0.365	0.527
Satisfied with provider: Would return and refer friend/relative to provider	0.854	0.036	0.766	0.913	0.880	0.041	0.770	0.941
Visited by health worker who talked about family planning in past 12 months	0.146	0.017	0.115	0.182	0.158	0.019	0.124	0.198

¹ Married includes married women and those who are living with a man