

## India (Rajasthan) Round 4 SDP Questionnaire

N your name check	Yes yes		
001a. Your ID: \${your_name}	No no		
Is this your ID?			
N			
name_typed	text		
001b. Enter your ID below.	text		
Please record your ID			
	N		
	date_group		
	dateTime		
N			
system_date	Jour:		
002a. Current date and time.	Mois:		
	Année:		
N	Yes yes		
system_date_check	No no		
Is this date and time correct?			
N	dateTime		
manual date			
002b. Record the correct date and time.	Jour:		
M	Mois:		
The date must be between 2018-01-01 and 2019-01-01.	Année:		
	Ajmer Ajmer		
	Alwar Alwar		
	Banswara Banswara		
	Baran Baran Barmer Barmer		
	Bharatpur Bharatpur		
	Bhilwara Bhilwara		
	Bikaner Bikaner		
	Bundi Bundi		
N	Chittaurgarh Chittaurgarh		
level1	Churu Churu		
003a. District	Dausa Dausa		
	Dhaulpur Dhaulpur		
	Dungarpur Dungarpur		
	Ganganagar Ganganagar		
	Hanumangarh Hanumangarh		
	Jaipur Jaipur		
	Jalor Jalor Jhalawar Jhalawar		
	Jhunjhunu Jhunjhunu		
	Jodhpur Jodhpur		



	Karauli Karauli
	Kota Kota
	Nagaur Nagaur
	Pali Pali
	Pratapgarh Pratapgarh
	Rajsamand Rajsamand
	Sawai Madhopur Sawai Madhopur
	Sikar Sikar
	Sirohi Sirohi
	Tonk Tonk
	Udaipur Udaipur
N	
level2	
003b. Tehsil / Taluk	
N lovel 2	
level3	
003c. City / Town / Village	
N	
EA	
004. Enumeration Area	
N	
facility_number	
005. Facility number	
Please record the number of the facility from the listing form.	
M	
Must be larger than 0	
- Wide be larger than 0	
	Medical college / Hospital hospital
N	Health clinic clinic
N 6-pilitus tama	Community health center (CHC) chc
facility_type	Primary health center pho
006. Type of facility	Dispensary dispensary
Please select the type of facility.	Sub-Centre sub_center
	Pharmacy / Drugstore pharmacy
	Other other
N	Government government
managing authority	NGO NGO
	Faith-based organization
007. Managing authority	faith_based
Please select the managing authority for the facility.	Private private
	Other other
N	
available	Yes yes
008. Is a competent respondent present and available to be	No no
interviewed today?	
N	
consent_start	
INFORMED CONSENT	
IN CINVIED CONCENT	



Find the competent respondent responsible for patient services (main administrator and family planning in-charge) who is present at the facility. Read the greeting on the next screen:	
N	
consent	
Namaskar! My name is	
Namaskar! My name is	
and your refusal to participate will have no repercussions on you. If you have any questions about the study and your right as a research participant, you may ask me now or you may also contact Dr. Anoop Khanna at IIHMR University, in Jaipur, Rajasthan at +91-141-3924738.	
N	
begin_interview	Yes yes
009a. Provide a paper copy of the Consent Form to the respondent and explain it. Then, ask: May I begin the interview now?	No no
	N
	participant_signature
	F
N	
sign	
009b. Respondent's signature	
N checkbox	
Checkbox	
N	
consent_warning	
WARNING: the respondent has not signed or checked the box, despite agreeing to be interviewed in question 009a. To conduct the survey, the respondent must sign or touch the checkbox.	
You may go back to obtain a signature or check the box or you should go	



back to question 009a to indicate the respondent does not want to be interviewed.	
N	
witness_auto	
010. Interviewer's ID: \${your_name}	
Mark your ID as a witness to the consent process.	
N	
witness_manual	
010. Interviewer's ID	
Please record your ID as a witness to the consent process. You previously entered "\${name_typed}."	
M	
That is not what you entered for your ID earlier in this survey.	
N forility name	
facility_name	
011. Name of the facility	
Please select the name of the facility.	
N	
facility_name_other	
011. Name of the facility	
Please record the name of the facility.	
N	Owner 1
position	In-charge / manager 2
012. What is your position in this facility?	Staff 3
Select the highest managerial qualification of the respondent.	No response –99
N	
work_begin_rw	date
013. When did you begin working at this facility?  Select "2020" to indicate "Do not know" or "No Response."	Année:
N	Yes yes
previously participated	No no
014. Have you previously participated in the PMA2020 service	Do not know –88
delivery point survey at this facility?	No response -99

Section 1 – Information About Services		
Now I would like to ask about the services provided at this facility.		
N		
year_open_rw		
101. What year did this facility first begin offering health services / products?	date	
Select "2020" to indicate "Do not know" or "No Response."	Année:	
M		
Cannot be in future.		
N		
days_open	integer	
102. How many days each week is the facility routinely open?		





Total number: FP counselors	
Enter -88 for do not know, -99 for no response. 0 is a possible answer.	
M Must be 99 00 or at least 0	
Must be -88, -99, or at least 0	
N	
staff_other_tot	
Total number: other medical staff	integer
Enter -88 for do not know, -99 for no response. 0 is a possible answer.	
M Must be -88, -99, or at least 0	
Widet be -oo, -oo, or at least o	
N	No catchment area no_catchment
knows_population_served	Yes, knows size of catchment area yes_knows_size
105a. Do you have an estimate of the size of the current	Doesn't know size of catchment area
catchment population that this facility serves, that is, the target or	-88
total population living in the area served by this facility?	No response –99
N	
population_served	
105b. What is the size of the catchment population?	; m.t. o. m.o. m
Record the number of people living in the area served by this facility.	integer
M	
Must be greater than 0.	
N	
beds	
106. How many beds does the facility have?	integer
0 is a possible answer. Enter -88 for do not know, -99 for no response.	
	Never external supervision never
N	Within the past 6 months past 6 mo
supervisor_visit	More than 6 months ago 6mo plus
107. When was the last time an owner / supervisor from outside	Do not know –88
this facility came here to visit?	No response –99
N	select one yes no nr list
elec cur	Yes yes
108a. Does this facility have electricity at this time?	No no
Select for running electricity only.	No response –99
	<u>'</u>
N	<pre>select_one yes_no_dnk_nr_list</pre>
elec_rec	Yes yes
108b. At any point today, has the electricity been out for two or	No no
more hours?	Do not know –88
	No response –99
N	•
water_cur	select_one yes_no_nr_list
_	Yes yes No no
109a. Does this facility have running water at this time?  Select for running water only.	No response –99
N	select_one
water_rec	yes_no_dnk_nr_list
109b. At any point today, has running water been unavailable for	Yes yes



two or more hours?	No no Do not know –88 No response –99
N handwashing_stations 110. How many handwashing facilities are available on site for staff to use? Enter -88 for do not know, -99 for no response.	integer
N handwashing_observations_staff 111. May I see a nearby handwashing facility that is used by staff? Handwashing facility must be accessible to most health workers in the facility. At the handwashing facility, OBSERVE: (select all that apply) M Cannot select 'none of the above' or 'did not see the facility' with other options.	Soap is present soap Stored water is present stored_water Running water is present tap_water Handwashing area is near a sanitation facility near_sanitation None of the above -77 Did not see the facility99

## Section 2 – Family Planning Services

Now I would like to ask about family planning services provided at this facility. If there is another provider who would be better able to answer my questions on family planning services in this facility, I would appreciate if you could refer me to the appropriate person.

N	Yes yes
fp_offered	No no
201. Do you usually offer family planning services / products?	No response –99
N	
fp_begin_rw	
202. When did this facility first begin offering family planning services / products?	date
The respondent reported that the facility opened in \${facility_open_string}.	Année:
Select "2020" to indicate "Do not know" or "No Response."	
M	
Cannot be in future. Must be after open date.	
N	
fp_days	
203. How many days in a week are family planning services / products offered / sold here?	
Enter a number between 0 and 7. Enter 0 for less than 1 day per week. Enter -88 for do not know, -99 for no response.	integer
Number of days the facility is open: \${days_open}	
M	
Must be between 0 and 7, or equal -88 or -99. Cannot exceed the number of days the facility is open.	
N	Yes yes
<pre>fp_community_health_volunteers</pre>	No no



205. Does this facility provide family planning supervision, support, or supplies to community health volunteers?	No response –99
N num_fp_volunteers 206. How many community health volunteers are supported by this facility to provide family planning services? Record only CHVs who receive supervision, support, or supplies for family planning. If CHVs were recorded as employees in 104, please do not include them here as well. Enter -88 for do not know, -99 for no response.	integer
N methods_offered 207. Do the community health volunteers provide any of the following contraceptives: M Cannot select 'no response' or 'none of the above' with other options.	Condoms male_condoms Pills pill Injectables injectables None of the above -77 No response -99
N mobile_outreach_6mo 208. How many times in the last 6 months has a mobile outreach team visited your facility to deliver supplementary/additional family planning services?  Enter -88 for do not know, -99 for no response. 0 is a possible answer.  M Must be 0, greater than 0, or equal -88 or -99.	
N adolescents 209. Which of the following family planning services do you offer to unmarried adolescents?  Read all options and select all that apply.  M Cannot select 'no response' or 'none of the above' with other options.	Counsel for contraceptive methods counseled Provide contraceptive methods provided Prescribe / refer for contraceptive methods prescribed None of the above -77 No response -99

## **Section 4: Provision of Family Planning Methods**

Female sterilization fster

Male sterilization mster Implant impl Ν IUD iud fp\_counseled PPIUD ppiud Injectables inj 401a. For which of the following methods do providers at this facility counsel women about the characteristics of the method, its Pill pill benefits, and its side effects? Emergency contraception ec Read all options out loud. Male condom / nirodh mc Female condom fc Cannot select 'no response' or 'none of the above' with other options. Standard days / cycle beads beads LAM lam Rhythm method rhyth Withdrawal withd



		None of the abo No response –9	
NEp_provided HO1b. Which of the following methods are provided to clients at his facility? Read all options out loud. Mannot select 'no response' or 'none of the above' with other options.		Female sterilization fster Male sterilization mster Implant impl IUD iud PPIUD ppiud Injectables inj Pill pill Emergency contraception ec Male condom mc Female condom fc Standard days / cycle beads beads None of the above -77 No response -99	
		N fpc_grp	
fpc_note 401c. Are clients charged for obtaining any of the following methods at this facility?  Read all options out loud.		note	
•			1
Read all options out loud.		Yes yes	No no
Read all options out loud.  Female sterilization fster_charged		Yes yes	No no
Read all options out loud.  Female sterilization fster_charged  Male sterilization mster_charged		Yes yes	No no
Read all options out loud.  Female sterilization fster_charged  Male sterilization mster_charged  Implant impl_charged		Yes yes	No no
Female sterilization fster_charged  Male sterilization mster_charged  Implant impl_charged  IUD iud_charged		Yes yes	No no
Female sterilization fster_charged  Male sterilization mster_charged  Implant impl_charged  IUD iud_charged  PPIUD ppiud_charged		Yes yes	No no
Female sterilization fster_charged  Male sterilization mster_charged  Implant impl_charged  IUD iud_charged  PPIUD ppiud_charged  Injectables inj_charged		Yes yes	No no
Female sterilization fster_charged  Male sterilization mster_charged  Implant impl_charged  IUD iud_charged  PPIUD ppiud_charged  Injectables inj_charged  Pill pill_charged		Yes yes	No no
Female sterilization fster_charged Male sterilization mster_charged Implant impl_charged IUD iud_charged PPIUD ppiud_charged Injectables inj_charged		Yes yes	No no
Female sterilization fster_charged Male sterilization mster_charged Implant impl_charged IUD iud_charged PPIUD ppiud_charged Injectables inj_charged Pill pill_charged Emergency contraception ec_charged		Yes yes	No no
Female sterilization fster_charged  Male sterilization mster_charged  Implant impl_charged  IUD iud_charged  PPIUD ppiud_charged  Injectables inj_charged  Pill pill_charged  Emergency contraception ec_charged  Male condom / Nirodh mc_charged		Yes yes	No no



	<del> </del>
	N
	fpf_grp
N	
fpf_note	
402. How much do you charge for one unit of each method that	note
you provide?	
Enter all prices in rupees. Enter -88 for do not know, -99 for no response.	
· ·	
N Solon Solon	
fster_fees	decimal
Female sterilization (full cost of procedure)	decimal
M Female sterilization amount invalid	
N mater food	
mster_fees	decimal
Male sterilization (full cost of procedure)	decimal
Male sterilization amount invalid	
N	
impl fees	
Implants (full cost of the implant and insertion)	decimal
M	doumar
Implants amount invalid	
N	
iud_fees	
UD (full cost of the IUD and insertion)	decimal
M `	
IUD amount invalid	
N	
ppiud_fees	
PPIUD (full cost of the IUD and insertion)	decimal
М	
PPIUD amount invalid	
N	
inj_fees	
One shot of injectable	decimal
M	
Injectables amount invalid	
N	
pill_fees	1
One month supply of pills	decimal
M Pill amount invalid	
N og foog	
ec_fees	decimal
A single dose of emergency contraception	
M	



Emergency contraception amount invalid	
N mc_fees One male condom / nirodh M Male condom amount invalid	decimal
N fc_fees One female condom M Female condom amount invalid	decimal
N beads_fees Standard days / cycle beads M Standard days / cycle beads amount invalid	decimal
fees_rw  403. Do family planning clients need to pay any fees in order to be seen by a provider in this facility even if they do not obtain a method of contraception?  These may be consultation or registration fees charged to everyone who is seen in this facility or may be specific to family planning clients.  This does not include method-specific charges for obtaining a method of family planning.	Yes yes No no No response -99
N implant_insert 405. On days when you offer family planning services, does this facility have trained personnel able to insert implants?	Yes yes No no No response -99
N implant_remove 406. On days when you offer family planning services, does this facility have trained personnel able to remove implants?	Yes yes No no No response –99
N IUD_insert 407. On days when you offer family planning services, does this facility have trained personnel able to insert IUDs?	Yes yes No no No response -99
N IUD_remove 408. On days when you offer family planning services, does this facility have trained personnel able to remove IUDs?	Yes yes No no No response -99
N implant_supplies 409. Does this facility have the following supplies needed to insert and/or remove implants: Read out all supplies and select all that apply. Supplies do not need to be	Clean Gloves clean-gloves Antiseptic antiseptic Sterile Gauze Pad or Cotton Wool sterile-gauze-pad-or-cotton- wool Local Anesthetic local-anesthetic



observed. Supplies must be available on the day of the interview	Sealed Implant Pack sealed- implant-pack Surgical Blade blade None of the above -77 No response -99
N IUD_supplies 410. Does this facility have the following supplies needed to insert and/or remove IUDs: Read out all supplies and select all that apply. Supplies do not need to be observed. Supplies must be available on the day of the interview	Sponge-holding forceps sponge-holding-forceps Speculums (large and medium) speculums Tenaculum tenaculum Uterine Sound uterine_sound None of the above -77 No response -99
note 411a. May I see your family planning register from the last completed month? From family planning register, record: (1) the total number of family planning visits (new and continuing) in the last completed month, for each method. (2) the number of new clients who received family planning services in the last completed month, for each method.	Yes yes No no No response -99
	N reg_fster_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N fster_tot 411a. Total number of visits: Female Sterilization M Total visits must be -99, -88, 0, or greater than 0.	integer
	N reg_mster_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N mster_tot 411a. Total number of visits: Male Sterilization M Total visits must be -99, -88, 0, or greater than 0.	integer
	N reg_impl_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.



N impl_tot 411a. Total number of visits: Implants M Total visits must be -99, -88, 0, or greater than 0.	integer
N impl_new 411a. Number of new clients: Implants M New visits cannot exceed total visits. New visits must be -99, -88, 0, or greater than 0.	integer
	N reg_iud_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N iud_tot 411a. Total number of visits: IUD M Total visits must be -99, -88, 0, or greater than 0.	integer
N iud_new 411a. Number of new clients: IUD M New visits cannot exceed total visits. New visits must be -99, -88, 0, or greater than 0.	integer
	N reg_ppiud_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N ppiud_tot 411a. Total number of visits: PPIUD M Total visits must be -99, -88, 0, or greater than 0.	integer
N ppiud_new 411a. Number of new clients: PPIUD M New visits cannot exceed total visits. New visits must be -99, -88, 0, or greater than 0.	integer
	N reg_inj_grp



	Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N inj_tot 411a. Total number of visits: Injectables M	integer
Total visits must be -99, -88, 0, or greater than 0.	
N inj_new 411a. Number of new clients: Injectables M New visits cannot exceed total visits. New visits must be -99, -88, 0, or greater than 0.	integer
	N reg_pill_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N pill_tot 411a. Total number of visits: Pill M Total visits must be -99, -88, 0, or greater than 0.	integer
N pill_new 411a. Number of new clients: Pill M New visits cannot exceed total visits. New visits must be -99, -88, 0, or greater than 0.	integer
	N reg_ec_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N ec_tot 411a. Total number of visits: Emergency contraception M Total visits must be -99, -88, 0, or greater than 0.	integer
N ec_new 411a. Number of new clients: Emergency contraception M New visits cannot exceed total visits. New visits must be -99, -88, 0, or greater than 0.	integer



	N reg_mc_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N mc_tot 411a. Total number of visits: Male condom / nirodh M Total visits must be -99, -88, 0, or greater than 0.	integer
N mc_new 411a. Number of new clients: Male condom / nirodh M New visits cannot exceed total visits. New visits must be -99, -88, 0, or greater than 0.	integer
	N reg_fc_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N fc_tot 411a. Total number of visits: Female condom M Total visits must be -99, -88, 0, or greater than 0.	integer
N fc_new 411a. Number of new clients: Female condom M New visits cannot exceed total visits. New visits must be -99, -88, 0, or greater than 0.	integer
	N reg_beads_grp Enter for past completed month. Enter - 88 for do not know, enter -99 for no response.
N beads_tot 411a. Total number of visits: Standard days / cycle beads M Total visits must be -99, -88, 0, or greater than 0.	integer
N beads_new 411a. Number of new clients: Standard days / cycle beads M	integer



New visits cannot exceed total visits. New visits must be -99, -88, 0, or greater than 0. reg sold grp regb note note 411b. From family planning record book, record: The total number of family planning products sold in the last completed month, for each method. impl\_units Number of units sold or provided: Implants integer Implants: units sold must be must be -99, -88, 0, or greater than 0. iud units integer Number of units sold or provided: IUD/PPIUD IUD: units sold must be must be -99, -88, 0, or greater than 0. inj\_units integer Number of units sold or provided: Injectables Injectables: units sold must be must be -99, -88, 0, or greater than 0. pill\_units Number of units sold or provided: Pill integer Pill: units sold must be must be -99, -88, 0, or greater than 0. ec units Number of units sold or provided: Emergency contraception integer Emergency contraception: units sold must be must be -99, -88, 0, or greater than 0. Ν mc units integer Number of units sold or provided: Male condom / nirodh Male condom: units sold must be must be -99, -88, 0, or greater than 0. Ν fc units Number of units sold or provided: Female condom integer Female condom: units sold must be must be -99, -88, 0, or greater than



eads_units umber of units sold or provided: Standard days / cycle beads andard days / cycle beads: units sold must be must be -99, -88, 0, or eater than 0.		integer		
d.				
N service stats 6mo		Voc		
		Yes yes No no		
412. In the past 6 months, have there been any meeting service statistics (or inventory) for family planning are di with staff?		No response –99		
V				
service_charts_6mo		Oh	served wall chart / graph s	zall
413. May I see any wall charts, graphs, written reports, minutes or other written materials produced with service data from the past 6 months?		Observed wall chart / graph wall Observed written report / minutes written Observed other means of reviewing		
Select all relevant types of documentation observed. Posters or other information, education and communication (IEC) materials that do not contain service data should not be counted.		service data reviews Other other Nothing observed -77		
M Cannot select "nothing observed" with other options.			g 0200.100 //	
N exam room permission				
414a. May I see the room where examinations for family	, planning	Yes yes		
are conducted?	planning	No no No response –99		
		N exr_grp		
N				
exr_prompt				
414b. For each of the following items, check to see whether item is either in room where examinations are conducted or in an adjacent room.		note		
O: Observed; RU: Reported, Unseen; NA: Not Availab	le			
	O observ	red	RU reported_unseen	<b>NA</b> -77
Running water (piped) exr piped				
Other running water (bucket with tap or pour pitcher)  exr_pour				
Water in bucket or basin (water reused) exr_bucket				
Hand-washing soap exr_soap				
Single-use hand drying towels exr towels				
Waste receptacle with lid and plastic liner exr bin				
Sharps container exr_sharps				
Disposable latex gloves exr gloves				
Piopodubio lator giovos ent_groves	<u> </u>			



Disinfectant exr_disinf			
Disposable needles and syringes exr_needles			
Auditory privacy exr_aud_priv			
Visual privacy exr_vis_priv			
Examination table exr tables			
Client educational materials on FP exr_fp_edu			
	<u> </u>		
N			
stockout_note			
NOTE: Questions 416a-c will repeat for each of the methods	note	note	
provided at this SDP.  Methods selected in 401b:			
\${methods_selected}			
	In-stock s	and observed insto	ck obs
N		out not observed	ov_ops
stock_implants	instock_		
416a. You mentioned that you typically provide Implants at the	Out of sto	ock outstock	
facility, can you show them to me?	No respon		
N N			
stockout_days_implants			
416b. How many days have Implants been out of stock?	integer		
Enter 1 if only today. Enter -88 for do not know. Enter -99 for no response.			
N stockout 3mo implants	Yes yes No no		
416c. Have Implants been out of stock at any time in the last		IOW -88	
months?		No response –99	
	In-stock a	and observed insto	ck_obs
N stark TID		out not observed	
stock_IUD	instock_	_unobs o <b>ck</b> outstock	
416a. You mentioned that you typically provide IUD / PPIUD: this facility, can you show them to me?	Do not kn		
	No respon	nse -99	
N			
stockout_days_IUD	_		
416b. How many days have IUD / PPIUDs been out of stock	integer		
Enter 1 if only today. Enter -88 for do not know. Enter -99 for no response.			
N	Yes yes		
stockout_3mo_IUD	No no		
416c. Have IUD / PPIUDs been out of stock at any time in the			
3 months?	No respo	nse -99	
N		and observed insto	ck_obs
stock_injectables		out not observed	
416a. You mentioned that you typically provide Injectables at	nis instock_		



for the constant of the constant of	
facility, can you show them to me?	Out of stock outstock
	Do not know –88
	No response –99
N	
stockout_days_injectables	: m.t. o. m.c. m
416b. How many days have Injectables been out of stock?	integer
Enter 1 if only today. Enter -88 for do not know. Enter -99 for no response.	
	.,
N stockout 3mo injectables	Yes yes
	No no Do not know –88
416c. Have Injectables been out of stock at any time in the last 3 months?	No response –99
monuts:	
NI.	In-stock and observed instock_obs
N stock pills	In-stock but not observed instock unobs
416a. You mentioned that you typically provide Pills at this facility,	Out of stock outstock
can you show it to me?	Do not know –88
can you onew it to me.	No response –99
N	
stockout_days_pills	
416b. How many days have Pills been out of stock?	integer
Enter 1 if only today. Enter -88 for do not know. Enter -99 for no	
response.	
N	Yes yes
stockout_3mo_pills	No no
416c. Have Pills been out of stock at any time in the last 3	Do not know –88
months?	No response –99
	In-stock and observed instock_obs
N	In-stock but not observed
stock_ec	instock_unobs
416a. You mentioned that you typically provide Emergency	Out of stock outstock
Contraception at this facility, can you show it to me?	Do not know –88
	No response –99
N	
stockout_days_ec	
416b. How many days has Emergency Contraception been out of stock?	integer
Stock ?  Enter 1 if only today. Enter -88 for do not know. Enter -99 for no	
response.	
N	Yes yes
stockout_3mo_ec	No no
416c. Has Emergency Contraception been out of stock at any	Do not know –88
time in the last 3 months?	No response –99
N	In-stock and observed instock obs
stock male condoms	In-stock but not observed
416a. You mentioned that you typically provide Male condoms /	instock_unobs
nirodh at this facility, can you show it to me?	Out of stock outstock
	Do not know –88



	T
	No response –99
N stockout_days_male_condoms 416b. How many days have Male condoms / nirodh been out of stock? Enter 1 if only today. Enter -88 for do not know. Enter -99 for no response.	integer
N stockout_3mo_male_condoms 416c. Have Male condoms / nirodh been out of stock at any time in the last 3 months?	Yes yes No no Do not know -88 No response -99
N stock_female_condoms 416a. You mentioned that you typically provide Female condoms at this facility, can you show it to me?	In-stock and observed instock_obs In-stock but not observed instock_unobs Out of stock outstock Do not know -88 No response -99
N stockout_days_female_condoms 416b. How many days have Female condoms been out of stock? Enter 1 if only today. Enter -88 for do not know. Enter -99 for no response.	integer
N stockout_3mo_female_condoms 416c. Have Female condoms been out of stock at any time in the last 3 months?	Yes yes No no Do not know -88 No response -99
N stock_beads 416a. You mentioned that you typically provide Standard Days/Cycle Beads at this facility, can you show them to me?	In-stock and observed instock_obs In-stock but not observed instock_unobs Out of stock outstock Do not know -88 No response -99
N stockout_days_beads 416b. How many days have Standard Days/Cycle Beads been out of stock?  Enter 1 if only today. Enter -88 for do not know. Enter -99 for no response.	integer
N stockout_3mo_beads 416c. Have Standard Days/Cycle Beads been out of stock at any time in the last 3 months?	Yes yes No no Do not know -88 No response -99
N storage_check 417a. May I see the room where contraceptive supplies are stored? If you are already in the room, select "yes."	Yes yes No no No response -99



		N storage_grp	
N storage_prompt 417b. Observe the place where contraceptive supplies stored and report on the following condition.	are	note	
		Yes yes	No no
Are all the methods off the floor? protected_floor			
Are all the methods protected from water? protected_water			
Are all the methods protected from the sun? protected_sun			
Is the room clean of evidence of rodents (bats, rats) or pests (roaches)? protected_pests			

Section 5: Family Planning Service Integration		
N antenatal 501. Which of the following services are provided at this facility? Read all options and select all that apply. M Cannot select 'no response' or 'none of the above' with other options.	Antenatal antenatal Delivery delivery Postnatal postnatal Post-abortion postabortion None of the above -77 No response -99	
N postpartum_rw 502. Which of the following is discussed with the mother after delivery or during the first postnatal visit? Read all options and select all that apply. If your respondent is not involved in delivery or postnatal care, ask if they can refer you to someone at the facility who provides these services. M Cannot select 'no response' or 'none of the above' with other options.	Return to fertility fertility Healthy timing and spacing of pregnancies space Immediate and exclusive breastfeeding breastfeed Family planning methods available to use while breastfeeding fp_bf Lactational Amenorrhea Method and transition to other methods LAM Long-acting method options long_acting None of the above -77 No response -99	
N fp_during_postpartum 503. Is the woman offered a method of family planning during the postnatal visit?	Yes yes No no No response –99	
N postabortion_discussion 504. During post-abortion visits, which of the following is discussed with the client: Read all options and select all that apply.	Post-abortion mental health mental Return to fertility fertility Healthy timing and spacing of pregnancies healthy_spacing Long-acting method options	



M Cannot select 'no response' or 'none of the above' with other options.	long_acting FP methods for birth spacing FP_methods_spacing None of the above -77 No response -99
N fp_during_postabortion 505. Is the woman offered a method of family planning during the post-abortion visit?	Yes yes No no No response -99
N HIV_services 506. Does this facility offer any service related to diagnosis, treatment, or supportive services for HIV?	Yes yes No no No response –99
N HIV_condom 508a. When a client comes in for HIV services, are they offered condoms by the HIV service provider? If your respondent is not involved in HIV service provision, ask if they can refer you to someone at the facility who provides these services.	Yes yes No no Do not know –88 No response –99
N HIV_other_fp 508b. Does the HIV service provider offer them any other method of contraception besides condoms?	Yes yes No no Do not know -88 No response -99
N HIV_info_elsewhere 508c. Are HIV clients given information on where they can obtain contraception elsewhere?	Yes yes No no Do not know -88 No response -99
N HIV_referred_where 508d. Are HIV clients referred for family planning services within the facility, outside the facility, or both?	Within facility only within Outside facility only outside Both both Do not know -88 No response -99

Section 6 – Abortion and Post-A	Abortion Services
N abt_resp This final section is on post-abortion care and abortion services. If someone else is the most appropriate person to provide this information, please introduce me to that person.  Press OK to continue.	OK ok
N abt_ans For the next questions, we are referring to post-abortion care for spontaneous or induced abortions.  Press OK to continue.	OK ok
N post_abt_0w_12w_yn	Yes yes No no



601. Does this facility provide post-abortion care for pregnancies	Do not know –88
of 12 weeks or less?	No response –99
N post_abt_12w_yn 602. Does this facility provide post-abortion care for pregnancies of more than 12 weeks?	Yes yes No no Do not know -88 No response -99
N post_abt_trained 603. How many people in this facility are formally trained to provide post-abortion care? Formal training includes both pre- service and in-service training.  Enter -88 for do not know, -99 for no response. 0 is a possible answer.	integer
N	
post_abt_trained_99 You entered \${post_abt_trained} for the previous question and not -88 or -99. Is that what you meant?  M	Yes yes No no
Go back and correct your answer	
N post_abt_days 604. How many days in a week is a provider trained in post- abortion care present at the facility? If respondent says available 7 days per week, probe to ask if available 24/7.	24/7 24-7 7 7 6 6 5 5 4 4 3 3 2 2 1 1 Do not know -88 No response -99
N provide_abt_0w_12w_yn 605. Does this facility provide abortion for pregnancies of 12 weeks or less?	Yes yes No no Do not know -88 No response -99
N provide_abt_12w_yn 606. Does this facility provide abortion for pregnancies of more than 12 weeks?	Yes yes No no Do not know -88 No response -99
N abt_trained 607. How many people in this facility are formally trained to provide abortion? Formal training includes both pre-service and in-service training.  Enter -88 for do not know, -99 for no response. 0 is a possible answer.	integer
N abt_trained_99 You entered \${abt_trained} for the previous question and not -88 or -99. Is that what you meant? M Go back and correct your answer	Yes yes No no



N abt_days 608. How many days in a week is a provider trained in abortion present at this facility?  If respondent says available 7 days per week, probe to ask if available 24/7.	24/7 24-7 7 7 6 6 5 5 4 4 3 3 2 2 1 1 Do not know -88 No response -99
N post_abt_care_0w_12w_1 609. Which of the following methods are used in this facility for post-abortion care or abortion for pregnancies of 12 weeks or less?  Read response options aloud. Select all that apply. M Cannot select 'no response' with other options.	Misoprostol alone miso Mifepristone and misoprostol alone miso_mife Manual vacuum aspiration (MVA) mva Electric vacuum aspiration (EVA) eva Dilation and evacuation (D&E) de Dilation and curettage (D&C) dc Laparotomy laparotomy No response -99
N post_abt_care_0w_12w_2 609. Which of the following methods are used in this facility for abortion for pregnancies of 12 weeks or less? Read response options aloud. Select all that apply. M Cannot select 'no response' with other options.	select_multiple abt_methods_list Misoprostol alone miso Mifepristone and misoprostol alone miso_mife Manual vacuum aspiration (MVA) mva Electric vacuum aspiration (EVA) eva Dilation and evacuation (D&E) de Dilation and curettage (D&C) dc Laparotomy laparotomy No response -99
N post_abt_care_0w_12w_3 609. Which of the following methods are used in this facility for post-abortion care for pregnancies of 12 weeks or less?  Read response options aloud. Select all that apply. M Cannot select 'no response' with other options.	select_multiple abt_methods_list Misoprostol alone miso Mifepristone and misoprostol alone miso_mife Manual vacuum aspiration (MVA) mva Electric vacuum aspiration (EVA) eva Dilation and evacuation (D&E) de Dilation and curettage (D&C) dc Laparotomy laparotomy No response -99
N post_abt_care_12w_1 610. Which of the following methods are used in this facility for post-abortion care or abortion for pregnancies of more than 12 weeks?  Read response options aloud. Select all that apply.  M Cannot select 'no response' with other options.	select_multiple abt_methods_list Misoprostol alone miso Mifepristone and misoprostol alone miso_mife Manual vacuum aspiration (MVA) mva Electric vacuum aspiration (EVA) eva Dilation and evacuation (D&E) de Dilation and curettage (D&C) dc



	Laparotomy laparotomy No response -99
N post_abt_care_12w_2 610. Which of the following methods are used in this facility for abortion for pregnancies of more than 12 weeks? Read response options aloud. Select all that apply. M Cannot select 'no response' with other options.	select_multiple abt_methods_list Misoprostol alone miso Mifepristone and misoprostol alone miso_mife Manual vacuum aspiration (MVA) mva Electric vacuum aspiration (EVA) eva Dilation and evacuation (D&E) de Dilation and curettage (D&C) dc Laparotomy laparotomy No response -99
N post_abt_care_12w_3 610. Which of the following methods are used in this facility for post-abortion care for pregnancies of more than 12 weeks? Read response options aloud. Select all that apply. M Cannot select 'no response' with other options.	select_multiple abt_methods_list Misoprostol alone miso Mifepristone and misoprostol alone miso_mife Manual vacuum aspiration (MVA) mva Electric vacuum aspiration (EVA) eva Dilation and evacuation (D&E) de Dilation and curettage (D&C) dc Laparotomy laparotomy No response -99
N miso_instock 611a_v1. Can you show the misoprostol to me?	select_one stock_list In-stock and observed instock_obs In-stock but not observed instock_unobs Out of stock outstock Do not know -88 No response -99
N mife_instock 611b_v1. Can you show the mifepristone to me?	select_one stock_list In-stock and observed instock_obs In-stock but not observed instock_unobs Out of stock outstock Do not know -88 No response -99
N miso_instock_2 611a_v2. Does this facility currently have misoprostol in stock? Can you show it to me?	select_one stock2_list In-stock and observed instock_obs In-stock but not observed instock_unobs Out of stock outstock Do not stock donotstock Do not know -88 No response -99
N mife_instock_2 611b_v2. Does this facility currently have mifepristone in stock?	select_one stock2_list In-stock and observed instock_obs In-stock but not observed



Can you show it to me?	instock_unobs Out of stock outstock Do not stock donotstock Do not know -88 No response -99
N mva_equip 612. Can you show me the manual vacuum aspirator (MVA) equipment?	select_one equip_list Functional and observed func1_obs1 Functional and not observed func1_obs0 Not functional and observed func0_obs1 Not functional and not observed func0_obs0 Do not know -88 No response -99
N inpatient_outpatient 613. In this facility, are post-abortion care patients treated as outpatients only, inpatients only, or both? By outpatient I mean not admitted into the facility and by inpatient I mean admitted.	select_one inpatient_outpatient_list Inpatient only in Outpatient only out Both both Do not know -88 No response -99
N memory_note For the next questions, please provide your responses from memory without referring to log books.	note
N outpatient_avg 614. In an AVERAGE month, how many post-abortion care patients would you estimate are treated as OUTPATIENTS in this facility as a whole? Please remember to include all patients treated for extremely serious or minor abortion complications, whether the abortions were spontaneous or induced.  Ensure provider responds from memory and does NOT reference the log book unless absolutely necessary.  Enter -88 for do not know, -99 for no response.	integer
N outpatient_avg_99 You entered \${outpatient_avg} for the previous question and not - 88 or -99. Is that what you meant? M Go back and correct your answer	select_one yes_no_list Yes yes No no
N outpatient_last_month 615. In the LAST COMPLETED month, how many post-abortion care patients were treated as OUTPATIENTS in this facility as a whole?  Ensure provider responds from memory and does NOT reference the log book.  Enter -88 for do not know, -99 for no response.	integer



N outpatient_last_99 You entered \${outpatient_last_month} for the previous question and not -88 or -99. Is that what you meant? M Go back and correct your answer	select_one yes_no_list Yes yes No no
inpatient_avg 616. In an AVERAGE month, how many post-abortion care patients would you estimate are treated as INPATIENTS in this facility as a whole? Please remember to include all patients treated for extremely serious or minor abortion complications, whether the abortions were spontaneous or induced.  Ensure provider responds from memory and does NOT reference the log book.  Enter -88 for do not know, -99 for no response.	integer
N inpatient_avg_99 You entered \${inpatient_avg} for the previous question and not - 88 or -99. Is that what you meant? M Go back and correct your answer.	select_one yes_no_list Yes yes No no
N inpatient_last_month 617. In the LAST COMPLETED month, how many post-abortion care patients were treated as INPATIENTS in this facility as a whole?  Ensure provider responds from memory and does NOT reference the log book.  Enter -88 for do not know, -99 for no response.	integer
N inpatient_last_99 You entered \${inpatient_last_month} for the previous question and not -88 or -99. Is that what you meant? M Go back and correct your answer.	select_one yes_no_list Yes yes No no
N patient_avg_tot_confirm  Just to confirm what you have told me, in an AVERAGE month, your facility treats \${patient_avg_tot} patients for post-abortion care—that is, \${outpatient_avg_tot} outpatients and \${inpatient_avg_tot} inpatients. Is this correct?  If not correct, then go back and correct responses.  M Go back and correct your answer.	select_one yes_no_dnk_nr_list Yes yes No no Do not know -88 No response -99
N patient_avg_tot_confirm_1  Just to confirm what you have told me, in an AVERAGE month, your facility treats \${patient_avg_tot} or more patients for post-abortion care—that is, \${outpatient_avg_tot} outpatients and an unknown number of inpatients. Is this correct?	select_one yes_no_dnk_nr_list Yes yes No no Do not know -88



If not correct, then go back and correct responses.	No response –99
M	
Go back and correct your answer.	
N .	
<pre>patient_avg_tot_confirm_2</pre>	select one
Just to confirm what you have told me, in an AVERAGE month,	yes_no_dnk_nr_list
your facility treats \${patient_avg_tot} or more patients for post-	Yes yes
abortion care—that is, an unknown number of outpatients and \${inpatient_avg_tot} inpatients. Is this correct?	No no
If not correct, then go back and correct responses.	Do not know –88
M	No response –99
Go back and correct your answer.	
N	
patient last tot confirm	_
In the LAST COMPLETED month, your facility treated	select_one
\${patient last tot} patients for post-abortion care—that is,	yes_no_dnk_nr_list
\${outpatient_last_tot} outpatients and \${inpatient_last_tot}	Yes yes
inpatients. Is this correct?	No no
If not correct, then go back and correct responses.	Do not know –88
M	No response –99
Go back and correct your answer.	
N	
<pre>patient_last_tot_confirm_1</pre>	select one
In the LAST COMPLETED month, your facility treated	yes no dnk nr list
\${patient_last_tot} or more patients for post-abortion care—that is,	Yes yes
\${outpatient_last_tot} outpatients and an unknown number of	No no
inpatients. Is this correct?	Do not know –88
If not correct, then go back and correct responses.	No response –99
M Co back and correct your answer	,
Go back and correct your answer.	
N	
patient_last_tot_confirm_2	select_one
In the LAST COMPLETED month, your facility treated	yes_no_dnk_nr_list
\${patient_last_tot} or more patients for post-abortion care—that is, an unknown number of outpatients and \${inpatient last tot}	Yes yes
inpatients. Is this correct?	No no
If not correct, then go back and correct responses.	Do not know –88
M	No response –99
Go back and correct your answer.	
N	
post abt ref before	
618. How many of these \${patient_last_tot} post-abortion care	
patients were referred to your facility after having been treated at	data assa
another facility?	integer
Enter -88 for do not know, -99 for no response. 0 is a possible answer.	
M	
Cannot exceed total number of patients.	
N	
post_abt_ref_before_99	select_one yes_no_list
You entered \${post_abt_ref_before} for the previous question and	Yes yes
not -88 or -99. Is that what you meant?	No no
	1



	•
M	
Go back and correct your answer	
N post_abt_ref_after 619. How many of these \${patient_last_tot} post-abortion care	
patients did your facility refer to another facility to complete treatment after having treated them, either as inpatients or outpatients?  Enter -88 for do not know, -99 for no response. 0 is a possible answer.  M	integer
Cannot exceed total number of patients.	
N	
you entered \${post_abt_ref_after} for the previous question and not -88 or -99. Is that what you meant?	select_one yes_no_list Yes yes
M	No no
Go back and correct your answer	
N post_abt_prob	
620. How many of these \${patient_last_tot} post-abortion care patients had complications that included a perforated uterus or gut requiring laparotomy, intensive care unit admission, or organ failure?	integer
Enter -88 for do not know, -99 for no response. 0 is a possible answer.	
M	
Cannot exceed total number of patients.	
N	
post_abt_prob_99	select_one yes_no_list
You entered \${post_abt_prob} for the previous question and not - 88 or -99. Is that what you meant?	Yes yes
M	No no
Go back and correct your answer	
	N
	post abt trt grp
N	
N trt note	
621. For a typical 10 post-abortion care patients seen in this	
facility, how many are treated using the following methods:	note
Enter -88 for do not know, enter -99 for no response. 0 is a possible	
answer.	
The sum of all fields not set to -88 or -99 must add up to total: 10	
N Lock order	<u>                                     </u>
trt_miso	integer
Misoprostol only	
N Luk mina misa	
trt_miso_mife	integer
Mifepristone and misoprostol only	
N	integer



trt_mva	
Manual vacuum aspiration (MVA)	
N hat ove	
trt_eva	integer
Electric vacuum aspiration (EVA)	
N Luck de	
trt_de	integer
Dilation and evacuation (D&E)	
N +r+ da	
trt_dc	integer
Dilation and curettage (D&C)	
N trt lanarotomy	
trt_laparotomy	integer
Laparotomy	
N +r+ dnk	
trt_dnk Do not know	integer
DO HOL KHOW	
N	
trt_error	
The sum of all fields not set to -88 or -99 did not equal 10.	note
Sum: \${trt_tot} Difference: \${trt_offset}	
Please go back and correct.	
N	
post_abt_trt_99	select one yes no list
You entered either 88 or 89 on the previous screen and not -88 or	Yes yes
-99. Is that what you meant?	No no
M Go back and correct your answer	
N abt avg month	
abt_avg_month 622. In an AVERAGE month, how many abortions are provided?	integer
Enter -88 for do not know, -99 for no response	
N	
abt_avg_month_99	
You entered \${abt_avg_month} for the previous question and not -	select_one yes_no_list
88 or -99. Is that what you meant?	Yes yes
M	No no
Go back and correct your answer	
N	
abt_last_month	
623. In the LAST COMPLETED month, how many abortions were	integer
provided?  Enter -88 for do not know, -99 for no response	
N	gologt one was to list
abt_last_month_99	select_one yes_no_list
abo_1abo_monon_>>	Yes yes



88 or -99. Is that what you meant?  M So back and correct your answer  N abt_last_month_12w 624. How many of these \$(abt_last_month) abortions were to pregnancies more than 12 weeks? Enter -88 for do not know, -99 for no response  M Cannot exceed total number of abortions.  N abt_last_month_12w_99 You entered \$(abt_last_month_12w) for the previous question and not -88 or -99. Is that what you meant?  M Go back and correct your answer  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer. The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  integer  integer		
Go back and correct your answer  N abt_last_month_12w 624. How many of these \${abt_last_month} abortions were to pregnancies more than 12 weeks? Enter -88 for do not know, -99 for no response  M Cannot exceed total number of abortions.  N abt_last_month_12w_99 You entered \${abt_last_month_12w_99} You entered \${abt_last_month_12w} for the previous question and not -88 or -99. Is that what you meant?  M Go back and correct your answer  N abt_induced_grp  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer. The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  integer  integer	You entered \${abt_last_month} for the previous question and not - 88 or -99. Is that what you meant?	No no
abt_last_month_12w abt_last_month_12w abt_last_month_12w abt_last_month_12w abt_last_month_12weeks? Enter -88 for do not know, -99 for no response M Cannot exceed total number of abortions.  N abt_last_month_12w_99 You entered \${abt_last_month_12w_99} You entered \${abt_last_month_12w_99} M Go back and correct your answer  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer. The sum of all fields not set to -88 or -99 must add up to total: 10 N ind_miso Miad_miso Miepristone and misoprostol only N ind_miso_mife Mifepristone and misoprostol only N ind_mixo Integer  integer	M	
abt_last_month_12w 624. How many of these \${abt_last_month} abortions were to pregnancies more than 12 weeks? Enter -88 for do not know, -99 for no response M Cannot exceed total number of abortions. N abt_last_month_12w_99 You entered \${abt_last_month_12w} for the previous question and not -88 or -99. Is that what you meant? M Go back and correct your answer  N abt_ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer. The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Mind_miso Mind_miso_mife Mifepristone and misoprostol only N ind_mixo mife Mifepristone and misoprostol only integer  integer	Go back and correct your answer	
624. How many of these \${abt_last_month} abortions were to pregnancies more than 12 weeks?  Enter -88 for do not know, -99 for no response M Cannot exceed total number of abortions. N abt_last_month_12w_99 You entered \${abt_last_month_12w} for the previous question and not -88 or -99. Is that what you meant? M Go back and correct your answer  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only N ind_miso_mife Mifepristone and misoprostol only N ind_mixo  Integer  integer	N	
integer  Enter-88 for do not know, -99 for no response M  Cannot exceed total number of abortions.  N  abt_last_month_12w_99 You entered \${abt_last_month_12w} for the previous question and not -88 or -99. Is that what you meant?  Go back and correct your answer  N  ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter-88 for do not know, enter-99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N  ind_miso Misoprostol only  N  ind_miso_mife Mifepristone and misoprostol only  N  integer  integer		
Cannot exceed total number of abortions.  N abt_last_month_12w_99 You entered \${abt_last_month_12w} for the previous question and not -88 or -99. Is that what you meant?  M Go back and correct your answer  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_max integer  integer	pregnancies more than 12 weeks?	integer
Cannot exceed total number of abortions.  N abt_last_month_12w_99 You entered \${abt_last_month_12w} for the previous question and not -88 or -99. Is that what you meant?  M Go back and correct your answer  N N abt_induced_grp  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer. The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva  integer	•	
abt_last_month_12w_99 You entered \${abt_last_month_12w} for the previous question and not -88 or -99. Is that what you meant?  M Go back and correct your answer  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods:  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_myva  integer	M	
abt_last_month_12w_99 You entered \${abt_last_month_12w} for the previous question and not -88 or -99. Is that what you meant?  M Go back and correct your answer    N	Cannot exceed total number of abortions.	
You entered \${abt_last_month_12w} for the previous question and not -88 or -99. Is that what you meant?  M Go back and correct your answer  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods:  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva  integer	N	
and not -88 or -99. Is that what you meant?  M Go back and correct your answer  N abt_induced_grp  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer. The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Nind_miso Nind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		select_one yes_no_list
M Go back and correct your answer    N abt_induced_grp		Yes yes
N abt_induced_grp  N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods:  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		No no
N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer. The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		
N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods: Enter -88 for do not know, enter -99 for no response. 0 is a possible answer. The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer	Co back and correct your anower	
N ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods:  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		N
ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods:  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		abt_induced_grp
ind_note 625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods:  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer	N	
625. For a typical 10 abortions provided seen in this facility, how many are induced using the following methods:  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		
many are induced using the following methods:  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva  integer	_	
Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		note
The sum of all fields not set to -88 or -99 must add up to total: 10  N ind_miso Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		
N ind_miso integer  Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		
ind_miso integer  Misoprostol only  N ind_miso_mife integer  Mifepristone and misoprostol only  N ind_mva integer	The sum of all fields not set to -88 or -99 must add up to total: 10	
Misoprostol only  N ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer		
N ind_miso_mife integer Mifepristone and misoprostol only  N ind_mva integer	ind_miso	integer
ind_miso_mife Mifepristone and misoprostol only  N ind_mva integer	Misoprostol only	
Mifepristone and misoprostol only  N ind_mva integer	N	
N ind_mva integer	ind_miso_mife	integer
ind_mva integer	Mifepristone and misoprostol only	
ind_mva integer	N	
		integer
Manual vacuum aspiration (MVA)	Manual vacuum aspiration (MVA)	5
N		
ind_eva integer		integer
Electric vacuum aspiration (EVA)	_	TITCEACT
N ind de integer		
-	_	integer
Dilation and evacuation (D&E)	` `	
N		
ind_dc integer	_	integer
Dilation and curettage (D&C)	Dilation and curettage (D&C)	
N integral	N	intogor
ind_dnk integer	0	THEAGET



Do not know	
DO HOLKHOW	
N ind_error The sum of all fields not set to -88 or -99 did not equal 10. Sum: \${ind_tot} Difference: \${ind_offset} Please go back and correct.	note
N abt_induced_99 You entered either 88 or 89 on the previous screen and not -88 or -99. Is that what you meant? M Go back and correct your answer	select_one yes_no_list Yes yes No no
N abt_services_provide 626. Which of the following services and drugs does this facility provide? Read all options aloud. Select all that apply. M Cannot select 'no response' with other options.	select_multiple products_services_list Antibiotics antibiotics Analgesics analgesics Local anesthesia anasthesia_local Intravenous replacement fluids iv_fluids Oxytocics oxytocics Blood transfusion transfusion Laparotomy laparotomy No response -99
N sell_miso_yn 627a. Does this place sell misoprostol?	select_one yes_no_dnk_nr_list Yes yes No no Do not know -88 No response -99
N miso_obs 627b. Can you show it to me?	select_one stock_list In-stock and observed instock_obs In-stock but not observed instock_unobs Out of stock outstock Do not know -88 No response -99
N sell_mife_yn 628a. Does this place sell mifepristone?	select_one yes_no_dnk_nr_list Yes yes No no Do not know -88 No response -99
N mife_obs 628b. Can you show it to me?	select_one stock_list In-stock and observed instock_obs In-stock but not observed instock_unobs Out of stock outstock



	D (1
	Do not know –88
	No response –99
	1
	N
	sales_avg_grp
N	
avg_note	
629. In an AVERAGE month, to how many people do you sell	
the following medicines?	note
Make sure respondent provides number of sales to end users, NOT	lioce
resellers.	
Enter -88 for do not know, enter -99 for no response. 0 is a possible	
answer.	
N	
avg_miso	integer
Misoprostol alone	
N	
` ` `	
avg_mife	integer
Mifepristone alone	
N	
avg_miso_mife	integer
Misoprostol and Mifepristone	
<u>'</u>	
N	
sales_avg_99	
— · · —	laciost one was no list
Valuantared either 99 or 90 on the provious careen and not 99 or	select_one yes_no_list
	Yes yes
-99. Is that what you meant?	
-99. Is that what you meant? M	Yes yes
You entered either 88 or 89 on the previous screen and not -88 or -99. Is that what you meant?  M Go back and correct your answer	Yes yes
-99. Is that what you meant? M	Yes yes
-99. Is that what you meant? M	Yes yes No no
-99. Is that what you meant? M Go back and correct your answer	Yes yes No no
-99. Is that what you meant? M Go back and correct your answer	Yes yes No no
-99. Is that what you meant?  M Go back and correct your answer  N last_note	Yes yes No no
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did	Yes yes No no
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?	Yes yes No no
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT	Yes yes No no  N sales_last_grp
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT resellers.	Yes yes No no  N sales_last_grp
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT	Yes yes No no  N sales_last_grp
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT resellers.  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.	Yes yes No no  N sales_last_grp
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT resellers.  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  N	Yes yes No no  N sales_last_grp  note
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT resellers.  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  N last_miso	Yes yes No no  N sales_last_grp
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT resellers.  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  N	Yes yes No no  N sales_last_grp  note
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT resellers.  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  N last_miso	Yes yes No no  N sales_last_grp  note
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT resellers.  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  N last_miso Misoprostol alone	Yes yes No no  N sales_last_grp  note  integer
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines? Make sure respondent provides number of sales to end users, NOT resellers. Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  N last_miso Misoprostol alone  N last_mife	Yes yes No no  N sales_last_grp  note
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT resellers.  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  N last_miso Misoprostol alone  N last_mife Mifepristone alone	Yes yes No no  N sales_last_grp  note  integer
-99. Is that what you meant?  M Go back and correct your answer  N last_note 630. In the LAST COMPLETED month, to how many people did you sell these medicines?  Make sure respondent provides number of sales to end users, NOT resellers.  Enter -88 for do not know, enter -99 for no response. 0 is a possible answer.  N last_miso Misoprostol alone  N last_mife	Yes yes No no  N sales_last_grp  note  integer



Misoprostol and Mifepristone	
N sales_last_99 You entered either 88 or 89 on the previous screen and not -88 or -99. Is that what you meant? M Go back and correct your answer	select_one yes_no_list Yes yes No no
N photo_permission 094. Ask permission to take a photo to the entrance of the facility. Did you get consent to take the photo?	select_one yes_no_list Yes yes No no
N thankyou Thank the respondent for his / her time. The respondent is finished, but there are still more questions for you to complete outside the facility.	note

Location and Questionnaire result	
N location 095. Take a GPS point outside near the entrance to the facility. Record location when the accuracy is smaller than 6m.	geopoint
N SDP_photo 096. Ensure that no people are in the photo.	image
N times_visited 097. How many times have you visited this service delivery point for this interview?	select_one visits_list First time 1 Second time 2 Third time 3
N survey_language 098. In what language was this interview conducted?	select_one language_list English english Hindi hindi Other other
N SDP_result 099. Questionnaire Result Record the result of the questionnaire. M Check answer to 008 and consent.	select_one SDP_result_list Completed completed Not at facility not_at_facility Postponed postponed Refused refused Partly completed partly_completed Other other