



Performance Monitoring and Accountability 2020

Measuring Performance, Informing Policy, Empowering Communities.



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

DRC Round 2: Snapshot of Indicators (SOIs)

Suggested citation: Tulane University School of Public Health, University of Kinshasa School of Public Health and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 2, PMA2014/DRC-R2 (Kinshasa) Snapshot of Indicators*. 2014. Kinshasa, DRC and Baltimore, Maryland, USA.

www.pmadata.org

facebook.com/PM4Action

instagram.com/PM4Action

Twitter: @PM4Action

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	2855	2860
Age Group			
15-19	21.1	603	609
20-24	21.4	611	609
25-29	18.0	515	513
30-34	13.5	386	389
35-39	11.0	314	313
40-44	9.1	261	261
45-49	5.8	167	166
Marital Status			
Married, or in union	49.0	1400	1396
Unmarried, sexually active	13.2	377	389
Parity			
0-1 children	56.4	1609	1614
2-3 children	22.9	655	654
4+ children	20.6	588	589
Residence			
Urban	100.0	2855	2860
Education			
Never	1.4	40	40
Primary	9.6	273	271
Secondary	72.8	2079	2088
Tertiary	16.2	462	459
Wealth Quintile			
Lowest	18.1	517	513
Lower	19.6	559	553
Middle	20.1	573	569
High	20.8	594	613
Highest	21.4	612	612
Region			
Kinshasa	100.0	2855	2860

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	30.3	35.6	16.0	20.3	14.4	15.4
Age Group						
15-19	11.2	12.7	5.1	8.3	6.1	4.5
20-24	34.8	36.9	18.5	21.8	16.3	15.0
25-29	36.3	34.7	18.4	19.7	17.9	14.9
30-34	36.1	36.6	23.1	25.7	13.0	10.9
35-39	42.1	45.4	24.8	27.3	17.2	18.1
40-44	35.5	37.5	14.3	14.2	21.1	23.2
45-49	21.4	23.9	8.0	10.1	13.5	13.8
Marital Status						
Married, or in union	35.6	na	20.3	na	15.4	na
Unmarried, sexually active	51.9	na	25.4	na	26.5	na
Parity						
0-1 children	23.9	24.4	11.4	14.2	12.5	10.2
2-3 children	35.8	37.2	19.0	19.6	16.8	17.6
4+ children	42.1	43.0	25.3	25.6	16.8	17.4
Residence						
Urban	30.3	35.6	16.0	20.3	14.4	15.4
Education						
Never	<i>20.7</i>	<i>18.8</i>	<i>13.0</i>	<i>10.3</i>	<i>7.7</i>	<i>8.5</i>
Primary	28.4	33.9	17.9	21.5	10.5	12.4
Secondary	29.9	36.3	15.0	20.6	14.9	15.7
Tertiary	34.3	35.6	19.4	18.7	14.9	16.9
Wealth Quintile						
Lowest	28.0	30.8	14.6	16.4	13.5	14.4
Lower	30.6	33.6	16.7	19.9	13.9	13.7
Middle	30.8	38.0	15.1	19.4	15.7	18.6
High	34.8	40.6	16.9	22.4	17.8	18.1
Highest	27.3	34.9	16.4	23.1	11.0	11.8
Region						
Kinshasa	30.3	35.6	16.0	20.3	14.4	15.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 867)										Married Users ¹ (N = 499)									
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	
Total																				
All	0.6	9.8	1.5	7.6	7.3	1.8	21.7	2.4	47.4		1.0	14.0	2.0	10.1	8.5	0.9	17.5	2.8	43.2	
Age Group																				
15-19	0.0	4.9	0.0	2.9	4.2	1.6	30.3	1.5	54.7	--	--	--	--	--	--	--	--	--	--	
20-24	0.0	4.4	0.0	3.2	7.8	3.0	32.4	2.4	46.8	0.0	9.5	0.0	3.7	8.9	2.4	32.0	2.8	40.8		
25-29	0.0	9.8	1.0	3.9	9.0	1.5	24.0	1.5	49.3	0.0	14.0	1.1	4.6	13.2	0.0	22.8	1.2	43.1		
30-34	0.0	10.8	2.7	13.7	9.7	1.1	22.4	3.6	35.9	0.0	13.4	2.8	15.5	10.6	0.7	22.1	5.1	29.8		
35-39	1.5	17.5	2.1	16.7	5.1	2.1	9.5	4.5	40.9	1.8	17.9	1.6	17.0	5.2	1.7	10.3	4.4	39.9		
40-44	1.0	12.3	4.9	7.4	3.9	1.1	9.8	0.0	59.6	1.2	12.3	5.7	7.8	4.5	0.0	6.4	0.0	62.1		
45-49	5.8	12.8	0.0	4.6	8.5	0.0	3.0	2.5	62.8	7.0	15.2	0.0	5.5	7.9	0.0	3.6	3.0	57.8		
Marital Status																				
Married, or in union	1.0	14.0	2.0	10.1	8.5	0.9	17.5	2.8	43.2	na	na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	0.0	4.4	1.0	3.3	6.7	2.3	30.2	1.0	51.0	na	na	na	na	na	na	na	na	na	na	
Parity																				
0-1 children	0.0	2.1	0.0	2.1	5.9	2.9	33.8	0.7	52.5	0.0	5.2	0.0	4.3	10.6	1.8	36.5	0.0	41.6		
2-3 children	0.4	10.4	0.4	11.1	9.1	0.3	17.4	4.0	46.9	0.6	9.7	0.5	10.1	8.3	0.4	19.6	3.5	47.3		
4+ children	1.6	21.2	4.9	12.6	7.7	1.6	7.0	3.6	39.9	1.8	21.3	4.2	12.6	7.8	0.9	7.5	3.5	40.5		
Residence																				
Urban	0.6	9.8	1.5	7.6	7.3	1.8	21.7	2.4	47.4	1.0	14.0	2.0	10.1	8.5	0.9	17.5	2.8	43.2		
Education																				
Never	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Primary	0.0	15.8	2.5	19.2	16.9	0.9	6.5	1.3	36.8	0.0	18.3	1.9	19.9	16.2	1.2	6.0	0.0	36.5		
Secondary	0.3	10.7	1.6	7.3	6.5	1.4	19.4	2.9	49.9	0.5	14.8	2.2	9.7	7.6	1.0	17.2	3.5	43.3		
Tertiary	1.9	3.3	0.7	1.1	5.5	3.5	39.3	1.2	43.4	4.1	5.8	1.5	2.4	7.6	0.0	29.6	1.6	47.5		
Wealth Quintile																				
Lowest	0.0	9.4	1.4	11.3	9.4	2.3	16.9	1.4	48.0	0.0	11.7	1.3	13.4	11.2	1.8	11.5	2.3	46.7		
Lower	0.0	14.6	1.6	7.7	5.2	1.0	18.0	6.5	45.5	0.0	19.1	0.9	10.6	4.7	0.0	15.0	8.9	40.8		
Middle	0.0	12.1	0.9	8.2	10.4	1.7	15.2	0.6	50.9	0.0	17.2	1.4	9.2	9.9	0.0	13.4	0.0	48.9		
High	1.0	5.4	0.9	6.9	5.8	1.9	25.3	1.5	51.3	1.7	8.9	1.7	11.7	7.1	2.5	20.7	1.0	44.7		
Highest	1.8	8.3	2.8	4.2	6.2	2.3	32.1	2.1	40.2	3.1	13.3	4.8	5.8	10.0	0.0	26.3	2.9	33.8		
Region																				
Kinshasa	0.6	9.8	1.5	7.6	7.3	1.8	21.7	2.4	47.4	1.0	14.0	2.0	10.1	8.5	0.9	17.5	2.8	43.2		

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 2855)			Married Women ¹ (N = 1400)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	17.6	4.8	22.4	24.5	8.8	33.3
Age Group						
15-19	15.7	1.3	17.0	60.0	10.1	70.1
20-24	23.4	1.5	24.9	40.2	2.4	42.6
25-29	22.5	2.7	25.3	31.4	4.7	36.1
30-34	19.2	6.4	25.6	23.6	8.1	31.8
35-39	15.8	9.3	25.1	18.4	11.2	29.6
40-44	8.0	13.1	21.2	9.5	16.2	25.7
45-49	2.8	10.0	12.8	3.7	12.4	16.1
Marital Status						
Married, or in union	24.5	8.8	33.3	na	na	na
Unmarried, sexually active	36.0	3.2	39.2	na	na	na
Parity						
0-1 children	16.6	0.9	17.6	32.4	2.5	34.9
2-3 children	23.7	4.4	28.1	27.9	4.9	32.8
4+ children	13.5	15.7	29.2	15.1	17.5	32.6
Residence						
Urban	17.6	4.8	22.4	24.5	8.8	33.3
Education						
Never	<i>11.3</i>	<i>11.0</i>	<i>22.3</i>	<i>18.4</i>	<i>18.0</i>	<i>36.4</i>
Primary	18.7	8.5	27.2	21.6	13.5	35.1
Secondary	18.5	4.8	23.2	25.4	8.9	34.3
Tertiary	13.7	1.9	15.6	23.1	3.6	26.7
Wealth Quintile						
Lowest	20.9	8.0	29.0	29.5	14.4	43.8
Lower	18.3	5.6	23.9	24.1	9.8	33.9
Middle	18.1	4.2	22.3	24.8	6.6	31.4
High	16.7	3.5	20.2	22.6	7.4	30.0
Highest	14.5	3.0	17.5	21.6	6.2	27.8
Region						
Kinshasa	17.6	4.8	22.4	24.5	8.8	33.3

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=2855)					Married Women ² (N=1400)				
	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	30.3	16.0	22.4	52.7	30.3	35.6	20.3	33.3	69.0	29.4
Age Group										
15-19	11.2	5.1	17.0	28.2	18.1	12.7	8.3	70.1	82.9	10.0
20-24	34.8	18.5	24.9	59.7	31.0	36.9	21.8	42.6	79.5	27.5
25-29	36.3	18.4	25.3	61.6	29.9	34.7	19.7	36.1	70.8	27.9
30-34	36.1	23.1	25.6	61.7	37.5	36.6	25.7	31.8	68.4	37.6
35-39	42.1	24.8	25.1	67.1	37.0	45.4	27.3	29.6	75.0	36.4
40-44	35.5	14.3	21.2	56.6	25.3	37.5	14.2	25.7	63.2	22.5
45-49	21.4	8.0	12.8	34.3	23.3	23.9	10.1	16.1	40.0	25.2
Marital Status										
Married, or in union	35.6	20.3	33.3	69.0	29.4	na	na	na	na	na
Unmarried, sexually active	51.9	25.4	39.2	91.1	27.9	na	na	na	na	na
Parity										
0-1 children	23.9	11.4	17.6	41.5	27.4	24.4	14.2	34.9	59.3	24.0
2-3 children	35.8	19.0	28.1	63.9	29.8	37.2	19.6	32.8	70.0	28.0
4+ children	42.1	25.3	29.2	71.3	35.5	43.0	25.6	32.6	75.6	33.9
Residence										
Urban	30.3	16.0	22.4	52.7	30.3	35.6	20.3	33.3	69.0	29.4
Education										
Never	<i>20.7</i>	<i>13.0</i>	<i>22.3</i>	<i>43.1</i>	--	<i>18.8</i>	<i>10.3</i>	<i>36.4</i>	<i>55.1</i>	--
Primary	28.4	17.9	27.2	55.6	32.2	33.9	21.5	35.1	69.0	31.2
Secondary	29.9	15.0	23.2	53.1	28.2	36.3	20.6	34.3	70.7	29.1
Tertiary	34.3	19.4	15.6	49.9	38.9	35.6	18.7	26.7	62.4	30.0
Wealth Quintile										
Lowest	28.0	14.6	29.0	57.0	25.6	30.8	16.4	43.8	74.6	22.0
Lower	30.6	16.7	23.9	54.5	30.6	33.6	19.9	33.9	67.5	29.5
Middle	30.8	15.1	22.3	53.1	28.5	38.0	19.4	31.4	69.4	28.0
High	34.8	16.9	20.2	54.9	30.8	40.6	22.4	30.0	70.5	31.8
Highest	27.3	16.4	17.5	44.9	36.5	34.9	23.1	27.8	62.7	36.9
Region										
Kinshasa	30.3	16.0	22.4	52.7	30.3	35.6	20.3	33.3	69.0	29.4

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1205)			Married ¹ Women with 1 or More Births (N=922)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	41.2	48.4	10.4	46.5	43.9	9.6
Age Group						
15-19	20.5	58.5	21.0	<i>25.6</i>	<i>55.0</i>	<i>19.4</i>
20-24	23.9	69.9	6.2	31.6	63.3	5.1
25-29	42.4	51.8	5.7	46.8	49.5	3.7
30-34	50.9	40.9	8.2	54.4	39.2	6.4
35-39	53.0	34.5	12.5	53.1	34.1	12.8
40-44	52.6	23.9	23.6	53.6	24.0	22.4
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	46.5	43.9	9.6	na	na	na
Unmarried, sexually active	23.2	63.5	13.2	na	na	na
Parity						
0-1 children	36.7	55.9	7.4	51.1	43.1	5.9
2-3 children	44.3	50.2	5.5	48.1	49.0	2.9
4+ children	41.6	38.9	19.5	42.0	39.1	18.9
Residence						
Urban	41.2	48.4	10.4	46.5	43.9	9.6
Education						
Never	--	--	--	--	--	--
Primary	29.6	54.5	15.8	32.5	50.6	16.9
Secondary	40.1	50.1	9.8	44.9	46.4	8.8
Tertiary	64.5	30.6	4.8	71.5	24.5	4.0
Wealth Quintile						
Lowest	29.0	55.3	15.7	30.9	53.6	15.5
Lower	36.8	53.7	9.4	41.4	47.6	11.0
Middle	41.8	47.8	10.4	49.5	42.5	8.0
High	47.3	44.7	8.0	52.6	41.1	6.3
Highest	58.2	35.4	6.4	63.8	30.9	5.2
Region						
Kinshasa	41.2	48.4	10.4	46.5	43.9	9.6

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 456)
Total				
All	39.4	43.9	16.7	
Age Group				
15-19	<i>35.3</i>	<i>46.9</i>	<i>17.8</i>	
20-24	41.1	37.2	21.7	
25-29	42.0	38.6	19.4	
30-34	34.6	47.4	18.0	
35-39	46.7	47.6	5.7	
40-44	<i>31.8</i>	<i>59.6</i>	<i>8.6</i>	
45-49	--	--	--	
Marital Status				
Married, or in union	34.8	46.9	18.3	
Unmarried, sexually active	42.5	42.0	15.5	
Parity				
0-1 children	40.0	40.1	20.0	
2-3 children	39.4	41.8	18.8	
4+ children	38.7	50.5	10.9	
Residence				
Urban	39.4	43.9	16.7	
Education				
Never	--	--	--	
Primary	39.4	44.6	16.0	
Secondary	38.6	44.1	17.3	
Tertiary	40.8	44.0	15.2	
Wealth Quintile				
Lowest	46.2	38.8	15.0	
Lower	45.3	42.1	12.6	
Middle	37.5	45.9	16.6	
High	37.0	46.5	16.5	
Highest	32.8	45.3	21.9	
Region				
Kinshasa	39.4	43.9	16.7	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method ¹ who paid fees for services in the past 12 months, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users	Married ² Modern Contraceptive Users
	(N = 456)	(N = 284)
Total		
All	60.1	62.6
Age Group		
15-19	<i>56.9</i>	--
20-24	60.6	<i>60.2</i>
25-29	53.7	58.6
30-34	59.0	60.9
35-39	69.4	69.7
40-44	<i>64.2</i>	<i>68.6</i>
45-49	--	--
Marital Status		
Married, or in union	62.6	na
Unmarried, sexually active	58.8	na
Parity		
0-1 children	56.8	63.5
2-3 children	57.5	58.9
4+ children	66.4	64.8
Residence		
Urban	60.1	62.6
Education		
Never	--	--
Primary	79.3	<i>74.5</i>
Secondary	60.4	61.6
Tertiary	48.1	<i>56.4</i>
Wealth Quintile		
Lowest	59.4	<i>57.0</i>
Lower	63.0	63.7
Middle	63.0	66.1
High	62.3	66.4
Highest	53.1	58.8
Region		
Kinshasa	60.1	62.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods ²		Informed about side effects ²		Told what to do if experienced side effects ²	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(456)	(284)	(439)	(272)	(169)	(123)
All	35.9	41.2	36.7	43.3	81.6	85.7
Age Group						
15-19	<i>12.5</i>	--	<i>24.6</i>	--	--	--
20-24	28.9	<i>28.1</i>	18.9	<i>20.7</i>	--	--
25-29	25.4	27.1	29.6	31.6	<i>83.8</i>	--
30-34	40.2	45.2	47.1	54.3	<i>83.5</i>	<i>81.2</i>
35-39	51.1	49.8	56.8	53.0	<i>85.8</i>	<i>93.6</i>
40-44	<i>53.5</i>	<i>55.3</i>	<i>50.8</i>	<i>52.0</i>	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	41.2	na	43.3	na	85.7	na
Unmarried, sexually active	28.4	na	26.4	na	75.6	na
Parity						
0-1 children	19.5	20.4	17.7	20.9	<i>73.0</i>	--
2-3 children	44.5	43.0	41.4	40.9	77.8	<i>77.9</i>
4+ children	48.9	49.1	56.9	55.2	87.2	91.7
Residence						
Urban	35.9	41.2	36.7	43.3	81.6	85.7
Education						
Never	--	--	--	--	--	--
Primary	50.4	<i>48.4</i>	<i>47.4</i>	<i>45.9</i>	--	--
Secondary	34.5	38.9	37.8	44.7	81.9	86.8
Tertiary	30.6	<i>42.8</i>	24.4	<i>29.6</i>	--	--
Wealth Quintile						
Lowest	37.1	<i>36.5</i>	36.5	<i>37.6</i>	<i>78.4</i>	--
Lower	36.9	39.6	40.6	51.1	<i>83.7</i>	<i>88.1</i>
Middle	33.4	40.4	46.1	52.3	<i>83.2</i>	<i>84.6</i>
High	32.7	37.5	30.5	32.5	<i>70.9</i>	--
Highest	39.4	50.4	31.3	43.9	<i>90.3</i>	<i>93.9</i>
Region						
Kinshasa	35.9	41.2	36.7	43.3	81.6	85.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhoea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 439)	(N = 439)	(N = 439)
All	62.8	59.2	49.2
Age Group			
15-19	55.7	49.0	39.3
20-24	56.3	52.8	39.6
25-29	68.9	65.8	56.8
30-34	64.1	64.0	53.6
35-39	65.5	56.2	49.0
40-44	67.3	63.5	54.5
45-49	--	--	--
Marital Status			
Married, or in union	65.1	60.6	51.3
Unmarried, sexually active	66.9	54.6	47.1
Parity			
0-1 children	58.3	57.8	43.9
2-3 children	66.3	60.5	54.3
4+ children	65.7	59.9	51.6
Residence			
Urban	62.8	59.2	49.2
Education			
Never	--	--	--
Primary	72.2	64.7	55.6
Secondary	59.9	55.4	45.9
Tertiary	67.1	69.5	56.3
Wealth Quintile			
Lowest	55.1	45.4	36.1
Lower	69.5	61.3	54.7
Middle	56.5	51.8	39.7
High	65.3	64.0	54.5
Highest	65.8	69.4	57.1
Region			
Kinshasa	62.8	59.2	49.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(2855)	(1400)	(2855)	(1400)	(2855)	(1400)
All	6.6	9.0	11.7	17.7	15.9	23.2
Age Group						
15-19	4.5	13.8	4.4	24.8	7.8	30.3
20-24	5.4	9.1	10.1	18.3	13.8	24.4
25-29	7.6	8.7	15.8	22.6	20.0	27.5
30-34	6.5	8.9	19.0	24.4	22.7	29.3
35-39	9.1	9.6	18.1	18.3	23.0	23.4
40-44	8.2	8.9	9.1	7.2	15.2	13.8
45-49	8.2	6.8	6.3	3.7	12.0	9.8
Marital Status						
Married, or in union	9.0	na	17.7	na	23.2	na
Unmarried, sexually active	4.9	na	5.4	na	8.1	na
Parity						
0-1 children	4.5	8.4	6.8	16.7	9.9	21.2
2-3 children	7.5	7.7	18.2	19.3	22.3	23.5
4+ children	11.4	10.8	17.9	16.9	25.2	24.4
Residence						
Urban	6.6	9.0	11.7	17.7	15.9	23.2
Education						
Never	<i>11.8</i>	<i>11.0</i>	<i>19.8</i>	<i>20.5</i>	<i>22.0</i>	<i>20.5</i>
Primary	9.5	10.6	14.2	14.2	20.0	22.2
Secondary	6.5	9.0	11.7	18.4	16.0	23.9
Tertiary	4.8	7.8	9.6	16.8	12.3	20.9
Wealth Quintile						
Lowest	9.8	12.0	16.5	19.6	21.3	26.0
Lower	8.9	12.5	14.5	21.3	20.5	29.3
Middle	4.4	5.8	8.7	13.7	11.8	17.5
High	6.6	10.0	11.0	18.0	15.4	24.2
Highest	3.8	5.2	8.6	16.1	11.4	19.4
Region						
Kinshasa	6.6	9.0	11.7	17.7	15.9	23.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	N/A	N/A	1900
Households Occupied	N/A	N/A	1900
Households Interviewed	N/A	N/A	1900
Household Response Rate ¹	0.00%	0.00%	100.00%
Interviews with Women			
Number of Eligible Women ²	N/A	N/A	2989
Number of Eligible Women Interviewed	N/A	N/A	2860
Eligible Woman Response Rate ³	0.00%	0.00%	95.68%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.160	0.013	0.136	0.187	0.203	0.018	0.170	0.240
Currently using a traditional method	0.144	0.015	0.116	0.177	0.154	0.019	0.120	0.196
Currently using any contraceptive method	0.303	0.021	0.262	0.348	0.356	0.025	0.308	0.408
Currently using DMPA-IM	0.023	0.004	0.016	0.033	0.036	0.006	0.025	0.051
Currently using DMPA-SC								
Currently using condoms	0.217	0.019	0.181	0.258	0.175	0.023	0.134	0.226
Currently using implants	0.030	0.004	0.023	0.039	0.050	0.007	0.038	0.065
Chose method by self or jointly in past 12 months	0.833	0.030	0.766	0.884	0.817	0.031	0.747	0.871
Paid fees for family planning services in past 12 months	0.330	0.026	0.281	0.384	0.372	0.033	0.309	0.439
Informed by provider about other methods	0.280	0.029	0.227	0.341	0.324	0.031	0.266	0.388
Informed by provider about side effects	0.357	0.027	0.305	0.411	0.419	0.032	0.356	0.485
Satisfied with provider: Would return and refer friend/relative to provider	0.483	0.041	0.402	0.565	0.503	0.044	0.416	0.591
Visited by health worker who talked about family planning in past 12 months	0.066	0.010	0.048	0.089	0.090	0.015	0.065	0.125

¹ Married includes married women and those who are living with a man