



## Performance Monitoring and Accountability 2020

*Measuring Performance, Informing Policy, Empowering Communities.*



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

### India Round 4: Snapshot of Indicators (SOIs)

**Suggested citation:** Indian Institute of Health Management Research (IIHMR) University in Jaipur and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 4, PMA2018/India-R4 (Rajasthan) Snapshot of Indicators*. 2018. India and Baltimore, Maryland, USA.

[www.pmadata.org](http://www.pmadata.org)

[facebook.com/PM4Action](https://facebook.com/PM4Action)

[instagram.com/PM4Action](https://instagram.com/PM4Action)

Twitter: @PM4Action

# Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	5832	5832
<b>Age Group</b>			
15-19	18.5	1078	1116
20-24	19.6	1146	1153
25-29	16.7	973	986
30-34	13.6	795	786
35-39	12.8	747	738
40-44	10.9	636	592
45-49	7.8	458	461
<b>Marital Status</b>			
Married, or in union	76.2	4441	4421
Unmarried, sexually active	0.3	15	18
<b>Parity</b>			
0-1 children	43.7	2550	2561
2-3 children	39.8	2318	2282
4+ children	16.5	963	987
<b>Residence</b>			
Urban	34.6	2019	1466
Rural	65.4	3813	4366
<b>Education</b>			
Never	36.8	2145	2187
Primary	24.0	1397	1400
Secondary	16.5	965	938
Higher	9.2	536	552
Postgrad	13.5	790	755
<b>Wealth Quintile</b>			
Lowest	16.0	932	919
Lower	17.8	1040	1099
Middle	20.1	1170	1235
High	22.8	1332	1293
Highest	23.3	1359	1286

# Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	48.2	62.2	45.3	58.4	2.9	3.8
<b>Age Group</b>						
15-19	3.6	21.9	3.3	20.2	0.3	1.7
20-24	27.7	39.0	24.0	33.7	3.7	5.2
25-29	54.2	56.3	49.2	51.2	4.9	5.1
30-34	73.1	75.2	69.3	71.2	3.9	4.0
35-39	73.2	75.1	70.3	72.1	2.9	3.0
40-44	76.5	76.9	74.2	74.4	2.3	2.4
45-49	68.1	69.8	66.2	67.7	1.9	2.0
<b>Marital Status</b>						
Married, or in union	62.2	na	58.4	na	3.8	na
Unmarried, sexually active	--	na	--	na	--	na
<b>Parity</b>						
0-1 children	15.2	30.9	13.2	26.7	2.1	4.3
2-3 children	74.6	75.3	70.9	71.5	3.7	3.8
4+ children	71.8	72.1	68.7	69.0	3.1	3.2
<b>Residence</b>						
Urban	48.3	63.6	44.8	58.9	3.5	4.7
Rural	48.1	61.4	45.5	58.1	2.6	3.3
<b>Education</b>						
Never	62.5	65.4	60.4	63.1	2.1	2.3
Primary	50.1	60.4	47.1	56.7	3.0	3.7
Secondary	36.7	60.2	33.2	54.4	3.5	5.8
Higher	28.1	59.1	25.5	53.8	2.5	5.3
Postgrad	33.5	56.7	29.2	49.4	4.3	7.3
<b>Wealth Quintile</b>						
Lowest	45.2	55.9	43.6	53.8	1.7	2.1
Lower	45.7	58.5	43.4	55.6	2.3	2.9
Middle	49.0	64.7	45.8	60.4	3.2	4.3
High	50.3	65.6	46.8	61.1	3.5	4.6
Highest	49.3	64.0	45.9	59.5	3.4	4.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

### All Users (N = 2810)

### Married Users<sup>1</sup> (N = 2761)

Background Characteristics	All Users (N = 2810)										Married Users <sup>1</sup> (N = 2761)									
	Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional		Sterilization	Implant	IUD	Injectable	Pill	EC	Condom	Other Modern	Other Traditional	
<b>Total</b>																				
All	63.7	0.0	2.9	1.2	7.7	0.5	17.4	0.5	6.0		63.1	0.0	2.9	1.2	7.9	0.5	17.7	0.5	6.1	
<b>Age Group</b>																				
15-19	<i>1.2</i>	<i>0.0</i>	<i>2.0</i>	<i>1.2</i>	<i>16.4</i>	<i>3.2</i>	<i>62.2</i>	<i>5.9</i>	<i>7.9</i>		<i>1.2</i>	<i>0.0</i>	<i>2.0</i>	<i>1.2</i>	<i>16.4</i>	<i>3.2</i>	<i>62.2</i>	<i>5.9</i>	<i>7.9</i>	
20-24	19.3	0.0	4.6	2.8	16.5	1.8	40.5	1.2	13.4		19.2	0.0	4.6	2.8	16.5	1.8	40.3	1.2	13.5	
25-29	46.4	0.2	4.0	2.5	12.5	0.4	23.7	1.3	9.1		46.4	0.2	4.0	2.5	12.5	0.4	23.8	1.3	9.0	
30-34	63.3	0.0	3.2	0.3	8.2	0.8	18.7	0.2	5.3		62.9	0.0	3.3	0.3	8.3	0.8	18.9	0.2	5.3	
35-39	75.3	0.0	2.2	1.0	5.1	0.0	12.3	0.2	3.9		74.8	0.0	2.2	1.0	5.2	0.0	12.5	0.2	4.0	
40-44	87.9	0.0	1.6	0.6	2.5	0.0	4.3	0.0	3.0		87.5	0.0	1.7	0.6	2.6	0.0	4.5	0.0	3.2	
45-49	88.7	0.0	1.9	0.0	1.4	0.3	4.8	0.0	2.8		88.1	0.0	2.0	0.0	1.5	0.4	5.1	0.0	2.9	
<b>Marital Status</b>																				
Married, or in union	63.1	0.0	2.9	1.2	7.9	0.5	17.7	0.5	6.1		na	na	na	na	na	na	na	na	na	
Unmarried, sexually active	--	--	--	--	--	--	--	--	--		na	na	na	na	na	na	na	na	na	
<b>Parity</b>																				
0-1 children	14.1	0.3	5.2	2.9	13.2	2.7	46.3	1.5	13.7		13.5	0.3	5.3	3.0	13.3	2.7	46.7	1.5	13.8	
2-3 children	68.9	0.0	2.4	0.8	7.2	0.1	15.1	0.5	5.0		68.5	0.0	2.5	0.8	7.3	0.1	15.3	0.5	5.0	
4+ children	78.4	0.0	2.7	1.1	6.0	0.3	7.0	0.1	4.3		78.0	0.0	2.7	1.2	6.2	0.3	7.2	0.1	4.4	
<b>Residence</b>																				
Urban	50.4	0.0	5.0	1.7	8.6	0.5	25.9	0.7	7.3		49.4	0.0	5.1	1.8	8.7	0.5	26.4	0.7	7.4	
Rural	70.8	0.1	1.8	0.9	7.3	0.5	12.9	0.5	5.4		70.4	0.1	1.8	0.9	7.4	0.5	13.1	0.5	5.4	
<b>Education</b>																				
Never	83.4	0.0	1.3	0.8	5.8	0.1	5.2	0.1	3.4		83.0	0.0	1.4	0.8	5.9	0.1	5.3	0.1	3.5	
Primary	60.3	0.1	3.6	2.0	9.9	0.9	16.5	0.6	6.1		59.7	0.1	3.7	2.0	10.1	1.0	16.8	0.6	6.1	
Secondary	44.9	0.0	4.5	0.8	9.7	0.4	29.0	1.3	9.5		44.2	0.0	4.6	0.8	9.8	0.4	29.2	1.3	9.6	
Higher	31.1	0.0	1.9	0.9	8.5	0.8	47.5	0.3	9.0		31.1	0.0	1.9	0.9	8.5	0.8	47.5	0.3	9.0	
Postgrad	16.6	0.0	7.2	1.4	8.7	1.7	49.6	1.9	12.8		16.6	0.0	7.2	1.4	8.7	1.7	49.6	1.9	12.8	
<b>Wealth Quintile</b>																				
Lowest	76.6	0.0	1.4	0.3	7.1	0.0	10.4	0.5	3.7		76.1	0.0	1.5	0.3	7.2	0.0	10.6	0.5	3.7	
Lower	77.0	0.0	2.6	0.9	7.1	0.2	7.2	0.0	5.0		76.6	0.0	2.6	1.0	7.3	0.2	7.4	0.0	5.0	
Middle	69.4	0.2	3.1	1.3	4.8	0.4	13.8	0.5	6.5		68.9	0.2	3.2	1.3	5.0	0.4	13.9	0.5	6.7	
High	54.6	0.0	3.0	2.2	10.1	1.0	22.1	0.2	6.9		54.1	0.0	3.0	2.2	10.2	1.0	22.3	0.2	7.0	
Highest	50.3	0.0	3.8	0.7	8.7	0.7	27.6	1.3	7.0		49.8	0.0	3.8	0.8	8.7	0.7	27.9	1.3	7.1	

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 5832)			Married Women <sup>1</sup> (N = 4441)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	5.4	3.8	9.2	6.9	4.9	11.9
<b>Age Group</b>						
15-19	4.6	0.7	5.3	26.2	2.8	29.1
20-24	13.9	3.2	17.1	19.1	4.4	23.5
25-29	9.1	8.7	17.8	9.4	9.1	18.4
30-34	1.6	5.3	6.8	1.6	5.4	7.1
35-39	0.7	4.6	5.4	0.8	4.9	5.6
40-44	0.0	2.1	2.1	0.0	2.2	2.2
45-49	0.1	0.9	1.0	0.2	0.9	1.1
<b>Marital Status</b>						
Married, or in union	6.9	4.9	11.9	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	9.4	1.0	10.4	18.6	1.8	20.4
2-3 children	2.9	6.2	9.1	3.0	6.4	9.3
4+ children	0.9	5.5	6.4	0.9	5.6	6.5
<b>Residence</b>						
Urban	4.4	3.5	7.9	5.8	4.8	10.6
Rural	5.9	4.0	9.9	7.5	5.0	12.5
<b>Education</b>						
Never	3.6	4.6	8.2	3.7	4.9	8.7
Primary	5.9	4.3	10.2	7.2	5.2	12.4
Secondary	6.4	3.2	9.6	10.3	5.3	15.6
Higher	5.5	3.3	8.8	11.1	6.5	17.7
Postgrad	8.2	1.8	10.0	13.5	2.9	16.5
<b>Wealth Quintile</b>						
Lowest	7.0	5.8	12.8	8.5	7.0	15.5
Lower	5.3	4.3	9.6	6.7	5.6	12.3
Middle	4.9	4.5	9.4	6.5	6.0	12.5
High	5.7	2.7	8.4	7.5	3.4	10.9
Highest	4.5	2.6	7.2	5.8	3.5	9.3

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

## Background

### Characteristics

Characteristics	All Women (N=5832)					Married Women <sup>2</sup> (N=4441)				
	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	48.2	45.3	9.2	57.4	78.9	62.2	58.4	11.9	74.0	78.9
<b>Age Group</b>										
15-19	3.6	3.3	5.3	8.9	37.4	21.9	20.2	29.1	51.0	39.6
20-24	27.7	24.0	17.1	44.8	53.6	39.0	33.7	23.5	62.4	54.0
25-29	54.2	49.2	17.8	72.0	68.4	56.3	51.2	18.4	74.7	68.6
30-34	73.1	69.3	6.8	79.9	86.6	75.2	71.2	7.1	82.2	86.5
35-39	73.2	70.3	5.4	78.5	89.5	75.1	72.1	5.6	80.7	89.3
40-44	76.5	74.2	2.1	78.6	94.3	76.9	74.4	2.2	79.1	94.1
45-49	68.1	66.2	1.0	69.1	95.8	69.8	67.7	1.1	70.9	95.6
<b>Marital Status</b>										
Married, or in union	62.2	58.4	11.9	74.0	78.9	na	na	na	na	na
Unmarried, sexually active	--	--	--	--	--	na	na	na	na	na
<b>Parity</b>										
0-1 children	15.2	13.2	10.4	25.7	51.2	30.9	26.7	20.4	51.3	51.9
2-3 children	74.6	70.9	9.1	83.7	84.7	75.3	71.5	9.3	84.7	84.5
4+ children	71.8	68.7	6.4	78.2	87.9	72.1	69.0	6.5	78.7	87.7
<b>Residence</b>										
Urban	48.3	44.8	7.9	56.3	79.7	63.6	58.9	10.6	74.2	79.4
Rural	48.1	45.5	9.9	58.0	78.5	61.4	58.1	12.5	73.9	78.6
<b>Education</b>										
Never	62.5	60.4	8.2	70.7	85.3	65.4	63.1	8.7	74.0	85.2
Primary	50.1	47.1	10.2	60.4	78.0	60.4	56.7	12.4	72.8	77.9
Secondary	36.7	33.2	9.6	46.3	71.7	60.2	54.4	15.6	75.8	71.8
Higher	28.1	25.5	8.8	36.8	69.3	59.1	53.8	17.7	76.8	70.1
Postgrad	33.5	29.2	10.0	43.4	67.2	56.7	49.4	16.5	73.1	67.6
<b>Wealth Quintile</b>										
Lowest	45.2	43.6	12.8	58.0	75.1	55.9	53.8	15.5	71.4	75.3
Lower	45.7	43.4	9.6	55.3	78.5	58.5	55.6	12.3	70.8	78.6
Middle	49.0	45.8	9.4	58.4	78.5	64.7	60.4	12.5	77.2	78.2
High	50.3	46.8	8.4	58.6	79.9	65.6	61.1	10.9	76.6	79.7
Highest	49.3	45.9	7.2	56.5	81.2	64.0	59.5	9.3	73.3	81.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1823)			Married <sup>1</sup> Women with 1 or More Births (N=1808)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	87.4	11.2	1.4	87.4	11.3	1.3
<b>Age Group</b>						
15-19	82.4	16.6	1.0	82.4	16.6	1.0
20-24	88.8	10.4	0.9	88.8	10.5	0.7
25-29	87.7	10.9	1.3	87.7	11.0	1.3
30-34	87.8	11.5	0.7	87.8	11.5	0.7
35-39	85.6	10.2	4.2	85.1	10.5	4.3
40-44	<i>68.9</i>	<i>23.6</i>	<i>7.5</i>	<i>68.9</i>	<i>23.6</i>	<i>7.5</i>
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	87.4	11.3	1.3	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
<b>Parity</b>						
0-1 children	88.2	11.3	0.5	88.3	11.4	0.3
2-3 children	87.5	11.0	1.5	87.4	11.1	1.5
4+ children	85.4	11.6	3.0	85.3	11.7	3.0
<b>Residence</b>						
Urban	86.6	12.2	1.2	86.4	12.3	1.2
Rural	87.9	10.7	1.4	87.9	10.8	1.3
<b>Education</b>						
Never	87.3	10.5	2.2	87.2	10.6	2.2
Primary	88.7	9.8	1.5	88.5	9.9	1.5
Secondary	87.9	11.0	1.1	88.2	11.2	0.7
Higher	84.0	16.0	0.0	83.8	16.2	0.0
Postgrad	86.6	13.2	0.2	86.6	13.2	0.2
<b>Wealth Quintile</b>						
Lowest	90.1	7.8	2.1	90.4	7.8	1.8
Lower	88.6	10.4	1.0	88.5	10.5	1.0
Middle	81.3	16.6	2.2	81.0	16.8	2.2
High	89.0	10.0	1.0	89.0	10.0	1.0
Highest	87.5	11.8	0.6	87.4	11.9	0.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 2628)
<b>Total</b>				
All	21.1	64.7	14.2	
<b>Age Group</b>				
15-19	<i>16.6</i>	<i>68.8</i>	<i>14.5</i>	
20-24	20.0	63.7	16.3	
25-29	23.6	62.6	13.8	
30-34	23.1	62.6	14.3	
35-39	19.4	64.0	16.6	
40-44	20.3	67.2	12.6	
45-49	19.8	69.2	11.0	
<b>Marital Status</b>				
Married, or in union	21.1	64.8	14.2	
Unmarried, sexually active	--	--	--	
<b>Parity</b>				
0-1 children	21.0	62.3	16.7	
2-3 children	21.3	64.7	14.0	
4+ children	20.8	65.8	13.4	
<b>Residence</b>				
Urban	21.4	59.9	18.8	
Rural	21.0	67.1	11.8	
<b>Education</b>				
Never	20.5	66.1	13.4	
Primary	23.7	64.0	12.3	
Secondary	19.6	62.3	18.1	
Higher	17.1	65.1	17.8	
Postgrad	22.3	61.3	16.4	
<b>Wealth Quintile</b>				
Lowest	25.5	57.0	17.4	
Lower	24.1	65.6	10.3	
Middle	17.7	69.7	12.7	
High	19.1	67.1	13.8	
Highest	21.2	62.2	16.6	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method <sup>1</sup> who paid fees for services the last time they received the method, by marital status and background characteristics.

## Background

### Characteristics

	All Modern Contraceptive Users (N = 2614)	Married <sup>2</sup> Modern Contraceptive Users (N = 2566)
<b>Total</b>		
All	61.9	62.2
<b>Age Group</b>		
15-19	<i>95.5</i>	<i>95.5</i>
20-24	70.4	70.2
25-29	64.8	64.8
30-34	63.8	64.2
35-39	61.9	61.9
40-44	53.7	53.7
45-49	55.5	56.9
<b>Marital Status</b>		
Married, or in union	62.2	na
Unmarried, sexually active	--	na
<b>Parity</b>		
0-1 children	81.5	81.8
2-3 children	58.8	59.0
4+ children	59.8	60.2
<b>Residence</b>		
Urban	69.4	69.9
Rural	58.1	58.2
<b>Education</b>		
Never	56.9	57.2
Primary	60.8	61.1
Secondary	66.7	67.2
Higher	68.5	68.5
Postgrad	83.0	83.0
<b>Wealth Quintile</b>		
Lowest	51.6	52.0
Lower	57.6	57.6
Middle	61.0	61.3
High	65.6	66.0
Highest	68.8	69.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(2628)</b>	<b>(2580)</b>	<b>(2628)</b>	<b>(2580)</b>	<b>(1038)</b>	<b>(1017)</b>
All	25.8	25.7	41.3	41.3	85.0	85.1
<b>Age Group</b>						
15-19	<i>16.5</i>	<i>16.5</i>	<i>21.5</i>	<i>21.5</i>	--	--
20-24	27.7	27.9	38.9	39.0	79.2	79.5
25-29	26.9	26.9	43.5	43.5	87.1	87.1
30-34	29.4	29.5	40.9	41.2	84.6	84.6
35-39	24.4	23.9	43.8	43.4	83.7	83.2
40-44	23.3	23.1	41.5	40.7	85.1	86.4
45-49	23.3	23.3	38.7	39.6	88.7	88.4
<b>Marital Status</b>						
Married, or in union	25.7	na	41.3	na	85.1	na
Unmarried, sexually active	--	na	--	na	na	na
<b>Parity</b>						
0-1 children	28.8	29.0	36.6	36.6	78.0	77.8
2-3 children	26.7	26.5	43.3	43.2	86.1	86.4
4+ children	22.3	22.1	38.9	39.1	85.2	85.0
<b>Residence</b>						
Urban	35.2	34.7	44.6	44.4	85.9	85.6
Rural	20.9	21.1	39.6	39.7	84.4	84.9
<b>Education</b>						
Never	22.1	22.2	41.5	41.8	84.6	85.0
Primary	26.8	26.5	43.5	42.9	86.5	86.4
Secondary	33.8	33.2	42.1	42.0	83.9	83.6
Higher	24.7	24.7	38.8	38.8	<i>73.9</i>	<i>73.9</i>
Postgrad	33.8	33.8	34.9	34.9	91.5	91.5
<b>Wealth Quintile</b>						
Lowest	27.5	27.6	50.2	50.5	85.6	86.1
Lower	21.9	21.7	40.3	40.4	81.7	81.9
Middle	26.0	25.6	42.1	42.1	78.3	78.3
High	22.4	22.2	35.4	35.2	87.0	86.8
Highest	30.9	31.0	41.6	41.5	90.9	91.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 2623)</b>	<b>(N = 2623)</b>	<b>(N = 2623)</b>
All	55.4	66.3	44.1
<b>Age Group</b>			
15-19	<i>80.9</i>	<i>69.9</i>	<i>63.2</i>
20-24	77.3	70.9	59.5
25-29	64.1	64.0	47.5
30-34	57.8	66.0	44.6
35-39	53.7	65.8	44.0
40-44	43.5	65.7	39.3
45-49	36.5	67.5	29.9
<b>Marital Status</b>			
Married, or in union	55.6	66.3	44.2
Unmarried, sexually active	--	--	--
<b>Parity</b>			
0-1 children	81.5	66.5	61.0
2-3 children	52.5	65.8	42.2
4+ children	49.4	67.3	40.5
<b>Residence</b>			
Urban	64.2	62.6	47.2
Rural	50.8	68.2	42.5
<b>Education</b>			
Never	45.0	64.3	37.4
Primary	59.4	68.3	46.9
Secondary	66.7	73.4	55.1
Higher	71.9	65.2	49.9
Postgrad	77.4	62.4	55.7
<b>Wealth Quintile</b>			
Lowest	58.2	70.4	48.0
Lower	46.2	69.3	39.7
Middle	52.6	63.6	42.8
High	55.1	64.7	43.5
Highest	62.9	65.2	46.6

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(5832)</b>	<b>(4441)</b>	<b>(5832)</b>	<b>(4441)</b>	<b>(5832)</b>	<b>(4441)</b>
All	24.9	30.0	10.6	13.5	27.5	33.2
<b>Age Group</b>						
15-19	11.2	28.9	2.9	13.0	12.0	31.4
20-24	31.6	40.8	15.3	21.1	35.7	46.3
25-29	35.2	36.1	16.7	17.0	38.8	39.6
30-34	29.4	30.3	13.0	13.2	32.3	33.3
35-39	23.3	23.9	9.1	9.4	25.5	26.0
40-44	21.8	21.7	7.8	8.1	23.9	23.9
45-49	17.5	17.9	6.3	6.7	19.6	20.1
<b>Marital Status</b>						
Married, or in union	30.0	na	13.5	na	33.2	na
Unmarried, sexually active	--	na	--	na	--	na
<b>Parity</b>						
0-1 children	20.6	33.6	8.0	15.2	22.6	37.1
2-3 children	28.7	29.0	12.9	13.1	32.0	32.3
4+ children	27.3	27.5	12.0	12.3	29.8	30.1
<b>Residence</b>						
Urban	20.8	25.7	8.0	10.2	23.4	28.8
Rural	27.1	32.2	12.0	15.2	29.7	35.4
<b>Education</b>						
Never	25.6	26.5	11.0	11.6	28.6	29.6
Primary	26.8	31.6	12.9	15.3	29.6	34.6
Secondary	23.7	33.6	10.0	15.8	26.0	37.2
Higher	21.1	33.6	6.3	12.6	23.3	37.6
Postgrad	23.7	34.7	9.3	14.9	25.7	37.8
<b>Wealth Quintile</b>						
Lowest	28.8	33.8	17.2	21.2	32.9	38.5
Lower	27.7	32.9	9.5	12.2	29.9	35.7
Middle	25.7	31.1	8.8	11.6	27.8	34.0
High	23.4	28.8	8.6	11.0	25.3	31.2
Highest	20.9	25.3	10.5	13.0	24.0	28.7

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	1284	3824	5108
Households Occupied	1251	3769	5020
Households Interviewed	1216	3717	4933
Household Response Rate <sup>1</sup>	97.20%	98.62%	98.27%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	1483	4441	5924
Number of Eligible Women Interviewed	1466	4366	5832
Eligible Woman Response Rate <sup>3</sup>	98.85%	98.31%	98.45%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.453	0.017	0.420	0.486	0.584	0.021	0.541	0.625
Currently using a traditional method	0.029	0.004	0.022	0.037	0.038	0.005	0.029	0.049
Currently using any contraceptive method	0.482	0.017	0.448	0.516	0.622	0.021	0.578	0.663
Currently using DMPA-IM	0.006	0.001	0.004	0.009	0.007	0.002	0.005	0.011
Currently using DMPA-SC								
Currently using condoms	0.174	0.014	0.149	0.204	0.177	0.014	0.151	0.206
Currently using implants	0.000	0.000	0.000	0.001	0.000	0.000	0.000	0.001
Chose method by self or jointly in past 12 months	0.858	0.021	0.811	0.895	0.858	0.021	0.812	0.895
Paid fees for family planning services in past 12 months	0.619	0.038	0.542	0.691	0.622	0.038	0.545	0.694
Informed by provider about other methods	0.258	0.029	0.205	0.320	0.257	0.029	0.205	0.318
Informed by provider about side effects	0.413	0.035	0.347	0.483	0.413	0.035	0.346	0.483
Satisfied with provider: Would return and refer friend/relative to provider	0.441	0.032	0.380	0.505	0.442	0.032	0.380	0.505
Visited by health worker who talked about family planning in past 12 months	0.249	0.022	0.208	0.295	0.300	0.026	0.252	0.353

<sup>1</sup> Married includes married women and those who are living with a man