



BILL & MELINDA GATES INSTITUTE for POPULATION and REPRODUCTIVE HEALTH

Kenya (West Pokot) Snapshot of Indicators Phase 1 (2019) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (West Pokot) Phase 1 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-West Pokot-P1-CS SOIs. 2019.* Kenya and Baltimore, Maryland, USA.











Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

PERFORMANCE MONITORING PA			
Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	820	820
Age Group			
15-19	22.4	184	181
20-24	16.7	137	150
25-29	19.8	162	159
30-34	14.3	117	123
35-39	9.8	80	79
40-44	9.7	80	72
45-49	7.4	61	56
Marital Status			
Married, or in union	67.6	554	553
Unmarried, sexually active	9.0	74	77
Parity			
•	12.0	44.4	425
0-1 children	13.9	114	125
2-3 children	21.9	179	191
4+ children	39.3	322	298
Residence			
Urban	8.2	67	179
Rural	91.8	753	641
Education			
Never	24.3	199	211
Primary	44.2	362	350
Post Primary Vocational	3.3	27	21
Secondary	18.7	153	163
College	8.2	67	64
University	1.4	11	11
Wealth Quintile			
Lowest	16.8	138	142
Lower	18.5	152	154
Middle	20.9	171	158
Higher	25.0	205	184
Highest	18.8	154	182
•			



Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

	Any N	1ethod	Modern	Method ¹	Tradition	al Method
Background Characteristics	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	22.9	24.0	19.3	20.7	3.5	3.3
Age Group						
15-19	13.1	29.5	12.1	29.5	0.9	0.0
20-24	23.9	17.8	20.6	16.1	3.3	1.7
25-29	29.5	28.1	21.5	21.7	8.0	6.4
30-34	28.4	27.2	24.6	23.1	3.8	4.1
35-39	27.5	27.0	25.3	24.6	2.2	2.4
40-44	25.0	22.7	22.9	20.9	2.1	1.8
45-49	12.8	10.5	9.7	10.5	3.1	0.0
Marital Status						
Married, or in union	24.0	na	20.7	na	3.3	na
Unmarried, sexually active	32.3	na	26.8	na	5.5	na
Parity						
0-1 children	35.4	33.3	31.5	27.6	3.9	5.7
2-3 children	33.3	31.4	25.7	24.8	7.6	6.6
4+ children	21.9	20.2	20.0	19.0	1.9	1.3
Residence						
Urban	47.7	57.3	42.0	50.8	5.7	6.5
Rural	20.6	21.5	17.3	18.5	3.3	3.0
Education						
Never	6.6	6.6	6.5	6.4	0.2	0.2
Primary	16.8	17.3	14.5	15.7	2.3	1.7
Post Primary Vocational						
Secondary	36.2	55.8	30.9	49.2	5.4	6.6
College	55.8	64.8	40.5	48.1	15.3	16.7
University						
Wealth Quintile						
Lowest	5.8	4.4	5.2	3.6	0.6	0.8
Lower	13.5	14.2	9.4	9.8	4.1	4.4
Middle	14.3	13.0	11.5	12.0	2.9	1.0
Higher	31.6	36.7	27.4	31.1	4.2	5.6
Highest	45.2	55.3	39.8	51.2	5.4	4.1

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 191)

Married Users¹ (N = 136)

9	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern		Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	
Total																				
All	2.3	30.9	2.7	23.6	11.0	6.0	1.1	3.2	3.7	15.4	2.9	38.4	3.3	23.1	10.1	6.8	0.5	0.0	1.3	13.6
Age Group																				
15-19																				
20-24	5.3	12.2	1.0	34.0	12.5	5.5	3.1	6.9	5.8	13.7										
25-29	0.8	28.7	3.2	23.6	9.0	7.7	0.0	0.0	0.0	27.0	1.0	29.3	3.8	26.7	8.4	8.0	0.0	0.0	0.0	22.9
30-34	0.0	41.3	5.4	17.0	14.6	6.2	2.1	0.0	0.0	13.4	0.0	46.9	4.6	14.2	9.8	7.0	2.4	0.0	0.0	15.2
35-39																				
40-44																				
45-49																				
Marital Status																				
Married, or in union	2.9	38.4	3.3	23.1	10.1	6.8	0.5	0.0	1.3	13.6	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually ac	tive 2.4	9.7	0.0	28.0	22.3	1.9	1.0	9.9	7.9	17.1	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	41.5	3.2	31.4	5.3	1.9	1.1	4.6	0.0	11.0	0.0	51.9	3.7	22.7	4.6	0.0	0.0	0.0	0.0	17.1
2-3 children	1.0	25.5	3.4	17.0	17.1	8.8	1.2	0.0	3.1	22.8	0.0	28.1	3.4	17.3	17.5	11.2	1.5	0.0	0.0	21.1
4+ children	5.4	36.8	2.6	25.6	10.4	5.3	0.0	0.0	5.3	8.5	6.4	40.7	3.0	27.8	6.7	6.3	0.0	0.0	3.0	6.2
Residence																				
Urban	5.6	19.4	16.0	28.4	2.8	5.6	4.3	4.6	1.2	11.9	5.7	25.7	20.2	30.5	0.0	4.8	0.0	0.0	1.8	11.4
Rural	1.7	33.3	0.0	22.6	12.7	6.1	0.4	2.9	4.2	16.2	2.3	40.9	0.0	21.6	12.1	7.2	0.6	0.0	1.2	14.0
Education																				
Never																				
Primary	5.8	34.9	3.3	20.3	18.6	1.3	0.0	2.2	0.0	13.6	7.0	39.8	4.7	16.7	21.0	1.1	0.0	0.0	0.0	9.7
Post Primary Vocationa	ıl																			
Secondary	0.0	21.3	2.7	26.8	8.2	3.4	2.1	8.3	12.5	14.8	0.0	37.3	2.5	31.4	4.2	6.6	0.0	0.0	6.2	11.8
College	0.0	15.7	4.4	26.2	9.0	16.6	0.6	0.0	0.0	27.4	0.0	18.1	5.1	22.9	10.3	17.8	0.0	0.0	0.0	25.8
University																				
Wealth Quintil	е																			
Lowest																				
Lower																				
Middle																				
Higher	0.0	31.5	1.0	27.2	17.0	2.3	0.0	5.5	2.1	13.3	0.0	40.9	1.4	24.7	14.6	0.0	0.0	0.0	3.1	15.3
Highest	2.6	26.8	5.5	26.7	3.5	14.1	1.7	2.1	5.1	11.9	2.4	35.8	6.6	25.5	3.9	17.7	0.0	0.0	0.7	7.3

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics

Characteristics	Short Acti	ng Methods ¹	Long Actin	g Methods ²
	All Women	Married Women ³	All Women	Married Women ³
	(N = 820)	(N = 553)	(N = 820)	(N = 553)
Total				
All	11.1	10.0	8.2	10.7
Age Group				
15-19	7.5	7.5	4.6	22.0
20-24	16.2	9.5	4.4	6.6
25-29	11.9	12.1	9.7	9.6
30-34	11.3	9.1	13.3	14.0
35-39	12.6	10.9	12.7	13.7
40-44	10.8	9.6	12.0	11.2
45-49	6.6	7.6	3.2	2.9
Marital Status				
Married, or in union	10.0	na	10.7	na
Unmarried, sexually active	22.9	na	3.9	na
Parity				
0-1 children	15.7	9.1	15.8	18.5
2-3 children	15.8	14.9	10.0	9.9
4+ children	10.2	8.8	9.8	10.1
Residence				
Urban	22.4	21.2	19.6	29.6
Rural	10.1	9.2	7.2	9.3
Education				
Never	1.9	2.0	4.6	4.3
Primary	7.1	6.7	7.4	8.9
Post Primary Vocational				
Secondary	22.2	27.0	8.7	22.2
College	29.3	33.0	11.3	15.0
University				
Wealth Quintile				
Lowest	3.7	2.8	1.5	0.7
Lower	3.6	3.6	5.8	6.2
Middle	4.9	4.2	6.6	7.8
Higher	17.1	15.5	10.3	15.5
Highest	24.0	26.4	15.8	24.8

¹ Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

² Long-acting methods include IUD, implants, and sterilization (male and female).

³ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics

Background Characteristics	All V	All Women (N = 820)			Vomen ¹ (N = 55	3)
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	17.6	5.9	23.5	18.7	8.1	26.8
Age Group						
15-19	21.2	0.0	21.2	29.0	0.0	29.0
20-24	20.1	2.8	22.9	22.6	3.0	25.5
25-29	20.5	4.3	24.9	23.0	4.0	27.0
30-34	22.1	8.4	30.5	24.0	9.1	33.1
35-39	17.7	15.3	33.0	19.1	15.6	34.7
40-44	3.2	11.2	14.4	3.7	13.0	16.6
45-49	4.0	10.7	14.8	4.6	11.5	16.2
Marital Status						
Married, or in union	18.7	8.1	26.8	na	na	na
Unmarried, sexually active	45.8	4.1	49.9	na	na	na
Parity						
0-1 children	22.4	1.4	23.8	22.2	2.0	24.2
2-3 children	17.7	3.1	20.8	19.8	2.2	22.0
4+ children	16.6	12.5	29.0	18.0	13.4	31.5
Residence						
Urban	10.5	5.6	16.1	12.5	5.5	18.0
Rural	18.3	5.9	24.2	19.2	8.2	27.4
Education						
Never	25.4	6.2	31.6	27.4	6.9	34.3
Primary	18.8	8.3	27.1	19.1	11.7	30.8
Post Primary Vocational						
Secondary	14.0	3.2	17.3	10.0	5.5	15.5
College	5.6	1.4	7.0	4.6	1.9	6.5
University						
Wealth Quintile						
Lowest	27.3	5.6	32.9	29.4	6.7	36.1
Lower	23.9	2.1	25.9	26.2	1.5	27.8
Middle	19.1	10.5	29.6	18.0	15.7	33.7
Higher	10.3	8.1	18.3	7.7	13.5	21.2
Highest	11.1	1.9	13.1	12.6	1.4	14.0

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background Characteristics

Any Modern Unmet Total Satisfied Any Modern Unmet Total Satis Method Method Need Demand By Modern Method Method Need Demand By Modern Total Total	sfied odern
All 22.9 19.3 23.5 46.4 41.7 24.0 20.7 26.8 50.8 40	
	0.8
Age Group	
20-24 23.9 20.6 22.9 46.8 44.1 17.8 16.1 25.5 43.3 37.	7.1
25-29 29.5 21.5 24.9 54.4 39.6 28.1 21.7 27.0 55.1 39	9.3
30-34 28.4 24.6 30.5 58.9 41.8 27.2 23.1 33.1 60.3 38	3.3
35-39 27.5 25.3 33.0 60.5 <i>41.8</i> 27.0 24.6 34.7 61.7 <i>39.</i>	9.9
40-44 25.0 22.9 14.4 39.4 58.1 22.7 20.9 16.6 39.3 53.	3.1
45-49 12.8 9.7 14.8 27.6 10.5 10.5 16.2 26.7	
Marital Status	
Married, or in union 24.0 20.7 26.8 50.8 40.8 na na na na	na
Unmarried, sexually active 32.3 26.8 49.9 82.2 32.6 na na na na na	na
Parity	
	7.9
	5.4
	5.7
Residence	
	7.4
	7. 4 7.8
	7.0
Education	
Never 6.6 6.5 31.6 38.2 16.9 6.6 6.4 34.3 40.8 15	
Primary 16.8 14.5 27.1 43.9 33.0 17.3 15.7 30.8 48.1 32	
, and the second	8.9 7.4
	7.4
Wealth Quintile	
Lowest 5.8 5.2 32.9 38.7 13.4 4.4 3.6 36.1 40.6 8.4	2.8
Lower 13.5 9.4 25.9 39.4 23.7 14.2 9.8 27.8 42.0 23	
	5.6
Higher 31.6 27.4 18.3 50.0 54.9 36.7 31.1 21.2 57.8 53	
Highest 45.2 39.8 13.1 58.3 68.3 55.3 51.2 14.0 69.2 74	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wom	en with 1 or N	Nore Births	Married Women with 1 or More Births			
Characteristics		(N=470)			(N=411)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All	
Total							
All	61.1	30.1	8.8	64.7	27.1	8.2	
Age Group							
15-19	29.9	63.3	6.8				
20-24	57.6	34.5	7.9	67.0	26.1	6.9	
25-29	63.3	32.2	4.5	67.3	32.1	0.7	
30-34	64.7	27.2	8.0	64.8	26.8	8.4	
35-39	61.9	20.2	18.0	60.6	20.8	18.5	
40-44	68.2	15.5	16.3	65.0	17.1	17.9	
45-49							
Marital Status							
Married, or in union	64.7	27.1	8.2	na	na	na	
Unmarried, sexually active				na	na	na	
Parity							
0-1 children	44.6	48.1	7.3	53.3	39.7	6.9	
2-3 children	63.1	29.8	7.1	69.3	26.9	3.8	
4+ children	66.3	23.2	10.5	65.3	23.7	11.1	
Residence							
Urban	57.3	28.2	14.6	63.7	23.9	12.4	
Rural	61.3	30.2	8.4	64.7	27.3	8.0	
Education							
Never	63.7	30.4	5.9	63.1	30.7	6.1	
Primary	56.7	31.0	12.4	61.4	27.4	11.2	
Post Primary Vocational							
Secondary	50.4	41.6	8.0	60.2	29.5	10.3	
College	71.9	25.6	2.5	73.0	24.8	2.2	
University							
Wealth Quintile							
Lowest	65.9	27.2	6.9	67.0	29.0	4.0	
Lower	67.5	29.4	3.1	67.6	29.0	3.4	
Middle	55.6	30.4	14.0	59.9	28.6	11.5	
Higher	55.8	30.7	13.5	64.2	19.4	16.4	
Highest	60.9	32.9	6.2	63.9	30.4	5.7	

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 162)
Total				
All	57.2	36.7	6.1	
Age Group				
15-19				
20-24	68.2	30.7	1.2	
25-29	64.3	32.3	3.5	
30-34	50.0	45.4	4.6	
35-39				
40-44				
45-49				
Marital Status				
Married, or in union	53.4	40.1	6.5	
Unmarried, sexually active				
Parity				
0-1 children	63.2	24.6	12.2	
2-3 children	57.9	39.4	2.7	
4+ children	52.7	41.1	6.2	
Residence	02.7		0.2	
Urban	62.2	22.4	15.4	
Rural	56.1	39.8	4.1	
Education				
Never				
Primary	56.0	30.5	13.5	
Post Primary Vocational				
Secondary	58.9	38.9	2.2	
College	54.0	42.5	3.6	
University				
Wealth Quintile				
Lowest				
Lower				
Middle				
Higher	49.4	38.5	12.1	
Highest	60.4	35.3	4.3	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Method Information Index Components

Percentage of current modern contraceptive ¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

		about other 2 hods		about side 2 ects	Told what to do side ef	if experienced 4 fects		t switching 2 in future
Background Characteristics	All	Married ³	All	Married ³	All	Married ³	All	Married ³
	Users	Users	Users	Users	Users	Users	Users	Users
Total	(162)	(119)	(162)	(119)	(120)	(91)	(162)	(119)
All	66.7	69.2	75.6	77.1	91.4	94.1	75.3	79.5
Age Group								
15-19								
20-24	45.0		63.8				56.3	
25-29	75.7	75.1	72.7	77.2	93.5		75.5	73.9
30-34	67.4	76.5	88.6	86.7	92.5		84.7	88.3
35-39								
40-44								
45-49								
Marital Status								
Married, or in union	69.2	na	77.1	na	94.1	na	79.5	na
Unmarried, sexually active		na		na		na		na
Parity								
0-1 children	65.3		71.8		93.5		64.1	
2-3 children	67.3	70.4	75.8	76.9	91.1	95.8	82.8	84.1
4+ children	64.3	68.8	80.1	77.7	92.0	90.8	80.1	82.9
Residence								
Urban	72.7	78.1	65.4	69.4	86.8	94.7	75.8	80.6
Rural	65.4	67.4	77.8	78.7	92.2	94.0	75.2	79.3
Education		3 71.1	,,,,	70.7	32.2	3	75.2	7 5.5
Never								
Primary	64.4	70.0	77.2	81.0	90.3	87.2	80.4	86.9
Post Primary Vocational					<i>50.5</i>			
Secondary	58.8	52.7	66.0	65.6	84.6		63.4	58.4
College	82.4	85.5	84.3	84.4	96.6		89.4	91.9
University								
Wealth Quintile								
Lowest								
Lowest								
Middle								
Higher	68.3	73.3	81.0	77.8	92.8	93.7	71.4	75.0
Highest	64.5	67.5	71.6	77.0	88.2	95.7 95.7	75.6	81.6
ingliest	04.5	07.3	/ 1.0	77.0	00.2	93.7	73.0	01.0

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

- 2 Asked of all current/recent modern contraceptive users
- 3 Married includes married women and those who are living with a man
- 4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 159)	(N = 159)	(N = 159)
All	94.9	94.9	93.5
Age Group			
15-19			
20-24	85.4	81.8	81.8
25-29	96.0	98.7	94.7
30-34	92.9	92.9	92.9
35-39			
40-44			
45-49			
Marital Status			
Married, or in union	97.0	97.8	96.3
Unmarried, sexually active			
Parity			
0-1 children	92.7	93.6	91.4
2-3 children	96.8	100.0	96.8
4+ children	94.0	92.9	92.9
Residence			
Urban	95.6	96.7	93.9
Rural	94.7	94.5	93.4
Education			
Never			
Primary	92.9	92.9	92.9
Post Primary Vocational			
Secondary	93.7	93.5	91.6
College	94.9	98.3	93.2
University			
Wealth Quintile			
Lowest			
Lower			
Middle			
Higher	91.3	93.8	91.3
Highest	97.9	98.4	97.1

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

PERI ORIMANOE MONTORINOTO	, a dilon				Either visited by	health worker
Background Characteristics	Visited by heal discussed far	th worker who nily planning	Visited facility discussed far		or visited fa discussed fan	acility and
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(820)	(553)	(820)	(553)	(820)	(553)
All	10.4	10.9	17.8	19.6	24.8	26.6
Age Group						
15-19	7.1	9.5	10.6	5.3	15.5	14.8
20-24	13.7	15.1	12.1	10.4	23.7	23.1
25-29	11.9	9.2	27.2	26.9	35.5	32.8
30-34	9.8	9.2	17.4	18.5	22.4	22.5
35-39	7.9	8.6	23.1	23.7	26.9	27.8
40-44	12.1	14.1	21.1	19.7	30.3	30.3
45-49	11.0	12.8	16.5	17.5	20.7	22.4
Marital Status						
Married, or in union	10.9	na	19.6	na	26.6	na
Unmarried, sexually active	15.0	na	20.0	na	30.9	na
Parity						
0-1 children	7.5	7.4	23.8	20.6	28.8	25.9
2-3 children	11.0	10.2	17.2	13.8	24.6	19.7
4+ children	12.0	12.4	23.5	24.2	31.1	31.8
Residence						
Urban	6.4	6.7	19.5	22.0	24.0	25.1
Rural	10.8	11.2	17.6	19.5	24.8	26.7
Education						
Never	7.9	8.0	11.7	11.0	17.7	17.6
Primary	11.6	13.3	19.7	23.3	27.9	32.0
Post Primary Vocational						
Secondary	9.9	8.1	17.5	22.1	24.2	24.8
College	14.6	14.9	24.6	29.1	32.3	36.5
University						
Wealth Quintile						
Lowest	6.3	5.7	6.7	6.5	12.5	11.4
Lower	11.7	10.4	13.8	16.2	22.9	23.3
Middle	14.6	16.8	19.4	23.0	30.2	35.3
Higher	9.7	10.9	29.0	32.6	33.6	37.6
Highest	8.9	10.4	15.0	17.5	19.6	22.2

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	210	665	875
Households Occupied	202	655	857
Households Interviewed	199	647	846
Household Response Rate ¹	98.51%	98.78%	98.72%
Interviews with Women			
Number of Eligible Women ²	186	642	828
Number of Eligible Women Interviewed	179	641	820
Eligible Woman Response Rate ³	96.24%	99.84%	99.03%

¹ Household response rate = households interviewed/households selected

² Eligible women are women ages 15-49 identified in completed household interviews

³ Eligible response rate = eligible women interviewed/eligible women



Sample Error Estimates

	All Women					Married Women ¹			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper	
Currently using a modern method	0.193	0.034	0.133	0.272	0.207	0.039	0.138	0.298	
Currently using a traditional method	0.035	0.013	0.017	0.073	0.033	0.017	0.012	0.088	
Currently using any contraceptive method	0.229	0.041	0.155	0.324	0.240	0.047	0.157	0.349	
Currently using DMPA-IM	0.236	0.061	0.134	0.381	0.231	0.060	0.131	0.374	
Currently using DMPA-SC	0.110	0.060	0.036	0.291	0.101	0.061	0.029	0.296	
Currently using condoms	0.032	0.015	0.012	0.082					
Currenlty using implants	0.309	0.039	0.234	0.395	0.384	0.053	0.281	0.499	
Chose method by self or jointly in past 12 months	0.939	0.023	0.868	0.973	0.935	0.030	0.837	0.976	
Informed by provider about other methods	0.667	0.070	0.508	0.796	0.692	0.079	0.509	0.830	
Informed by provider about side effects	0.756	0.055	0.623	0.853	0.771	0.064	0.613	0.878	
Satisfied with provider: Would return and refer friend/relative to provider	0.935	0.020	0.878	0.966	0.963	0.019	0.893	0.988	
Visited by health worker who talked about family planning in past 12 months	0.104	0.020	0.070	0.151	0.109	0.025	0.068	0.172	

¹ Married includes married women and those who are living with a man