



JOHNS HOPKINS  
BLOOMBERG SCHOOL  
of PUBLIC HEALTH

BILL & MELINDA GATES INSTITUTE for  
POPULATION and REPRODUCTIVE HEALTH

## Burkina Faso Snapshot of Indicators Phase 1 (2020) Survey

Suggested citation: Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Survey Phase 1 Snapshot of Indicators, PMA/Burkina Faso-P1 SOIs. 2020.* Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.



[www.pmadata.org](http://www.pmadata.org)



[@PMA4Action](https://www.facebook.com/PMA4Action)



[@pma4action](https://www.instagram.com/pma4action)



[@PMA4Action](https://twitter.com/PMA4Action)

## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	6590	6590
<b>Age Group</b>			
15-19	21.6	1421	1454
20-24	17.4	1145	1278
25-29	14.7	970	1002
30-34	15.6	1026	971
35-39	12.8	841	803
40-44	10.9	715	637
45-49	7.2	473	445
<b>Marital Status</b>			
Married, or in union	75.8	4998	4391
Unmarried, sexually active	4.5	296	478
<b>Parity</b>			
0-1 children	36.9	2433	2984
2-3 children	23.6	1554	1623
4+ children	39.4	2600	1978
<b>Residence</b>			
Urban	22.8	1500	3979
Rural	77.2	5090	2611
<b>Education</b>			
Never	59.9	3945	2910
Primary	17.7	1168	1314
Secondary 1 Cycle	16.4	1078	1531
Secondary 2 Cycles	4.4	290	566
Tertiary	1.7	109	267
<b>Wealth Quintile</b>			
Lowest	34.3	2263	1174
Lower	32.7	2152	1373
Middle	33.0	2175	4043

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	27.4	30.1	25.5	28.1	1.9	2.0
<b>Age Group</b>						
15-19	13.6	19.6	12.9	18.7	0.7	1.0
20-24	29.9	27.5	28.1	26.5	1.8	1.0
25-29	32.4	31.2	30.6	29.9	1.8	1.4
30-34	35.3	35.0	32.3	32.0	3.0	3.0
35-39	32.1	32.5	29.6	29.9	2.5	2.7
40-44	28.9	30.3	26.5	27.8	2.4	2.5
45-49	23.9	26.7	22.4	25.0	1.5	1.7
<b>Marital Status</b>						
Married, or in union	30.1	na	28.1	na	2.0	na
Unmarried, sexually active	58.7	na	53.4	na	5.3	na
<b>Parity</b>						
0-1 children	20.0	22.6	18.5	21.4	1.4	1.2
2-3 children	30.7	30.3	28.5	28.2	2.2	2.1
4+ children	32.3	33.1	30.2	30.9	2.1	2.2
<b>Residence</b>						
Urban	36.7	43.7	33.7	40.0	2.9	3.7
Rural	24.6	27.3	23.0	25.6	1.6	1.6
<b>Education</b>						
Never	24.6	26.4	23.1	24.8	1.5	1.5
Primary	29.6	34.7	27.7	32.4	1.9	2.3
Secondary 1 Cycle	29.7	42.7	27.5	39.3	2.2	3.4
Secondary 2 Cycles	40.1	51.5	34.6	45.4	5.6	6.1
Tertiary	45.3	61.9	41.1	53.3	4.2	8.6
<b>Wealth Quintile</b>						
Lowest	23.5	25.9	21.8	24.3	1.7	1.5
Lower	25.0	28.4	23.7	26.9	1.2	1.5
Middle	33.7	37.6	31.0	34.4	2.7	3.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 1802)										Married Users <sup>1</sup> (N = 1505)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	0.4	43.2	4.3	14.6	9.7	8.8	0.3	11.6	0.4	6.9	0.5	47.0	4.6	16.1	10.7	9.2	0.1	4.7	0.4	6.6
<b>Age Group</b>																				
15-19	0.0	34.3	1.5	8.7	12.1	7.9	0.7	29.3	0.0	5.4	0.0	50.5	0.0	16.1	18.7	5.3	0.0	4.6	0.0	4.9
20-24	0.0	45.9	1.3	13.1	5.1	5.6	0.0	22.9	0.1	6.0	0.0	56.0	1.7	16.1	6.2	7.0	0.0	9.3	0.0	3.6
25-29	0.0	38.6	2.0	19.6	11.6	11.6	0.6	10.4	0.1	5.4	0.0	40.3	1.9	21.3	13.0	12.6	0.3	6.0	0.2	4.4
30-34	0.0	37.2	5.1	20.1	13.5	10.1	0.0	5.5	0.1	8.4	0.0	38.1	4.9	20.6	13.8	10.1	0.0	3.7	0.1	8.6
35-39	1.2	48.1	7.0	15.5	5.8	7.6	0.6	5.5	0.8	7.8	1.3	49.6	7.1	14.5	6.0	7.7	0.3	4.4	0.9	8.2
40-44	0.3	54.7	9.8	6.2	12.1	5.9	0.0	2.5	0.2	8.2	0.3	54.4	10.2	6.5	12.6	5.7	0.0	1.7	0.2	8.4
45-49	3.1	49.3	4.5	10.1	6.6	15.5	0.0	1.5	2.9	6.4	3.2	49.4	4.6	10.0	6.7	15.4	0.0	1.2	3.0	6.5
<b>Marital Status</b>																				
Married, or in union	0.5	47.0	4.6	16.1	10.7	9.2	0.1	4.7	0.4	6.6	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	20.7	2.6	4.0	3.4	4.3	1.5	54.2	0.2	9.0	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.0	34.4	2.6	8.3	7.0	7.9	0.8	31.7	0.2	7.2	0.0	48.8	3.0	13.3	9.5	9.9	0.3	9.3	0.3	5.5
2-3 children	0.5	41.4	3.6	14.8	11.9	12.8	0.1	7.5	0.3	7.1	0.5	41.9	3.5	14.4	12.3	13.1	0.1	6.9	0.3	7.0
4+ children	0.6	49.3	5.6	18.1	10.0	6.9	0.0	2.3	0.6	6.6	0.6	49.2	5.7	17.8	10.1	6.9	0.0	2.3	0.6	6.6
<b>Residence</b>																				
Urban	0.2	31.0	5.9	10.3	5.7	14.0	0.9	23.3	0.6	8.0	0.4	36.5	7.4	11.9	6.9	18.3	0.4	9.0	0.8	8.4
Rural	0.5	48.5	3.6	16.4	11.4	6.4	0.0	6.5	0.3	6.4	0.5	50.5	3.7	17.5	11.9	6.2	0.0	3.3	0.3	6.0
<b>Education</b>																				
Never	0.7	51.0	3.6	15.5	11.2	8.7	0.0	2.9	0.5	5.9	0.8	51.1	3.8	15.5	11.4	8.7	0.0	2.5	0.5	5.8
Primary	0.1	43.8	6.5	19.4	9.2	6.7	0.3	7.4	0.1	6.5	0.1	45.8	6.3	20.6	9.1	7.3	0.2	4.0	0.1	6.5
Secondary 1 Cycle	0.0	32.1	3.3	10.5	7.4	11.6	0.0	27.4	0.4	7.4	0.0	37.8	5.0	14.6	8.8	12.8	0.0	12.5	0.4	8.0
Secondary 2 Cycles	0.0	19.8	2.6	8.5	8.1	6.9	0.9	39.0	0.2	13.9	0.0	29.1	3.5	14.0	15.9	12.6	0.0	12.5	0.5	11.9
Tertiary	0.0	12.0	11.0	2.7	2.4	9.4	5.5	46.9	0.8	9.2	0.0	19.1	15.9	4.8	4.2	15.6	4.0	21.1	1.5	13.9
<b>Wealth Quintile</b>																				
Lowest	0.4	49.9	4.5	15.0	11.5	4.3	0.0	7.2	0.0	7.3	0.4	53.5	4.5	16.2	11.9	3.0	0.0	4.4	0.0	6.0
Lower	0.7	48.9	3.7	17.2	11.4	7.3	0.0	5.2	0.7	5.0	0.7	49.8	3.9	17.8	11.6	7.6	0.0	2.6	0.7	5.2
Middle	0.2	34.1	4.6	12.2	7.1	13.1	0.7	19.6	0.5	7.9	0.3	38.7	5.4	14.4	8.7	16.2	0.3	7.0	0.6	8.5

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

### Background

#### Characteristics

#### Short Acting Methods<sup>1</sup>

#### Long Acting Methods<sup>2</sup>

	All Women (N = 6590)	Married Women <sup>3</sup> (N = 4998)	All Women (N = 6590)	Married Women <sup>3</sup> (N = 4998)
<b>Total</b>				
All	12.4	12.4	13.1	15.7
<b>Age Group</b>				
15-19	8.0	8.8	4.9	9.9
20-24	14.0	10.6	14.1	15.9
25-29	17.4	16.7	13.1	13.2
30-34	17.4	16.9	14.9	15.0
35-39	11.5	11.0	18.1	18.9
40-44	7.8	8.1	18.8	19.7
45-49	8.8	9.7	13.7	15.3
<b>Marital Status</b>				
Married, or in union	12.4	na	15.7	na
Unmarried, sexually active	39.7	na	13.7	na
<b>Parity</b>				
0-1 children	11.2	9.6	7.4	11.7
2-3 children	14.6	14.3	14.0	13.9
4+ children	12.2	12.5	17.9	18.4
<b>Residence</b>				
Urban	20.1	20.7	13.6	19.3
Rural	10.1	10.7	12.9	14.9
<b>Education</b>				
Never	9.5	10.2	13.6	14.7
Primary	12.8	14.3	14.9	18.1
Secondary 1 Cycle	17.0	21.0	10.5	18.3
Secondary 2 Cycles	25.6	28.6	9.0	16.8
Tertiary	30.7	31.7	10.4	21.7
<b>Wealth Quintile</b>				
Lowest	8.9	9.2	12.9	15.1
Lower	10.4	11.5	13.3	15.4
Middle	17.9	17.7	13.1	16.7

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

### Background Characteristics

	All Women (N = 6590)			Married Women <sup>1</sup> (N = 4998)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	17.3	3.8	21.1	21.0	5.0	26.0
<b>Age Group</b>						
15-19	11.2	0.1	11.3	23.7	0.1	23.8
20-24	23.4	0.5	23.9	28.0	0.7	28.6
25-29	27.8	0.6	28.4	30.1	0.7	30.8
30-34	20.6	2.8	23.4	21.5	2.9	24.4
35-39	18.0	7.6	25.6	19.0	8.0	27.1
40-44	10.4	12.8	23.2	11.5	14.1	25.5
45-49	1.4	11.2	12.6	1.5	12.8	14.3
<b>Marital Status</b>						
Married, or in union	21.0	5.0	26.0	na	na	na
Unmarried, sexually active	25.4	0.2	25.6	na	na	na
<b>Parity</b>						
0-1 children	11.6	0.2	11.8	18.7	0.3	19.0
2-3 children	25.1	1.2	26.3	26.3	1.2	27.5
4+ children	18.0	8.7	26.8	18.8	9.1	27.9
<b>Residence</b>						
Urban	8.6	2.7	11.3	12.1	4.5	16.5
Rural	19.9	4.1	24.0	22.9	5.1	27.9
<b>Education</b>						
Never	19.8	5.3	25.1	21.3	5.9	27.2
Primary	17.2	2.9	20.0	22.1	3.8	25.9
Secondary 1 Cycle	12.4	0.5	12.9	21.1	1.0	22.1
Secondary 2 Cycles	6.5	0.5	7.0	8.0	1.1	9.1
Tertiary	4.1	0.5	4.6	4.4	1.2	5.6
<b>Wealth Quintile</b>						
Lowest	19.5	6.3	25.8	22.8	7.8	30.6
Lower	21.2	2.3	23.4	24.1	2.7	26.9
Middle	11.2	2.8	13.9	14.9	4.1	19.0

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

## Background

### Characteristics

Characteristics	All Women (N=6590)					Married Women <sup>2</sup> (N=4998)				
	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	27.4	25.5	21.1	48.4	52.6	30.1	28.1	26.0	56.1	50.2
<b>Age Group</b>										
15-19	13.6	12.9	11.3	24.9	51.7	19.6	18.7	23.8	43.4	43.0
20-24	29.9	28.1	23.9	53.8	52.3	27.5	26.5	28.6	56.1	47.2
25-29	32.4	30.6	28.4	60.7	50.4	31.2	29.9	30.8	62.0	48.2
30-34	35.3	32.3	23.4	58.7	55.1	35.0	32.0	24.4	59.4	53.8
35-39	32.1	29.6	25.6	57.7	51.3	32.5	29.9	27.1	59.6	50.1
40-44	28.9	26.5	23.2	52.1	50.9	30.3	27.8	25.5	55.9	49.8
45-49	23.9	22.4	12.6	36.5	61.3	26.7	25.0	14.3	41.0	60.9
<b>Marital Status</b>										
Married, or in union	30.1	28.1	26.0	56.1	50.2	na	na	na	na	na
Unmarried, sexually active	58.7	53.4	25.6	84.3	63.3	na	na	na	na	na
<b>Parity</b>										
0-1 children	20.0	18.5	11.8	31.7	58.4	22.6	21.4	19.0	41.7	51.3
2-3 children	30.7	28.5	26.3	57.0	50.0	30.3	28.2	27.5	57.9	48.8
4+ children	32.3	30.2	26.8	59.0	51.1	33.1	30.9	27.9	61.0	50.6
<b>Residence</b>										
Urban	36.7	33.7	11.3	47.9	70.4	43.7	40.0	16.5	60.2	66.4
Rural	24.6	23.0	24.0	48.6	47.4	27.3	25.6	27.9	55.2	46.4
<b>Education</b>										
Never	24.6	23.1	25.1	49.7	46.5	26.4	24.8	27.2	53.6	46.3
Primary	29.6	27.7	20.0	49.7	55.8	34.7	32.4	25.9	60.6	53.5
Secondary 1 Cycle	29.7	27.5	12.9	42.6	64.5	42.7	39.3	22.1	64.8	60.6
Secondary 2 Cycles	40.1	34.6	7.0	47.2	73.3	51.5	45.4	9.1	60.6	74.9
Tertiary	45.3	41.1	4.6	49.9	82.4	61.9	53.3	5.6	67.5	79.0
<b>Wealth Quintile</b>										
Lowest	23.5	21.8	25.8	49.3	44.3	25.9	24.3	30.6	56.5	43.1
Lower	25.0	23.7	23.4	48.4	49.0	28.4	26.9	26.9	55.2	48.7
Middle	33.7	31.0	13.9	47.6	65.1	37.6	34.4	19.0	56.6	60.9

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=4081)			Married <sup>1</sup> Women with 1 or More Births (N=3916)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	70.8	27.2	2.0	71.8	26.3	1.9
<b>Age Group</b>						
15-19	69.2	29.2	1.6	75.0	24.8	0.1
20-24	72.6	26.8	0.5	75.3	24.3	0.4
25-29	71.6	28.1	0.3	71.6	28.1	0.3
30-34	73.2	26.1	0.7	73.5	25.8	0.6
35-39	65.5	30.1	4.3	65.6	30.1	4.3
40-44	71.1	24.5	4.5	70.9	24.5	4.6
45-49	66.1	16.0	17.9	64.5	17.0	18.6
<b>Marital Status</b>						
Married, or in union	71.8	26.3	1.9	na	na	na
Unmarried, sexually active	34.3	58.1	7.6	na	na	na
<b>Parity</b>						
0-1 children	75.2	23.5	1.2	80.8	18.6	0.6
2-3 children	72.8	26.9	0.2	73.0	26.8	0.2
4+ children	67.4	28.9	3.7	67.4	28.9	3.7
<b>Residence</b>						
Urban	75.5	22.0	2.5	79.1	18.7	2.2
Rural	69.8	28.2	1.9	70.4	27.7	1.9
<b>Education</b>						
Never	71.1	26.6	2.2	71.3	26.5	2.3
Primary	71.6	27.3	1.1	72.7	26.7	0.6
Secondary 1 Cycle	67.4	30.6	2.0	72.7	25.6	1.7
Secondary 2 Cycles	66.9	29.7	3.4	74.2	23.2	2.6
Tertiary	78.9	20.1	1.1	82.0	16.7	1.3
<b>Wealth Quintile</b>						
Lowest	66.4	30.6	3.0	66.9	30.2	2.9
Lower	71.2	27.5	1.3	71.5	27.3	1.2
Middle	75.8	22.5	1.7	78.8	19.6	1.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 1663)
<b>Total</b>				
All	65.4	20.6	14.0	
<b>Age Group</b>				
15-19	49.2	26.5	24.3	
20-24	52.7	27.1	20.2	
25-29	71.8	17.7	10.5	
30-34	74.3	16.8	9.0	
35-39	66.3	18.4	15.3	
40-44	63.1	25.6	11.3	
45-49	87.2	7.4	5.4	
<b>Marital Status</b>				
Married, or in union	69.4	19.2	11.4	
Unmarried, sexually active	37.6	32.6	29.8	
<b>Parity</b>				
0-1 children	49.6	29.0	21.4	
2-3 children	65.7	20.6	13.7	
4+ children	74.2	15.8	10.0	
<b>Residence</b>				
Urban	58.0	25.0	17.0	
Rural	68.6	18.7	12.7	
<b>Education</b>				
Never	71.2	17.3	11.4	
Primary	66.1	20.0	13.9	
Secondary 1 Cycle	58.1	24.7	17.2	
Secondary 2 Cycles	41.9	32.4	25.7	
Tertiary	41.4	39.0	19.6	
<b>Wealth Quintile</b>				
Lowest	63.6	24.1	12.3	
Lower	74.1	13.9	12.0	
Middle	60.1	23.1	16.7	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method <sup>1</sup> who paid fees for services, by marital status and background characteristics.

### Background Characteristics

	All Modern Contraceptive Users (N = N/A)	Married <sup>2</sup> Modern Contraceptive Users (N = N/A)
<b>Total</b>		
All	N/A	N/A
<b>Age Group</b>		
15-19	N/A	N/A
20-24	N/A	N/A
25-29	N/A	N/A
30-34	N/A	N/A
35-39	N/A	N/A
40-44	N/A	N/A
45-49	N/A	N/A
<b>Marital Status</b>		
Married, or in union	N/A	N/A
Unmarried, sexually active	N/A	N/A
<b>Parity</b>		
0-1 children	N/A	N/A
2-3 children	N/A	N/A
4+ children	N/A	N/A
<b>Residence</b>		
Urban	N/A	N/A
Rural	N/A	N/A
<b>Education</b>		
Never	N/A	N/A
Primary	N/A	N/A
Secondary 1 Cycle	N/A	N/A
Secondary 2 Cycles	N/A	N/A
Tertiary	N/A	N/A
<b>Wealth Quintile</b>		
Lowest	N/A	N/A
Lower	N/A	N/A
Middle	N/A	N/A

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Method Information Index Components

Percentage of current modern contraceptive <sup>1</sup>users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other <sup>2</sup> methods		Informed about side <sup>2</sup> effects		Told what to do if experienced <sup>2</sup> side effects		Told about switching <sup>2</sup> methods in future	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(1676)</b>	<b>(1405)</b>	<b>(1676)</b>	<b>(1405)</b>	<b>(1015)</b>	<b>(863)</b>	<b>(1676)</b>	<b>(1405)</b>
All	61.6	65.8	53.5	57.4	87.5	89.9	-263.1	-40.9
<b>Age Group</b>								
15-19	49.8	66.2	46.1	69.2	71.4	<i>81.0</i>	-805.1	75.7
20-24	55.5	63.9	46.1	52.6	79.2	83.9	-580.0	-69.0
25-29	63.8	65.9	51.7	52.7	89.7	90.1	-225.7	-90.1
30-34	67.3	68.6	58.3	59.7	86.5	86.6	5.7	39.5
35-39	60.6	60.8	57.0	57.5	95.9	95.9	-182.7	-161.0
40-44	73.7	74.1	64.9	65.9	95.4	96.3	-1.2	-3.4
45-49	57.8	58.2	49.6	49.9	93.3	94.0	30.4	30.3
<b>Marital Status</b>								
Married, or in union	65.8	na	57.4	na	89.9	na	-40.9	na
Unmarried, sexually active	34.4	na	29.3	na	58.5	na	-1514.9	na
<b>Parity</b>								
0-1 children	52.4	68.8	45.8	61.4	73.9	81.6	-857.5	-64.3
2-3 children	63.3	64.0	53.2	53.9	90.0	89.7	-123.1	-97.2
4+ children	65.9	65.9	58.0	58.1	92.3	92.5	-2.5	-3.8
<b>Residence</b>								
Urban	59.7	70.4	48.7	57.4	87.0	88.4	-585.1	-183.6
Rural	62.4	64.3	55.5	57.4	87.7	90.4	-125.0	5.6
<b>Education</b>								
Never	64.5	65.0	56.8	57.3	91.0	91.3	-36.2	-30.1
Primary	60.7	64.2	58.2	59.6	85.4	88.3	-148.7	2.7
Secondary 1 Cycle	59.4	71.3	44.9	57.7	78.3	83.0	-582.3	-78.3
Secondary 2 Cycles	52.1	66.5	41.5	50.3	80.9	97.0	-1516.2	-339.7
Tertiary	43.5	68.6	33.4	48.6	<i>90.2</i>	<i>96.9</i>	-847.7	-65.2
<b>Wealth Quintile</b>								
Lowest	64.3	65.8	57.8	59.6	86.2	89.8	-227.5	-22.3
Lower	61.6	62.9	53.9	55.1	88.9	90.8	-57.1	6.3
Middle	59.7	68.6	50.0	57.7	87.5	89.2	-446.1	-103.1

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

<sup>2</sup> Asked of all current/recent modern contraceptive users

<sup>3</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 1658)</b>	<b>(N = 1658)</b>	<b>(N = 1658)</b>
All	90.8	90.0	87.5
<b>Age Group</b>			
15-19	82.3	85.6	79.9
20-24	85.4	87.0	84.3
25-29	88.9	90.1	85.1
30-34	93.8	91.4	89.4
35-39	93.4	88.4	87.9
40-44	97.6	95.8	95.4
45-49	99.0	95.8	95.1
<b>Marital Status</b>			
Married, or in union	94.1	92.7	90.6
Unmarried, sexually active	68.9	73.5	66.5
<b>Parity</b>			
0-1 children	82.0	83.3	79.7
2-3 children	90.2	91.3	87.2
4+ children	96.1	93.1	92.0
<b>Residence</b>			
Urban	85.1	84.5	81.4
Rural	93.2	92.4	90.0
<b>Education</b>			
Never	95.1	92.1	90.8
Primary	91.4	93.4	89.5
Secondary 1 Cycle	84.5	86.9	82.2
Secondary 2 Cycles	71.8	73.3	69.2
Tertiary	80.3	81.3	78.5
<b>Wealth Quintile</b>			
Lowest	93.5	91.5	90.2
Lower	93.5	93.1	90.0
Middle	86.6	86.6	83.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(6590)</b>	<b>(4998)</b>	<b>(6590)</b>	<b>(4998)</b>	<b>(6590)</b>	<b>(4998)</b>
All	11.3	12.7	23.2	28.6	29.3	34.7
<b>Age Group</b>						
15-19	7.3	9.4	8.7	24.8	14.8	30.2
20-24	10.2	10.1	27.1	31.5	32.6	35.8
25-29	13.8	14.4	32.1	34.0	38.2	40.2
30-34	15.8	16.4	32.1	32.9	39.3	40.4
35-39	10.6	10.8	30.0	31.0	33.2	34.0
40-44	10.8	11.6	19.0	20.4	26.1	28.1
45-49	13.5	14.0	13.3	13.2	22.5	23.0
<b>Marital Status</b>						
Married, or in union	12.7	na	28.6	na	34.7	na
Unmarried, sexually active	8.5	na	11.0	na	18.5	na
<b>Parity</b>						
0-1 children	7.8	8.9	13.2	24.3	19.1	29.1
2-3 children	11.2	11.3	30.4	31.4	36.2	37.0
4+ children	14.7	15.1	28.1	28.8	34.8	35.6
<b>Residence</b>						
Urban	6.4	6.1	17.0	23.8	21.2	27.2
Rural	12.8	14.0	25.0	29.7	31.7	36.3
<b>Education</b>						
Never	12.8	13.8	26.3	28.7	32.8	35.5
Primary	8.8	10.2	22.5	28.6	26.3	32.1
Secondary 1 Cycle	9.3	9.5	14.5	27.3	21.7	32.6
Secondary 2 Cycles	11.0	9.6	17.9	34.8	26.0	39.7
Tertiary	5.1	6.3	14.8	26.3	17.9	28.5
<b>Wealth Quintile</b>						
Lowest	14.8	16.9	25.7	30.9	32.8	38.2
Lower	9.7	10.9	24.0	28.5	29.4	34.3
Middle	9.3	9.5	19.7	26.1	25.5	30.8

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	3570	2274	5844
Households Occupied	3513	2251	5764
Households Interviewed	3453	2242	5695
Household Response Rate <sup>1</sup>	98.29%	99.60%	98.80%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	4142	2739	6881
Number of Eligible Women Interviewed	3979	2611	6590
Eligible Woman Response Rate <sup>3</sup>	96.06%	95.33%	95.77%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

## Sample Error Estimates

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.255	0.014	0.228	0.283	0.281	0.016	0.251	0.314
Currently using a traditional method	0.019	0.004	0.013	0.027	0.020	0.004	0.013	0.029
Currently using any contraceptive method	0.274	0.014	0.246	0.302	0.301	0.017	0.269	0.335
Currently using DMPA-IM	0.040	0.005	0.031	0.050	0.049	0.006	0.038	0.062
Currently using DMPA-SC	0.026	0.004	0.019	0.036	0.032	0.005	0.024	0.043
Currently using condoms	0.116	0.013	0.093	0.145	0.047	0.009	0.033	0.068
Currently using implants	0.118	0.009	0.101	0.138	0.141	0.011	0.121	0.165
Chose method by self or jointly in past 12 months	0.860	0.014	0.830	0.886	0.886	0.015	0.854	0.912
Informed by provider about other methods	0.616	0.028	0.560	0.669	0.658	0.029	0.599	0.712
Informed by provider about side effects	0.535	0.032	0.471	0.597	0.574	0.034	0.506	0.639
Satisfied with provider: Would return and refer friend/relative to provider	0.875	0.016	0.839	0.903	0.906	0.013	0.876	0.929
Visited by health worker who talked about family planning in past 12 months	0.113	0.017	0.084	0.151	0.127	0.020	0.092	0.172

<sup>1</sup> Married includes married women and those who are living with a man