

# PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE for  
POPULATION and REPRODUCTIVE HEALTH

## Burkina Faso (Hauts Bassins) Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

Suggested citation: Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Burkina Faso (Hauts Bassins) Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Burkina Faso-Hauts Bassins-P3-CS SOIs. 2022.* Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.

## Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	639	1502
<b>Age Group</b>			
15-19	18.0	115	282
20-24	20.5	131	307
25-29	15.3	98	229
30-34	15.8	101	231
35-39	12.9	82	194
40-44	10.2	65	153
45-49	7.3	47	106
<b>Marital Status</b>			
Married, or in union	69.9	447	1008
Unmarried, sexually active	6.9	44	116
<b>Parity</b>			
0-1 children	11.5	74	178
2-3 children	26.3	168	406
4+ children	36.4	232	503
<b>Residence</b>			
Urban	43.8	280	794
Rural	56.2	359	708
<b>Education</b>			
Never	44.6	285	613
Primary	23.2	148	364
Secondary 1 Cycle	23.4	150	374
Secondary 2 Cycles	6.1	39	107
Tertiary	2.7	17	44
<b>Wealth Quintile</b>			
Lowest	16.8	107	203
Middle	27.9	178	345
Highest	55.3	353	954

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	38.8	42.5	35.6	39.3	3.2	3.2
<b>Age Group</b>						
15-19	18.3	<i>24.1</i>	16.7	<i>21.2</i>	1.6	<i>2.8</i>
20-24	47.5	49.0	42.2	45.1	5.3	3.9
25-29	47.5	46.3	46.5	45.0	1.1	1.3
30-34	41.8	41.4	39.4	38.8	2.4	2.6
35-39	47.3	48.5	44.6	45.6	2.7	2.9
40-44	44.3	45.8	37.6	39.4	6.8	6.4
45-49	17.3	16.4	14.2	12.9	3.1	3.5
<b>Marital Status</b>						
Married, or in union	42.5	na	39.3	na	3.2	na
Unmarried, sexually active	80.3	na	70.2	na	10.1	na
<b>Parity</b>						
0-1 children	48.7	44.6	46.2	41.2	2.4	3.3
2-3 children	45.6	45.8	42.4	42.3	3.2	3.5
4+ children	43.1	43.2	39.6	39.9	3.4	3.3
<b>Residence</b>						
Urban	42.3	50.3	38.4	44.6	4.0	5.7
Rural	36.0	38.1	33.5	36.3	2.6	1.8
<b>Education</b>						
Never	35.7	36.9	33.0	33.9	2.8	3.0
Primary	38.6	43.3	35.7	40.8	3.0	2.5
Secondary 1 Cycle	42.7	61.0	40.0	57.5	2.6	3.5
Secondary 2 Cycles	47.1	<i>68.5</i>	39.5	<i>61.6</i>	7.6	<i>6.9</i>
Tertiary	<i>38.3</i>	--	<i>31.5</i>	--	<i>6.8</i>	--
<b>Wealth Quintile</b>						
Lowest	38.1	39.3	34.2	36.0	3.9	3.3
Middle	31.5	34.7	29.2	32.9	2.3	1.8
Highest	42.7	49.1	39.3	44.9	3.4	4.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

All Users (N = 596)

Married Users<sup>1</sup> (N = 446)

	All Users (N = 596)										Married Users <sup>1</sup> (N = 446)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	0.2	36.5	7.1	13.1	10.2	13.1	0.6	10.1	0.9	8.2	0.2	39.1	9.2	14.6	11.6	15.1	0.2	1.6	0.8	7.6
<b>Age Group</b>																				
15-19	0.0	32.9	0.0	8.8	6.3	4.8	1.8	36.7	0.0	8.7	--	--	--	--	--	--	--	--	--	--
20-24	0.0	34.2	1.5	14.8	10.8	11.5	0.5	15.0	0.8	11.1	0.0	41.0	2.2	17.4	12.7	14.5	0.0	2.9	1.2	8.0
25-29	0.0	40.4	5.1	13.4	10.0	12.5	0.8	12.6	3.0	2.3	0.0	44.8	6.4	16.0	12.6	13.1	1.0	1.3	1.9	2.9
30-34	0.0	37.8	9.8	12.7	12.4	19.6	0.9	1.2	0.0	5.7	0.0	38.9	10.0	12.8	13.4	18.7	0.0	0.0	0.0	6.2
35-39	0.0	36.6	10.9	17.8	10.7	14.7	0.0	3.5	0.0	5.7	0.0	37.1	11.3	16.9	10.3	15.3	0.0	3.1	0.0	6.0
40-44	0.0	35.3	14.5	9.4	9.3	14.2	0.0	0.8	1.3	15.2	0.0	33.9	17.0	7.4	10.9	15.2	0.0	0.0	1.6	14.1
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Marital Status</b>																				
Married, or in union	0.2	39.1	9.2	14.6	11.6	15.1	0.2	1.6	0.8	7.6	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	25.1	0.7	12.9	6.4	8.4	2.9	30.1	1.1	12.6	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.0	39.2	4.0	15.9	10.9	13.9	0.0	8.6	2.4	5.0	0.0	41.2	6.0	16.9	6.5	14.9	0.0	5.1	2.0	7.5
2-3 children	0.0	41.9	6.0	14.3	10.8	17.7	0.5	1.0	0.9	6.9	0.0	41.7	6.2	13.5	11.3	17.5	0.5	1.1	0.5	7.6
4+ children	0.5	37.2	11.6	15.0	12.6	12.7	0.4	1.4	0.7	8.0	0.5	36.5	12.2	14.9	13.3	13.0	0.0	1.2	0.8	7.7
<b>Residence</b>																				
Urban	0.0	25.6	10.2	11.3	5.8	20.4	1.2	14.9	1.3	9.3	0.0	28.0	14.5	11.5	7.3	24.9	0.5	0.9	1.1	11.3
Rural	0.4	46.6	4.3	14.9	14.2	6.3	0.0	5.7	0.6	7.1	0.4	47.4	5.1	16.9	14.9	7.6	0.0	2.2	0.7	4.8
<b>Education</b>																				
Never	0.0	45.5	5.6	17.1	10.3	11.9	0.4	0.8	0.7	7.7	0.0	45.1	6.0	17.4	10.5	11.3	0.0	0.8	0.8	8.2
Primary	0.8	28.2	8.7	12.9	14.9	17.2	0.7	8.9	0.0	7.6	0.9	29.8	10.4	13.9	15.4	19.7	0.8	3.3	0.0	5.8
Secondary 1 Cycle	0.0	37.3	8.4	9.3	8.5	11.8	0.6	16.1	1.9	6.1	0.0	38.6	14.0	9.3	11.9	17.2	0.0	0.8	2.4	5.8
Secondary 2 Cycles	<i>0.0</i>	<i>21.4</i>	<i>8.7</i>	<i>9.9</i>	<i>1.4</i>	<i>11.8</i>	<i>0.0</i>	<i>30.7</i>	<i>0.0</i>	<i>16.1</i>	--	--	--	--	--	--	--	--	--	--
Tertiary	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>																				
Lowest	0.0	41.5	3.4	21.9	12.1	4.0	0.0	5.1	1.8	10.2	0.0	39.4	4.1	25.2	14.6	4.9	0.0	1.3	2.1	8.3
Middle	0.0	50.6	4.8	10.5	14.3	8.6	0.0	4.1	0.0	7.2	0.0	51.9	5.3	11.7	15.0	9.5	0.0	1.4	0.0	5.3
Highest	0.3	30.0	9.0	11.7	8.1	17.2	0.9	13.7	1.0	8.0	0.4	32.8	12.7	12.5	9.1	20.9	0.4	1.9	0.8	8.5

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods <sup>1</sup>		Long Acting Methods <sup>2</sup>	
	All Women (N = 1502)	Married Women <sup>3</sup> (N = 1008)	All Women (N = 1502)	Married Women <sup>3</sup> (N = 1008)
<b>Total</b>				
All	18.6	18.7	17.0	20.6
<b>Age Group</b>				
15-19	10.7	<i>12.8</i>	6.0	<i>8.5</i>
20-24	25.3	23.9	16.9	21.2
25-29	24.9	21.3	21.6	23.7
30-34	19.5	18.6	19.9	20.2
35-39	22.2	22.1	22.5	23.5
40-44	15.5	16.1	22.1	23.3
45-49	2.4	2.7	11.8	10.3
<b>Marital Status</b>				
Married, or in union	18.7	na	20.6	na
Unmarried, sexually active	49.5	na	20.7	na
<b>Parity</b>				
0-1 children	25.2	20.2	21.0	21.0
2-3 children	20.6	20.4	21.8	21.9
4+ children	18.4	18.6	21.2	21.3
<b>Residence</b>				
Urban	23.2	23.2	15.2	21.4
Rural	15.0	16.1	18.4	20.2
<b>Education</b>				
Never	14.7	15.0	18.3	18.8
Primary	21.1	23.0	14.6	17.8
Secondary 1 Cycle	20.5	25.4	19.5	32.1
Secondary 2 Cycles	25.3	<i>25.6</i>	14.1	<i>36.0</i>
Tertiary	<i>29.3</i>	--	2.2	--
<b>Wealth Quintile</b>				
Lowest	17.1	18.9	17.1	17.1
Middle	11.8	13.0	17.4	19.8
Highest	22.5	22.4	16.8	22.5

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1502)			Married Women <sup>1</sup> (N = 1008)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	9.2	3.2	12.4	11.9	4.5	16.3
<b>Age Group</b>						
15-19	7.2	0.0	7.2	<i>26.9</i>	<i>0.0</i>	<i>26.9</i>
20-24	9.1	0.0	9.1	13.1	0.0	13.1
25-29	14.2	0.4	14.6	16.9	0.5	17.4
30-34	16.8	2.6	19.4	18.0	2.8	20.8
35-39	7.7	5.6	13.3	8.2	5.6	13.8
40-44	1.8	10.7	12.6	0.9	13.0	13.9
45-49	0.8	12.0	12.8	0.9	13.4	14.3
<b>Marital Status</b>						
Married, or in union	11.9	4.5	16.3	na	na	na
Unmarried, sexually active	8.9	0.6	9.6	na	na	na
<b>Parity</b>						
0-1 children	10.5	0.0	10.5	9.2	0.0	9.2
2-3 children	13.8	2.3	16.1	14.9	2.4	17.3
4+ children	10.7	7.0	17.7	11.3	7.4	18.7
<b>Residence</b>						
Urban	5.8	2.2	8.0	8.0	3.6	11.6
Rural	11.9	4.0	15.8	14.0	5.0	19.0
<b>Education</b>						
Never	13.6	4.7	18.3	14.8	5.1	20.0
Primary	8.6	3.1	11.7	9.6	3.9	13.4
Secondary 1 Cycle	4.5	1.6	6.1	6.4	4.0	10.4
Secondary 2 Cycles	0.6	0.0	0.6	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>
Tertiary	<i>1.9</i>	<i>0.0</i>	<i>1.9</i>	--	--	--
<b>Wealth Quintile</b>						
Lowest	11.9	3.9	15.7	13.8	4.8	18.6
Middle	13.6	4.7	18.4	16.1	5.8	21.9
Highest	6.2	2.2	8.3	8.2	3.4	11.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

### Background

#### Characteristics

#### All Women (N=1502)

#### Married Women <sup>2</sup> (N=1008)

	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	38.8	35.6	12.4	51.2	69.6	42.5	39.3	16.3	58.8	66.8
<b>Age Group</b>										
15-19	18.3	16.7	7.2	25.4	65.5	<i>24.1</i>	<i>21.2</i>	<i>26.9</i>	<i>51.0</i>	--
20-24	47.5	42.2	9.1	56.6	74.7	49.0	45.1	13.1	62.1	72.6
25-29	47.5	46.5	14.6	62.2	74.7	46.3	45.0	17.4	63.7	70.6
30-34	41.8	39.4	19.4	61.2	64.4	41.4	38.8	20.8	62.2	62.4
35-39	47.3	44.6	13.3	60.7	73.5	48.5	45.6	13.8	62.3	73.1
40-44	44.3	37.6	12.6	56.9	66.1	45.8	39.4	13.9	59.7	66.0
45-49	17.3	14.2	12.8	30.1	<i>47.2</i>	16.4	12.9	14.3	30.7	<i>42.1</i>
<b>Marital Status</b>										
Married, or in union	42.5	39.3	16.3	58.8	66.8	na	na	na	na	na
Unmarried, sexually active	80.3	70.2	9.6	89.9	78.1	na	na	na	na	na
<b>Parity</b>										
0-1 children	48.7	46.2	10.5	59.1	78.2	44.6	41.2	9.2	53.8	76.6
2-3 children	45.6	42.4	16.1	61.7	68.7	45.8	42.3	17.3	63.1	67.1
4+ children	43.1	39.6	17.7	60.8	65.2	43.2	39.9	18.7	61.9	64.4
<b>Residence</b>										
Urban	42.3	38.4	8.0	50.3	76.3	50.3	44.6	11.6	61.9	72.0
Rural	36.0	33.5	15.8	51.8	64.5	38.1	36.3	19.0	57.1	63.5
<b>Education</b>										
Never	35.7	33.0	18.3	54.1	61.0	36.9	33.9	20.0	56.8	59.6
Primary	38.6	35.7	11.7	50.3	70.9	43.3	40.8	13.4	56.7	72.0
Secondary 1 Cycle	42.7	40.0	6.1	48.7	82.2	61.0	57.5	10.4	71.4	80.5
Secondary 2 Cycles	47.1	39.5	0.6	47.7	82.7	<i>68.5</i>	<i>61.6</i>	<i>0.0</i>	<i>68.5</i>	--
Tertiary	<i>38.3</i>	<i>31.5</i>	<i>1.9</i>	<i>40.2</i>	--	--	--	--	--	--
<b>Wealth Quintile</b>										
Lowest	38.1	34.2	15.7	53.8	63.5	39.3	36.0	18.6	57.9	62.3
Middle	31.5	29.2	18.4	49.9	58.6	34.7	32.9	21.9	56.6	58.0
Highest	42.7	39.3	8.3	51.0	77.0	49.1	44.9	11.6	60.7	74.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=757)			Married <sup>1</sup> Women with 1 or More Births (N=699)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	74.2	23.2	2.6	76.8	20.4	2.8
<b>Age Group</b>						
15-19	44.6	55.4	0.0	--	--	--
20-24	67.0	33.0	0.0	72.0	28.0	0.0
25-29	78.3	21.1	0.6	80.3	19.0	0.6
30-34	80.4	18.1	1.4	81.9	16.6	1.5
35-39	79.3	16.1	4.7	78.7	16.5	4.8
40-44	73.6	16.5	9.9	74.0	15.6	10.4
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	76.8	20.4	2.8	na	na	na
Unmarried, sexually active	47.2	52.8	0.0	na	na	na
<b>Parity</b>						
0-1 children	67.9	32.1	0.0	78.4	21.6	0.0
2-3 children	77.0	22.6	0.3	78.9	20.7	0.4
4+ children	74.2	20.4	5.4	74.7	19.8	5.5
<b>Residence</b>						
Urban	79.0	20.2	0.8	82.5	16.6	0.8
Rural	71.2	25.1	3.7	73.5	22.6	3.9
<b>Education</b>						
Never	76.2	20.0	3.9	77.1	18.9	4.0
Primary	74.6	23.8	1.6	77.3	21.0	1.7
Secondary 1 Cycle	66.5	33.5	0.0	74.6	25.4	0.0
Secondary 2 Cycles	74.6	25.4	0.0	--	--	--
Tertiary	--	--	--	--	--	--
<b>Wealth Quintile</b>						
Lowest	68.6	29.3	2.1	72.5	25.2	2.2
Middle	71.3	22.5	6.1	72.3	21.4	6.3
Highest	78.2	21.2	0.6	81.6	17.7	0.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 546)
<b>Total</b>				
All	67.8	19.6	12.7	
<b>Age Group</b>				
15-19	<i>53.8</i>	<i>16.1</i>	<i>30.2</i>	
20-24	58.0	24.6	17.4	
25-29	68.1	19.7	12.3	
30-34	83.7	10.1	6.3	
35-39	69.6	21.7	8.7	
40-44	70.5	23.7	5.8	
45-49	--	--	--	
<b>Marital Status</b>				
Married, or in union	72.1	18.5	9.5	
Unmarried, sexually active	55.9	22.9	21.1	
<b>Parity</b>				
0-1 children	63.9	21.1	15.0	
2-3 children	73.2	19.3	7.5	
4+ children	75.5	15.9	8.5	
<b>Residence</b>				
Urban	66.0	20.8	13.2	
Rural	69.3	18.4	12.2	
<b>Education</b>				
Never	72.5	18.3	9.2	
Primary	71.7	15.5	12.8	
Secondary 1 Cycle	59.9	24.0	16.1	
Secondary 2 Cycles	<i>65.4</i>	<i>15.2</i>	<i>19.4</i>	
Tertiary	--	--	--	
<b>Wealth Quintile</b>				
Lowest	73.8	15.4	10.8	
Middle	60.4	26.0	13.6	
Highest	68.9	18.2	12.8	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other <sup>2</sup> methods		Informed about side <sup>2</sup> effects		Told what to do if experienced <sup>4</sup> side effects		Told about switching <sup>2</sup> methods in future	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(546)</b>	<b>(409)</b>	<b>(546)</b>	<b>(409)</b>	<b>(279)</b>	<b>(233)</b>	<b>(546)</b>	<b>(409)</b>
All	63.3	69.5	49.5	54.5	89.2	90.2	69.8	76.3
<b>Age Group</b>								
15-19	45.6	--	38.4	--	--	--	49.9	--
20-24	53.9	61.6	41.2	48.5	89.2	89.1	59.2	67.5
25-29	65.0	73.8	53.5	63.0	87.0	86.0	71.9	80.6
30-34	75.8	77.1	49.5	49.2	91.1	91.5	70.2	71.6
35-39	70.6	71.1	54.0	54.6	92.2	92.0	81.5	81.3
40-44	63.4	63.2	53.8	49.3	93.9	96.6	83.5	84.2
45-49	--	--	--	--	--	--	--	--
<b>Marital Status</b>								
Married, or in union	69.5	na	54.5	na	90.2	na	76.3	na
Unmarried, sexually active	44.8	na	34.8	na	85.7	na	50.3	na
<b>Parity</b>								
0-1 children	65.0	61.3	46.0	47.4	83.0	77.5	69.3	67.3
2-3 children	71.5	72.4	58.1	58.4	87.6	88.3	74.4	74.0
4+ children	68.6	69.3	53.7	52.9	92.9	94.4	79.9	80.1
<b>Residence</b>								
Urban	63.8	76.8	50.0	59.9	88.5	88.3	68.0	79.8
Rural	62.9	64.4	49.0	50.6	89.8	91.7	71.4	73.9
<b>Education</b>								
Never	63.9	64.2	52.0	52.1	92.4	92.4	72.6	72.6
Primary	65.2	68.8	58.0	59.4	84.1	85.3	74.5	79.1
Secondary 1 Cycle	64.2	78.7	42.4	49.4	89.4	92.4	66.0	79.8
Secondary 2 Cycles	61.0	--	43.0	--	--	--	61.8	--
Tertiary	--	--	--	--	--	--	--	--
<b>Wealth Quintile</b>								
Lowest	66.9	69.3	42.6	44.4	85.5	90.2	64.2	67.6
Middle	57.0	58.6	52.9	54.1	90.3	92.7	74.2	76.4
Highest	64.8	75.1	50.0	57.9	89.5	89.0	69.6	79.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
<b>Total</b>	<b>(N = 542)</b>	<b>(N = 542)</b>	<b>(N = 542)</b>
All	91.9	89.1	87.6
<b>Age Group</b>			
15-19	<i>79.8</i>	<i>81.0</i>	<i>77.4</i>
20-24	91.2	82.2	81.5
25-29	89.9	89.4	86.4
30-34	95.7	95.1	93.3
35-39	94.2	90.9	90.2
40-44	96.2	96.2	96.2
45-49	--	--	--
<b>Marital Status</b>			
Married, or in union	95.6	92.7	91.3
Unmarried, sexually active	76.0	74.2	70.7
<b>Parity</b>			
0-1 children	90.6	77.9	76.9
2-3 children	94.7	94.2	92.1
4+ children	96.8	95.3	94.3
<b>Residence</b>			
Urban	88.8	87.0	85.4
Rural	94.7	91.0	89.5
<b>Education</b>			
Never	96.2	90.9	89.9
Primary	92.1	91.5	90.8
Secondary 1 Cycle	88.0	87.4	83.9
Secondary 2 Cycles	<i>89.0</i>	<i>87.3</i>	<i>87.3</i>
Tertiary	--	--	--
<b>Wealth Quintile</b>			
Lowest	95.8	92.3	90.4
Middle	95.5	89.3	88.5
Highest	89.5	88.1	86.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(1502)</b>	<b>(1008)</b>	<b>(1502)</b>	<b>(1008)</b>	<b>(1502)</b>	<b>(1008)</b>
All	10.3	11.1	22.3	27.8	28.9	34.4
<b>Age Group</b>						
15-19	8.1	<i>12.6</i>	10.4	<i>44.6</i>	16.4	<i>50.7</i>
20-24	8.4	8.1	26.7	34.1	32.5	38.9
25-29	9.2	9.5	28.9	31.5	34.8	37.3
30-34	12.3	12.4	26.4	27.7	33.1	34.4
35-39	11.3	12.0	20.5	20.9	28.4	29.2
40-44	14.1	14.1	25.4	27.0	33.7	34.6
45-49	11.9	11.5	15.2	16.0	22.1	22.9
<b>Marital Status</b>						
Married, or in union	11.1	na	27.8	na	34.4	na
Unmarried, sexually active	6.8	na	19.5	na	21.4	na
<b>Parity</b>						
0-1 children	9.4	9.1	30.5	32.3	35.3	37.1
2-3 children	9.5	9.8	30.6	32.3	35.6	37.4
4+ children	13.2	13.1	24.5	25.0	32.8	33.1
<b>Residence</b>						
Urban	4.1	3.4	22.2	30.7	25.0	33.0
Rural	15.1	15.5	22.4	26.2	31.9	35.2
<b>Education</b>						
Never	11.1	11.6	21.8	23.5	28.4	30.1
Primary	8.8	10.0	26.5	32.5	33.0	40.3
Secondary 1 Cycle	9.6	11.4	20.4	35.1	26.3	40.1
Secondary 2 Cycles	13.7	<i>14.2</i>	19.0	<i>41.4</i>	29.3	<i>46.1</i>
Tertiary	7.5	--	<i>19.1</i>	--	<i>23.0</i>	--
<b>Wealth Quintile</b>						
Lowest	14.8	14.8	22.8	25.7	32.7	35.1
Middle	13.9	14.9	20.0	23.7	28.9	32.5
Highest	7.1	7.2	23.3	31.5	27.7	35.4

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	771	700	1471
Households Occupied	725	674	1399
Households Interviewed	698	663	1361
Household Response Rate <sup>1</sup>	96.28%	98.37%	97.28%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	854	748	1602
Number of Eligible Women Interviewed	794	708	1502
Eligible Woman Response Rate <sup>3</sup>	92.97%	94.65%	93.76%

*1 Household response rate = households interviewed/households selected*

*2 Eligible women are women ages 15-49 identified in completed household interviews*

*3 Eligible response rate = eligible women interviewed/eligible women*

## Sample Error Estimates

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.356	0.023	0.311	0.404	0.393	0.031	0.332	0.457
Currently using a traditional method	0.032	0.008	0.019	0.051	0.032	0.007	0.021	0.050
Currently using any contraceptive method	0.388	0.025	0.338	0.440	0.425	0.033	0.361	0.492
Currently using DMPA-IM	0.131	0.017	0.101	0.170	0.146	0.022	0.107	0.196
Currently using DMPA-SC	0.102	0.016	0.074	0.139	0.116	0.020	0.082	0.162
Currently using condoms	0.101	0.016	0.073	0.139	0.016	0.007	0.007	0.036
Currently using implants	0.365	0.030	0.308	0.427	0.391	0.034	0.325	0.460
Chose method by self or jointly in past 12 months	0.873	0.018	0.831	0.905	0.905	0.021	0.855	0.939
Informed by provider about other methods	0.633	0.030	0.571	0.692	0.695	0.037	0.616	0.764
Informed by provider about side effects	0.495	0.033	0.429	0.560	0.545	0.039	0.465	0.622
Satisfied with provider: Would return and refer friend/relative to provider	0.876	0.023	0.821	0.916	0.913	0.023	0.854	0.950
Visited by health worker who talked about family planning in past 12 months	0.103	0.019	0.070	0.149	0.111	0.024	0.071	0.170

<sup>1</sup> Married includes married women and those who are living with a man