



BILL & MELINDA GATES INSTITUTE for POPULATION and REPRODUCTIVE HEALTH

Burkina Faso Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

Suggested citation: Institut Supérieur des Sciences de la Population, Université Joseph Ki-Zerbo, Ouagadougou, Burkina Faso, and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Burkina Faso Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Burkina Faso-P3-CS SOIs. 2022.* Ouagadougou, Burkina Faso and Baltimore, Maryland, USA.











Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background	Percentage	Weighted	Unweighted
Characteristics	of Sample	Number	Number
Total			
All	100.0	6078	6078
Age Group			
15-19	20.4	1237	1270
20-24	17.8	1079	1153
25-29	15.0	914	950
30-34	14.6	889	861
35-39	12.8	777	760
40-44	11.7	709	655
45-49	7.8	472	429
Marital Status			
Married, or in union	74.4	4519	4037
Unmarried, sexually active	4.4	266	446
	4.4	200	440
Parity			
0-1 children	11.3	689	818
2-3 children	24.0	1459	1505
4+ children	41.0	2494	1970
Residence			
Urban	21.9	1332	3536
Rural	78.1	4746	2542
Education			
Never	56.4	3428	2509
Primary	18.7	1138	1247
Secondary 1 Cycle	18.3	1111	1508
Secondary 2 Cycles	4.7	284	545
Tertiary	1.9	117	269
Wealth Quintile	-		
·	27.5	2277	4220
Lowest	37.5	2277	1228
Middle	31.8	1932	1333
Highest	30.7	1869	3517



Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

	Any N	1ethod	Modern	Method ¹	Tradition	Traditional Method		
Background Characteristics	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women		
Total								
All	30.9	34.2	28.1	31.2	2.8	3.0		
Age Group								
15-19	14.1	16.0	13.2	15.8	0.8	0.2		
20-24	34.7	32.6	31.8	30.7	2.9	1.9		
25-29	40.1	38.8	38.0	36.7	2.1	2.0		
30-34	37.6	37.3	35.4	35.2	2.1	2.1		
35-39	35.4	35.5	31.8	32.2	3.7	3.3		
40-44	37.4	39.5	30.7	32.5	6.7	7.0		
45-49	18.8	21.3	15.4	17.2	3.4	4.0		
Marital Status								
Married, or in union	34.2	na	31.2	na	3.0	na		
Unmarried, sexually active	75.7	na	68.2	na	7.5	na		
Parity								
0-1 children	32.3	27.9	29.9	25.9	2.4	2.0		
2-3 children	35.2	35.2	33.3	33.5	1.8	1.7		
4+ children	36.4	37.6	32.3	33.3	4.2	4.3		
Residence								
Urban	39.8	45.8	35.9	41.5	3.9	4.4		
Rural	28.4	31.8	25.9	29.1	2.5	2.7		
Education								
Never	29.3	31.3	26.1	28.0	3.1	3.3		
Primary	30.8	37.3	29.6	35.9	1.2	1.5		
Secondary 1 Cycle	30.2	41.8	27.7	39.1	2.5	2.7		
Secondary 2 Cycles	45.7	55.3	40.3	50.6	5.4	4.7		
Tertiary	50.7	52.8	44.2	44.5	6.5	8.3		
Wealth Quintile								
Lowest	28.0	31.9	25.7	29.2	2.3	2.7		
Middle	29.4	32.3	26.0	29.0	3.4	3.4		
Highest	36.1	40.0	33.1	37.0	3.0	3.0		

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 2184)

Married Users¹ (N = 1611)

						•		•								•	_	•		
St	erilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.1	40.4	4.5	20.3	6.3	7.9	0.3	10.6	0.4	9.2	0.2	42.6	5.3	22.9	7.2	8.5	0.1	4.1	0.5	8.8
Age Group																				
15-19	0.0	51.0	1.7	11.0	2.0	3.5	0.6	24.2	0.0	6.0	0.0	62.9	2.0	24.9	0.0	6.8	0.0	2.2	0.0	1.3
20-24	0.0	40.3	0.2	18.8	7.1	7.4	0.4	17.3	0.1	8.3	0.0	49.5	0.3	23.3	9.3	8.2	0.2	3.3	0.2	5.9
25-29	0.0	34.9	2.5	30.5	6.6	7.6	0.6	11.6	0.4	5.3	0.0	38.3	2.7	32.8	7.3	7.4	0.1	6.0	0.2	5.2
30-34	0.0	42.8	4.6	22.0	8.8	9.8	0.3	5.3	0.8	5.7	0.0	44.4	4.8	22.7	9.1	9.6	0.0	2.9	0.8	5.6
35-39	0.0	39.0	6.4	20.9	6.8	10.7	0.0	4.7	1.1	10.4	0.0	39.5	6.7	21.6	7.0	10.9	0.0	4.0	1.1	9.3
40-44	0.4	38.5	9.9	16.3	5.4	5.8	0.0	5.7	0.3	17.9	0.4	39.1	10.4	16.7	5.5	5.9	0.0	4.0	0.3	17.7
45-49	1.4	44.0	14.5	5.7	1.7	9.9	0.0	4.2	0.4	18.2	1.5	42.2	14.4	5.9	1.8	10.4	0.0	4.4	0.4	19.0
Marital Status																				
Married, or in union	0.2	42.6	5.3	22.9	7.2	8.5	0.1	4.1	0.5	8.8	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually acti	ve 0.0	25.9	1.7	10.8	2.6	7.1	2.0	39.7	0.2	9.9	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	47.5	1.6	19.0	7.1	7.2	0.7	9.1	0.4	7.5	0.0	46.9	2.3	21.5	8.2	6.8	0.3	6.5	0.3	7.3
2-3 children	0.2	39.4	5.2	24.9	7.3	11.4	0.1	6.0	0.3	5.2	0.2	40.1	5.3	25.2	7.5	10.9	0.1	5.7	0.3	4.8
4+ children	0.2	42.8	5.7	21.8	6.8	7.4	0.0	3.2	0.7	11.5	0.2	42.7	5.8	22.1	6.9	7.5	0.0	2.7	0.7	11.3
Residence																				
Urban	0.4	26.6	6.8	11.8	4.0	14.6	1.1	24.2	0.7	9.9	0.5	32.7	9.7	14.1	5.4	18.8	0.2	8.2	0.8	9.5
Rural	0.0	45.8	3.6	23.6	7.1	5.2	0.0	5.3	0.4	8.9	0.0	45.6	3.9	25.5	7.7	5.4	0.0	2.8	0.4	8.6
Education																				
Never	0.1	43.9	4.7	22.9	6.7	7.6	0.0	2.7	0.5	10.7	0.1	43.8	4.9	23.2	6.9	7.4	0.0	2.6	0.6	10.6
Primary	0.1	46.7	3.5	22.6	5.0	9.5	0.2	8.5	0.0	4.0	0.2	47.9	3.9	24.5	5.2	9.3	0.1	5.0	0.0	3.9
Secondary 1 Cycle	0.1	38.5	3.3	14.7	7.1	7.1	0.4	20.0	0.6	8.2	0.2	38.5	5.6	20.4	11.0	10.7	0.0	6.3	0.9	6.5
Secondary 2 Cycles	0.0	12.8	6.5	16.2	5.8	8.1	0.9	37.9	0.0	11.9	0.0	19.0	10.2	25.9	11.1	14.0	0.8	10.4	0.0	8.6
Tertiary	0.8	16.0	10.1	1.9	2.9	6.9	3.2	44.0	1.4	12.8	1.7	23.4	21.2	2.6	4.7	10.5	0.0	18.2	2.0	15.8
Wealth Quintile																				
Lowest	0.0	48.5	4.2	21.6	6.7	4.6	0.0	5.6	0.8	8.1	0.0	46.9	4.7	23.7	7.2	4.8	0.0	3.3	0.9	8.5
Middle	0.1	43.4	2.7	22.3	8.3	6.1	0.0	5.5	0.0	11.6	0.1	44.7	2.7	23.6	9.3	6.4	0.0	2.8	0.0	10.4
Highest	0.3	30.3	6.4	17.3	4.2	12.4	0.8	19.6	0.5	8.2	0.4	35.6	8.5	21.2	5.0	14.8	0.2	6.3	0.6	7.5
											1									

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics

Characteristics	Short Acti	ing Methods ¹	Long Acti	ng Methods ²
	All Women	Married Women ³	All Women	Married Women ³
	(N = 6078)	(N = 4037)	(N = 6078)	(N = 4037)
Total				
All	14.1	14.8	13.9	16.4
Age Group				
15-19	5.8	5.4	7.4	10.4
20-24	17.8	14.4	14.1	16.2
25-29	23.0	20.8	15.0	15.9
30-34	17.6	16.9	17.8	18.4
35-39	15.7	15.8	16.1	16.4
40-44	12.5	12.8	18.2	19.7
45-49	4.1	4.9	11.3	12.4
Marital Status				
Married, or in union	14.8	na	16.4	na
Unmarried, sexually active	47.3	na	20.9	na
Parity				
0-1 children	14.0	12.2	15.9	13.7
2-3 children	17.6	17.5	15.8	16.0
4+ children	14.5	15.0	17.7	18.3
Residence				
Urban	22.4	21.8	13.4	19.6
Rural	11.8	13.3	14.1	15.8
Education				
Never	11.9	12.7	14.3	15.3
Primary	14.1	16.5	15.5	19.4
Secondary 1 Cycle	15.1	20.6	12.6	18.5
Secondary 2 Cycles	31.5	34.4	8.8	16.2
Tertiary	30.5	20.0	13.7	24.5
Wealth Quintile				
Lowest	11.0	12.7	14.7	16.5
Middle	12.4	13.6	13.6	15.4
Highest	19.8	19.2	13.3	17.8

¹ Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

² Long-acting methods include IUD, implants, and sterilization (male and female).

³ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics

Background Characteristics	All V	All Women (N = 6078)			/omen ¹ (N = 40	37)
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	13.1	3.3	16.4	16.5	4.4	20.9
Age Group						
15-19	6.0	0.0	6.0	19.8	0.0	19.8
20-24	17.5	0.0	17.5	20.5	0.0	20.5
25-29	18.5	0.3	18.9	20.0	0.4	20.4
30-34	17.7	1.7	19.3	18.5	1.7	20.3
35-39	16.8	5.9	22.7	17.7	6.1	23.8
40-44	9.0	12.1	21.1	9.9	13.4	23.3
45-49	2.9	10.6	13.5	3.4	12.5	15.8
Marital Status						
Married, or in union	16.5	4.4	20.9	na	na	na
Unmarried, sexually active	14.1	0.2	14.3	na	na	na
Parity						
0-1 children	17.4	0.0	17.4	18.6	0.0	18.6
2-3 children	18.1	0.7	18.8	18.8	0.7	19.5
4+ children	15.0	7.6	22.5	15.8	8.0	23.8
Residence						
Urban	6.6	2.2	8.9	9.4	3.7	13.2
Rural	15.0	3.6	18.5	18.0	4.5	22.5
Education						
Never	15.6	4.9	20.5	17.0	5.4	22.4
Primary	13.6	1.8	15.4	17.2	2.5	19.7
Secondary 1 Cycle	7.8	0.6	8.4	14.8	1.5	16.2
Secondary 2 Cycles	5.1	1.1	6.2	8.5	3.0	11.4
Tertiary	6.1	0.4	6.5	10.6	0.9	11.5
Wealth Quintile						
Lowest	12.5	4.9	17.4	15.3	6.3	21.7
Middle	16.3	2.4	18.7	19.3	3.0	22.3
Highest	10.5	2.3	12.8	14.8	3.4	18.2

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Married Women 2 (N=4037)

Background Characteristics

Characteristics		All W	omen (i	V=60/8)			iviarried	women	(N=4037)
	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern ¹ Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	30.9	28.1	16.4	47.3	59.3	34.2	31.2	20.9	55.2	56.6
Age Group										
15-19	14.1	13.2	6.0	20.0	65.9	16.0	15.8	19.8	35.8	44.1
20-24	34.7	31.8	17.5	52.2	60.9	32.6	30.7	20.5	53.1	57.7
25-29	40.1	38.0	18.9	59.0	64.4	38.8	36.7	20.4	59.2	62.1
30-34	37.6	35.4	19.3	56.9	62.3	37.3	35.2	20.3	57.6	61.2
35-39	35.4	31.8	22.7	58.1	54.7	35.5	32.2	23.8	59.3	54.3
40-44	37.4	30.7	21.1	58.5	52.5	39.5	32.5	23.3	62.8	51.8
45-49	18.8	15.4	13.5	32.3	47.6	21.3	17.2	15.8	37.1	46.4
Marital Status										
Married, or in union	34.2	31.2	20.9	55.2	56.6	na	na	na	na	na
Unmarried, sexually active	75.7	68.2	14.3	89.9	75.8	na	na	na	na	na
Parity										
0-1 children	32.3	29.9	17.4	49.7	60.2	27.9	25.9	18.6	46.6	55.6
2-3 children	35.2	33.3	18.8	54.0	61.8	35.2	33.5	19.5	54.7	61.2
4+ children	36.4	32.3	22.5	59.0	54.7	37.6	33.3	23.8	61.3	54.3
Residence										
Urban	39.8	35.9	8.9	48.6	73.7	45.8	41.5	13.2	59.0	70.3
Rural	28.4	25.9	18.5	46.9	55.2	31.8	29.1	22.5	54.4	53.5
Education										
Never	29.3	26.1	20.5	49.8	52.5	31.3	28.0	22.4	53.7	52.1
Primary	30.8	29.6	15.4	46.2	64.0	37.3	35.9	19.7	57.0	63.0
Secondary 1 Cycle	30.2	27.7	8.4	38.5	71.9	41.8	39.1	16.2	58.0	67.4
Secondary 2 Cycles	45.7	40.3	6.2	51.9	77.6	55.3	50.6	11.4	66.8	75.8
Tertiary	50.7	44.2	6.5	57.2	77.2	52.8	44.5	11.5	64.3	69.2
Wealth Quintile										
Lowest	28.0	25.7	17.4	45.4	56.7	31.9	29.2	21.7	53.6	54.5
Middle	29.4	26.0	18.7	48.1	54.0	32.3	29.0	22.3	54.6	53.1
Highest	36.1	33.1	12.8	48.8	67.8	40.0	37.0	18.2	58.2	63.6

All Women (N=6078)

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

² Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wom	en with 1 or N	Nore Births	Married Women with 1 or More Births				
Characteristics		(N=3066)			(N=2870)			
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All		
Total								
All	77.9	20.6	1.4	79.4	19.4	1.2		
Age Group								
15-19	72.4	24.1	3.6	83.5	15.4	1.1		
20-24	79.0	20.6	0.4	82.1	17.9	0.0		
25-29	79.7	20.3	0.1	80.5	19.4	0.1		
30-34	78.8	20.4	0.8	79.0	20.2	0.8		
35-39	77.2	20.5	2.4	77.4	20.7	1.8		
40-44	74.6	21.7	3.7	74.6	21.7	3.7		
45-49	75.5	16.0	8.4	76.0	15.2	8.8		
Marital Status								
Married, or in union	79.4	19.4	1.2	na	na	na		
Unmarried, sexually active	31.2	68.8	0.0	na	na	na		
Parity								
0-1 children	77.3	21.0	1.7	86.2	13.4	0.4		
2-3 children	83.6	16.3	0.2	83.8	16.1	0.1		
4+ children	74.2	23.5	2.2	74.5	23.4	2.1		
Residence								
Urban	79.7	18.8	1.5	82.5	16.1	1.4		
Rural	77.6	21.0	1.4	78.8	20.1	1.1		
Education								
Never	78.6	19.9	1.5	79.1	19.6	1.3		
Primary	79.4	19.6	1.1	80.6	18.6	0.8		
Secondary 1 Cycle	71.9	26.4	1.7	78.1	21.0	1.0		
Secondary 2 Cycles	74.1	24.9	1.0	84.0	14.8	1.2		
Tertiary	84.5	14.7	0.9	82.0	17.0	1.0		
Wealth Quintile								
Lowest	78.2	19.7	2.1	79.4	18.8	1.8		
Middle	75.4	23.4	1.3	76.8	22.3	0.8		
Highest	80.8	18.4	0.7	82.8	16.6	0.6		

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provide	Provider/Partner r Alone	(N = 1965)
Total				
All	69.4	20.2	10.4	
Age Group				
15-19	63.6	20.1	16.2	
20-24	67.9	17.5	14.5	
25-29	67.8	22.2	9.9	
30-34	78.8	15.1	6.1	
35-39	72.2	19.3	8.5	
40-44	64.4	26.7	8.9	
45-49	60.9	29.1	10.0	
Marital Status				
Married, or in union	73.0	19.2	7.8	
Unmarried, sexually active	52.5	26.6	20.9	
Parity				
0-1 children	69.1	19.8	11.1	
2-3 children	74.2	19.5	6.3	
4+ children	73.4	18.6	8.0	
Residence				
Urban	58.2	26.0	15.8	
Rural	73.7	18.0	8.3	
Education				
Never	74.8	17.7	7.5	
Primary	74.1	16.9	9.0	
Secondary 1 Cycle	62.2	22.8	15.0	
Secondary 2 Cycles	44.1	32.2	23.7	
Tertiary	41.8	44.6	13.6	
Wealth Quintile				
Lowest	70.3	19.1	10.6	
Middle	75.9	17.0	7.1	
Highest	63.1	23.9	12.9	

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Method Information Index Components

Percentage of current modern contraceptive ¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

		about other 2 hods		about side 2 ects	Told what to do i	•		t switching 2 in future
Background Characteristics	All	Married ³	All	Married ³	All	Married ³	All	Married ³
	Users	Users	Users	Users	Users	Users	Users	Users
Total	(1965)	(1461)	(1965)	(1461)	(1000)	(856)	(1965)	(1461)
All	64.8	69.9	57.7	61.6	92.9	94.5	74.7	79.7
Age Group								
15-19	49.7	70.5	50.7	51.3	82.9		64.6	78.9
20-24	58.2	66.2	52.9	62.8	89.8	94.2	66.4	76.5
25-29	68.8	72.3	53.6	56.7	92.7	92.8	71.2	75.3
30-34	70.8	72.8	59.4	61.3	95.3	95.3	78.7	81.1
35-39	66.6	68.4	63.1	63.3	95.7	95.7	80.9	81.6
40-44	66.4	66.2	64.7	65.7	95.2	95.4	86.5	86.9
45-49	74.7	76.6	68.4	67.7	97.8	98.6	78.7	77.5
Marital Status								
Married, or in union	69.9	na	61.6	na	94.5	na	79.7	na
Unmarried, sexually active	39.3	na	40.6	na	80.1	na	51.2	na
Parity								
0-1 children	71.5	73.2	52.9	57.4	83.7	88.2	71.9	74.4
2-3 children	69.5	69.8	59.5	59.8	93.3	93.3	74.8	75.1
4+ children	69.4	69.8	63.4	63.4	96.0	96.1	83.6	83.6
Residence								
Urban	55.6	69.9	44.6	55.1	88.1	89.8	61.8	77.6
Rural	68.4	69.9	62.7	63.5	94.2	95.7	79.7	80.3
Education								
Never	67.9	68.4	61.9	62.1	95.8	95.7	80.3	80.6
Primary	67.4	73.3	62.0	64.5	90.4	92.4	75.3	78.9
Secondary 1 Cycle	60.2	69.6	49.7	55.3	93.8	94.6	68.1	75.9
Secondary 2 Cycles	52.8	71.8	38.5	53.7	74.8	88.5	56.3	78.1
Tertiary	49.0	83.4	46.6	74.4	75.7	89.5	52.8	86.7
Wealth Quintile								
Lowest	67.0	69.6	62.7	63.5	93.7	96.1	76.7	77.6
Middle	68.9	69.6	60.7	61.9	94.2	95.3	80.9	81.6
Highest	59.5	70.7	50.4	59.2	90.7	91.7	67.6	80.1

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

² Asked of all current/recent modern contraceptive users

³ Married includes married women and those who are living with a man

⁴ Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

		5	
Background	Percent who would	Percent who would refer	Percent who would return
Characteristics	return to provider	relative/friend	and refer friend/relative
Total	(N = 1942)	(N = 1942)	(N = 1942)
All	95.2	93.7	92.6
Age Group			
15-19	91.3	87.7	87.3
20-24	95.0	94.2	93.1
25-29	96.2	94.6	94.0
30-34	94.7	95.2	93.2
35-39	95.1	92.4	91.5
40-44	98.5	94.4	94.3
45-49	91.7	95.0	91.7
Marital Status			
Married, or in union	96.4	94.7	93.7
Unmarried, sexually active	89.9	89.7	88.5
Parity			
0-1 children	93.1	88.4	87.4
2-3 children	96.5	95.2	94.3
4+ children	96.6	95.6	94.4
Residence			
Urban	90.4	90.1	87.9
Rural	97.0	95.0	94.4
Education			
Never	96.8	95.2	94.4
Primary	95.9	94.1	92.9
Secondary 1 Cycle	91.1	90.5	88.8
Secondary 2 Cycles	94.5	90.7	90.3
Tertiary	87.3	88.0	86.4
Wealth Quintile			
Lowest	96.1	95.1	93.9
Middle	97.5	94.0	93.7
Highest	92.3	92.1	90.5

¹ Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i>Italics indicate estimate was generated from 25 to 49 unweighted observations



Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Either visited by health worker

Background Characteristics	Visited by heal discussed fa	th worker who mily planning	Visited facility and provider discussed family planning			facility and amily planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women	
Total	(6078)	(4037)	(6078)	(4037)	(6078)	(4037)	
All	11.6	12.8	22.5	28.0	29.5	35.2	
Age Group							
15-19	7.8	9.4	9.3	29.3	15.5	35.6	
20-24	11.6	11.5	29.4	35.5	36.9	42.5	
25-29	12.7	13.2	35.4	37.6	41.2	43.5	
30-34	16.1	16.6	24.3	25.2	32.5	33.6	
35-39	11.5	12.1	23.3	24.0	31.3	32.4	
40-44	11.7	12.3	20.6	21.6	27.5	28.6	
45-49	11.0	10.2	14.0	15.3	21.1	21.7	
Marital Status							
Married, or in union	12.8	na	28.0	na	35.2	na	
Unmarried, sexually active	8.5	na	12.9	na	18.6	na	
Parity							
0-1 children	10.5	9.8	27.3	29.6	33.9	35.8	
2-3 children	11.5	11.4	32.2	33.2	38.3	39.0	
4+ children	14.3	14.7	24.6	25.4	32.6	33.6	
Residence							
Urban	5.2	5.7	17.2	24.8	21.0	28.7	
Rural	13.4	14.2	24.0	28.7	31.9	36.6	
Education							
Never	12.6	13.2	23.9	26.0	31.4	33.7	
Primary	10.4	12.6	25.9	34.1	31.5	40.3	
Secondary 1 Cycle	9.9	9.9	17.0	31.4	23.6	36.1	
Secondary 2 Cycles	13.5	14.8	16.2	29.4	26.0	38.6	
Tertiary	6.4	8.4	15.9	25.6	20.1	31.0	
Wealth Quintile							
Lowest	13.1	13.5	23.0	28.0	30.8	35.6	
Middle	13.3	14.5	24.6	28.9	32.4	36.9	
Highest	8.0	9.5	19.7	26.9	24.9	32.5	

¹ Married includes married women and those who are living with a man

na Not applicable

⁻⁻ Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	3572	2276	5848
Households Occupied	3351	2185	5536
Households Interviewed	3217	2160	5377
Household Response Rate ¹	96.00%	98.86%	97.13%
Interviews with Women			
Number of Eligible Women ²	3817	2697	6514
Number of Eligible Women Interviewed	3536	2542	6078
Eligible Woman Response Rate ³	92.64%	94.25%	93.31%

¹ Household response rate = households interviewed/households selected

² Eligible women are women ages 15-49 identified in completed household interviews

³ Eligible response rate = eligible women interviewed/eligible women



Sample Error Estimates

	All Women					Married Women ¹			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper	
Currently using a modern method	0.281	0.015	0.253	0.310	0.312	0.017	0.280	0.347	
Currently using a traditional method	0.028	0.005	0.020	0.040	0.030	0.006	0.020	0.044	
Currently using any contraceptive method	0.309	0.015	0.280	0.339	0.342	0.018	0.308	0.378	
Currently using DMPA-IM	0.203	0.020	0.166	0.245	0.229	0.023	0.187	0.277	
Currently using DMPA-SC	0.063	0.014	0.040	0.097	0.072	0.017	0.044	0.114	
Currently using condoms	0.106	0.010	0.088	0.128	0.041	0.007	0.030	0.056	
Currenlty using implants	0.404	0.028	0.350	0.460	0.426	0.029	0.371	0.484	
Chose method by self or jointly in past 12 months	0.896	0.011	0.872	0.915	0.922	0.012	0.895	0.943	
Informed by provider about other methods	0.648	0.024	0.599	0.694	0.699	0.027	0.643	0.750	
Informed by provider about side effects	0.577	0.032	0.513	0.638	0.616	0.037	0.541	0.685	
Satisfied with provider: Would return and refer friend/relative to provider	0.926	0.012	0.899	0.946	0.937	0.012	0.909	0.957	
Visited by health worker who talked about family planning in past 12 months	0.116	0.015	0.089	0.149	0.128	0.019	0.094	0.170	

¹ Married includes married women and those who are living with a man