



## Performance Monitoring and Accountability 2020

*Measuring Performance, Informing Policy, Empowering Communities.*



BILL & MELINDA GATES INSTITUTE *for*  
POPULATION *and* REPRODUCTIVE HEALTH

## Côte d'Ivoire Round 2: Snapshot of Indicators (SOIs)

**Suggested citation:** Institut National de la Statistique de la Côte d'Ivoire (INS-Côte d'Ivoire), La Direction de Coordination du Programme National de Santé de la Mère et de l'Enfant (DC-PNSME), and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring and Accountability 2020 (PMA2020) Survey Round 2, PMA2018/Cote d'Ivoire-R2 Snapshot of Indicators*. 2018. Abidjan, Cote d'Ivoire and Baltimore, Maryland, USA.

[www.pma2020.org](http://www.pma2020.org)

[facebook.com/GATES.PMA2020](https://facebook.com/GATES.PMA2020)

Twitter: [@PMA2020JHU](https://twitter.com/PMA2020JHU)



# Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
<b>Total</b>			
All	100.0	2738	2738
<b>Age Group</b>			
15-19	20.1	550	542
20-24	18.1	496	500
25-29	17.9	490	495
30-34	16.3	445	436
35-39	12.8	350	351
40-44	9.4	256	262
45-49	5.5	151	152
<b>Marital Status</b>			
Married, or in union	64.8	1774	1767
Unmarried, sexually active	12.1	332	353
<b>Parity</b>			
0-1 children	43.8	1200	1200
2-3 children	25.4	694	685
4+ children	30.6	838	848
<b>Residence</b>			
Urban	61.5	1684	1676
Rural	38.5	1054	1062
<b>Education</b>			
Never	45.1	1234	1254
Primary	25.8	707	714
Secondary	23.0	629	615
Tertiary	6.0	164	152
<b>Wealth Quintile</b>			
Lowest	20.1	550	528
Lower	20.0	548	539
Middle	17.1	469	517
High	19.7	538	567
Highest	23.1	634	587

## Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method <sup>1</sup>		Traditional Method	
	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women	All Women	Married <sup>2</sup> Women
<b>Total</b>						
All	25.0	23.3	20.9	19.6	4.1	3.6
<b>Age Group</b>						
15-19	15.7	7.7	13.1	7.0	2.6	0.7
20-24	27.6	18.9	23.6	17.8	4.0	1.0
25-29	29.7	25.4	24.6	21.2	5.1	4.2
30-34	24.5	22.1	22.4	20.2	2.1	1.9
35-39	37.8	38.0	31.6	31.9	6.2	6.1
40-44	20.3	19.4	14.7	13.6	5.7	5.9
45-49	14.6	17.2	9.2	10.4	5.4	6.8
<b>Marital Status</b>						
Married, or in union	23.3	na	19.6	na	3.6	na
Unmarried, sexually active	53.4	na	44.4	na	9.0	na
<b>Parity</b>						
0-1 children	23.0	13.5	19.2	11.7	3.8	1.8
2-3 children	27.9	27.7	23.9	24.3	4.0	3.4
4+ children	25.4	25.6	20.8	20.7	4.6	4.9
<b>Residence</b>						
Urban	28.4	27.3	23.3	22.7	5.0	4.7
Rural	19.6	18.2	16.9	15.9	2.6	2.4
<b>Education</b>						
Never	18.2	19.1	15.7	16.5	2.5	2.6
Primary	27.4	27.2	23.1	22.8	4.2	4.4
Secondary	29.6	26.4	24.0	21.5	5.6	5.0
Tertiary	47.8	40.5	37.5	32.2	10.4	8.3
<b>Wealth Quintile</b>						
Lowest	15.6	15.4	13.8	13.4	1.8	2.0
Lower	17.0	13.8	13.7	11.4	3.3	2.5
Middle	24.7	24.9	19.7	20.3	5.0	4.5
High	32.1	32.3	28.4	28.9	3.6	3.3
Highest	34.1	35.2	27.6	28.5	6.6	6.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

# Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

## Background Characteristics

	All Users (N = 684)										Married Users <sup>1</sup> (N = 413)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
<b>Total</b>																				
All	0.0	10.1	0.9	19.8	4.6	22.1	5.9	19.3	0.9	16.5	0.0	12.9	0.8	27.1	7.0	26.4	3.4	5.6	1.1	15.7
<b>Age Group</b>																				
15-19	0.0	6.8	0.0	5.9	1.6	8.4	11.3	49.7	0.0	16.4	--	--	--	--	--	--	--	--	--	--
20-24	0.0	8.6	0.0	19.7	3.4	20.0	5.2	28.2	0.5	14.5	0.0	14.1	0.0	31.6	7.1	30.9	2.0	7.8	1.2	5.3
25-29	0.0	7.6	0.0	25.9	5.7	17.4	8.4	16.7	0.9	17.3	0.0	8.6	0.0	33.8	8.5	21.5	2.9	8.1	0.0	16.7
30-34	0.0	21.2	1.4	25.0	7.2	21.7	3.5	8.0	3.6	8.4	0.0	24.0	0.3	25.6	8.3	21.5	3.3	3.4	4.6	8.8
35-39	0.0	6.6	0.0	21.0	2.5	38.5	4.7	10.2	0.2	16.3	0.0	8.2	0.0	23.7	3.1	36.8	5.8	6.4	0.0	16.0
40-44	0.0	15.1	4.9	15.4	7.7	20.5	1.1	7.4	0.0	27.9	<i>0.0</i>	<i>15.8</i>	<i>2.9</i>	<i>19.5</i>	<i>9.8</i>	<i>20.4</i>	<i>1.3</i>	<i>0.0</i>	<i>0.0</i>	<i>30.2</i>
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Marital Status</b>																				
Married, or in union	0.0	12.9	0.8	27.1	7.0	26.4	3.4	5.6	1.1	15.7	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	5.5	1.5	10.6	1.3	15.8	12.0	36.3	0.1	16.9	na	na	na	na	na	na	na	na	na	na
<b>Parity</b>																				
0-1 children	0.0	6.3	0.5	10.6	2.3	12.4	11.2	39.2	0.8	16.7	0.0	13.7	0.0	25.8	8.3	16.7	9.5	11.2	1.2	13.6
2-3 children	0.0	10.8	0.0	30.9	3.8	29.2	3.8	6.9	0.4	14.2	0.0	10.4	0.0	33.1	4.6	29.0	4.1	6.1	0.5	12.2
4+ children	0.0	14.6	2.2	21.8	8.1	28.2	0.8	4.6	1.5	18.2	0.0	14.8	1.7	22.4	8.7	27.3	0.9	3.4	1.6	19.2
<b>Residence</b>																				
Urban	0.0	9.5	0.8	17.4	3.2	20.2	7.7	22.8	0.6	17.8	0.0	13.7	0.9	24.9	5.0	24.8	5.2	7.3	1.1	17.1
Rural	0.0	11.6	1.1	25.5	7.8	26.4	1.6	11.1	1.5	13.4	0.0	11.6	0.6	31.1	10.8	29.5	0.0	2.2	1.2	12.9
<b>Education</b>																				
Never	0.0	15.5	1.5	23.4	5.0	28.5	1.4	9.0	1.9	13.6	0.0	17.2	1.2	26.0	5.3	28.8	0.3	6.0	1.6	13.6
Primary	0.0	8.9	1.3	25.8	5.7	24.5	3.0	14.8	0.6	15.4	0.0	9.8	0.9	33.3	8.6	26.1	2.6	1.9	0.7	16.1
Secondary	0.0	7.6	0.0	13.0	3.3	15.0	8.5	33.4	0.4	18.9	0.0	8.8	0.0	24.0	8.2	29.3	3.3	6.6	1.1	18.8
Tertiary	0.0	3.8	0.0	11.4	3.6	12.8	19.8	26.8	0.0	21.6	<i>0.0</i>	<i>9.2</i>	<i>0.0</i>	<i>16.0</i>	<i>8.6</i>	<i>5.4</i>	<i>24.5</i>	<i>15.7</i>	<i>0.0</i>	<i>20.5</i>
<b>Wealth Quintile</b>																				
Lowest	0.0	14.8	1.6	20.5	13.0	24.6	1.9	11.8	0.0	11.7	0.0	15.7	0.0	24.3	17.3	27.3	0.0	2.3	0.0	13.0
Lower	0.0	6.4	0.9	29.4	4.2	24.1	0.0	13.0	2.5	19.5	0.0	5.9	1.6	40.6	5.7	22.9	0.0	3.8	1.7	17.9
Middle	0.0	13.0	0.0	22.5	1.2	26.4	2.3	13.6	0.9	20.2	0.0	14.1	0.0	27.8	1.7	34.5	0.0	2.5	1.0	18.3
High	0.0	10.2	0.6	21.2	3.6	23.8	9.4	18.3	1.7	11.3	0.0	15.9	0.9	29.7	4.6	26.5	4.5	4.7	2.8	10.4
Highest	0.0	8.3	1.3	12.9	3.9	16.5	9.1	28.8	0.0	19.2	0.0	11.3	1.3	19.0	7.6	22.2	8.3	11.2	0.0	19.2

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 2738)			Married Women <sup>1</sup> (N = 1773)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
<b>Total</b>						
All	17.9	3.5	21.5	21.8	4.6	26.5
<b>Age Group</b>						
15-19	15.4	0.8	16.3	30.5	0.0	30.5
20-24	25.1	0.9	26.0	30.2	1.4	31.7
25-29	23.5	0.7	24.2	27.5	0.7	28.2
30-34	24.4	4.5	28.9	28.1	4.8	32.8
35-39	11.3	5.7	17.0	12.9	6.3	19.2
40-44	6.5	12.1	18.6	7.9	12.9	20.8
45-49	1.0	9.2	10.2	0.7	9.9	10.6
<b>Marital Status</b>						
Married, or in union	21.8	4.6	26.5	na	na	na
Unmarried, sexually active	25.6	3.9	29.5	na	na	na
<b>Parity</b>						
0-1 children	15.8	0.6	16.4	23.1	0.3	23.5
2-3 children	20.6	1.5	22.2	22.5	1.6	24.0
4+ children	18.8	9.4	28.2	20.6	9.6	30.2
<b>Residence</b>						
Urban	15.1	2.7	17.8	19.7	3.9	23.6
Rural	22.5	4.8	27.3	24.5	5.6	30.1
<b>Education</b>						
Never	19.0	5.2	24.2	21.6	5.8	27.4
Primary	19.7	2.9	22.5	20.9	2.8	23.7
Secondary	16.0	1.9	17.9	26.1	5.1	31.2
Tertiary	10.4	0.4	10.8	17.3	0.8	18.1
<b>Wealth Quintile</b>						
Lowest	24.1	5.1	29.2	27.1	6.0	33.1
Lower	19.7	5.7	25.5	21.4	6.9	28.3
Middle	19.9	3.2	23.2	22.8	4.4	27.2
High	14.7	1.9	16.6	18.3	1.7	20.0
Highest	12.2	1.9	14.1	18.0	3.1	21.1

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



# Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

## Background

### Characteristics

Characteristics	All Women (N=2738)					Married Women <sup>2</sup> (N=1773)				
	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method <sup>1</sup>	Unmet Need	Total Demand	Demand Satisfied By Modern
<b>Total</b>										
All	25.0	20.9	21.5	46.4	44.9	23.3	19.6	26.5	49.8	39.5
<b>Age Group</b>										
15-19	15.7	13.1	16.3	32.0	41.1	7.7	7.0	30.5	38.2	<i>18.3</i>
20-24	27.6	23.6	26.0	53.5	44.0	18.9	17.8	31.7	50.5	35.3
25-29	29.7	24.6	24.2	53.9	45.6	25.4	21.2	28.2	53.7	39.5
30-34	24.5	22.4	28.9	53.4	42.1	22.1	20.2	32.8	54.9	36.7
35-39	37.8	31.6	17.0	54.7	57.7	38.0	31.9	19.2	57.3	55.7
40-44	20.3	14.7	18.6	38.9	37.7	19.4	13.6	20.8	40.2	33.7
45-49	14.6	9.2	10.2	24.8	<i>37.1</i>	17.2	10.4	10.6	27.8	<i>37.5</i>
<b>Marital Status</b>										
Married, or in union	23.3	19.6	26.5	49.8	39.5	na	na	na	na	na
Unmarried, sexually active	53.4	44.4	29.5	82.9	53.5	na	na	na	na	na
<b>Parity</b>										
0-1 children	23.0	19.2	16.4	39.4	48.6	13.5	11.7	23.5	37.0	31.6
2-3 children	27.9	23.9	22.2	50.1	47.8	27.7	24.3	24.0	51.7	47.0
4+ children	25.4	20.8	28.2	53.6	38.8	25.6	20.7	30.2	55.8	37.1
<b>Residence</b>										
Urban	28.4	23.3	17.8	46.2	50.5	27.3	22.7	23.6	50.9	44.5
Rural	19.6	16.9	27.3	46.9	36.1	18.2	15.9	30.1	48.3	32.9
<b>Education</b>										
Never	18.2	15.7	24.2	42.4	37.1	19.1	16.5	27.4	46.6	35.5
Primary	27.4	23.1	22.5	49.9	46.4	27.2	22.8	23.7	50.9	44.9
Secondary	29.6	24.0	17.9	47.5	50.5	26.4	21.5	31.2	57.7	37.2
Tertiary	47.8	37.5	10.8	58.6	63.9	40.5	32.2	18.1	58.6	<i>54.9</i>
<b>Wealth Quintile</b>										
Lowest	15.6	13.8	29.2	44.9	30.8	15.4	13.4	33.1	48.5	27.6
Lower	17.0	13.7	25.5	42.5	32.3	13.8	11.4	28.3	42.1	27.0
Middle	24.7	19.7	23.2	47.9	41.2	24.9	20.3	27.2	52.1	39.0
High	32.1	28.4	16.6	48.6	58.5	32.3	28.9	20.0	52.3	55.3
Highest	34.1	27.6	14.1	48.3	57.2	35.2	28.5	21.1	56.4	50.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=1535)			Married <sup>1</sup> Women with 1 or More Births (N=1299)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
<b>Total</b>						
All	65.1	32.3	2.7	69.5	28.4	2.0
<b>Age Group</b>						
15-19	44.9	49.1	6.0	60.3	38.8	0.9
20-24	59.3	38.3	2.4	67.7	30.9	1.4
25-29	69.6	29.2	1.2	70.9	28.0	1.1
30-34	67.7	30.8	1.5	69.5	29.2	1.3
35-39	71.1	27.3	1.6	73.7	24.5	1.7
40-44	69.9	19.5	10.5	69.6	20.2	10.3
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	69.5	28.4	2.0	na	na	na
Unmarried, sexually active	40.9	54.8	4.3	na	na	na
<b>Parity</b>						
0-1 children	63.4	32.9	3.7	75.9	22.6	1.5
2-3 children	69.3	29.6	1.1	72.7	26.6	0.7
4+ children	62.4	34.3	3.3	63.5	33.1	3.4
<b>Residence</b>						
Urban	67.5	30.8	1.7	71.9	26.5	1.5
Rural	62.1	34.1	3.8	66.6	30.8	2.6
<b>Education</b>						
Never	67.2	29.9	2.9	69.6	28.0	2.3
Primary	61.3	36.5	2.2	67.2	31.1	1.7
Secondary	60.6	35.9	3.5	69.5	28.6	1.8
Tertiary	78.4	21.6	0.0	<i>84.8</i>	<i>15.2</i>	<i>0.0</i>
<b>Wealth Quintile</b>						
Lowest	63.2	33.5	3.3	68.8	28.8	2.4
Lower	65.0	31.5	3.5	68.4	29.2	2.4
Middle	56.2	41.9	1.9	61.4	37.0	1.7
High	67.8	30.7	1.4	70.9	27.4	1.7
Highest	74.3	23.2	2.5	79.0	19.5	1.6

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception<sup>1</sup> reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner	Provider Alone/Partner	(N = 571)
<b>Total</b>				
All	60.0	27.0	13.0	
<b>Age Group</b>				
15-19	43.7	35.1	21.2	
20-24	55.2	32.3	12.4	
25-29	56.0	24.9	19.1	
30-34	77.5	16.2	6.3	
35-39	64.8	26.5	8.7	
40-44	55.9	33.6	10.5	
45-49	--	--	--	
<b>Marital Status</b>				
Married, or in union	63.9	23.9	12.2	
Unmarried, sexually active	53.8	29.7	16.4	
<b>Parity</b>				
0-1 children	51.7	30.8	17.4	
2-3 children	67.0	25.1	7.9	
4+ children	64.1	23.9	12.0	
<b>Residence</b>				
Urban	57.5	29.6	12.8	
Rural	65.5	21.3	13.2	
<b>Education</b>				
Never	62.9	23.4	13.8	
Primary	64.5	25.7	9.8	
Secondary	53.3	32.1	14.6	
Tertiary	56.9	30.4	12.7	
<b>Wealth Quintile</b>				
Lowest	61.7	28.4	9.9	
Lower	70.9	19.3	9.8	
Middle	57.8	26.6	15.6	
High	61.9	23.1	15.0	
Highest	54.1	33.5	12.5	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Payment for Family Planning

Percentage of women age 15 to 49 currently using a modern contraceptive method<sup>1</sup> who paid fees for services, by marital status and background characteristics.

Background Characteristics	All Modern Contraceptive Users (N = 571)	Married <sup>2</sup> Modern Contraceptive Users (N = 348)
<b>Total</b>		
All	95.5	96.2
<b>Age Group</b>		
15-19	93.2	--
20-24	95.7	95.9
25-29	95.7	96.2
30-34	93.8	94.8
35-39	97.8	97.6
40-44	<i>97.7</i>	<i>97.0</i>
45-49	--	--
<b>Marital Status</b>		
Married, or in union	96.2	na
Unmarried, sexually active	93.8	na
<b>Parity</b>		
0-1 children	94.4	<i>92.8</i>
2-3 children	97.9	98.7
4+ children	94.8	95.0
<b>Residence</b>		
Urban	95.3	95.5
Rural	96.1	97.5
<b>Education</b>		
Never	96.8	97.0
Primary	93.7	95.7
Secondary	95.1	<i>95.8</i>
Tertiary	97.5	--
<b>Wealth Quintile</b>		
Lowest	97.3	98.4
Lower	94.5	96.8
Middle	98.7	100.0
High	93.4	93.0
Highest	95.5	95.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Method Information Index Components

Percentage of current modern contraceptive<sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other methods <sup>2</sup>		Informed about side effects <sup>2</sup>		Told what to do if experienced side effects <sup>2</sup>	
	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users	All Users	Married <sup>3</sup> Users
<b>Total</b>	<b>(571)</b>	<b>(348)</b>	<b>(571)</b>	<b>(348)</b>	<b>(234)</b>	<b>(174)</b>
All	48.6	56.6	41.2	52.0	79.4	82.8
<b>Age Group</b>						
15-19	36.9	--	25.7	--	--	--
20-24	43.5	59.2	38.8	56.8	74.5	80.2
25-29	42.2	46.7	34.7	41.6	82.7	81.6
30-34	50.3	52.9	52.3	55.2	81.1	82.1
35-39	63.7	67.0	49.0	57.6	80.1	82.3
40-44	44.2	46.6	34.1	31.1	--	--
45-49	--	--	--	--	--	--
<b>Marital Status</b>						
Married, or in union	56.6	na	52.0	na	82.8	na
Unmarried, sexually active	34.2	na	28.2	na	68.9	na
<b>Parity</b>						
0-1 children	38.9	57.4	26.8	53.4	70.8	--
2-3 children	51.8	52.6	50.4	50.5	80.0	80.3
4+ children	58.6	59.9	51.6	52.8	84.8	85.6
<b>Residence</b>						
Urban	48.3	59.3	38.1	52.2	77.3	81.5
Rural	49.4	51.7	48.1	51.5	83.1	85.1
<b>Education</b>						
Never	53.7	56.7	52.2	55.7	86.4	88.5
Primary	51.5	54.9	37.8	44.4	75.8	77.7
Secondary	40.6	56.9	35.4	57.1	75.1	82.2
Tertiary	45.8	--	28.5	--	--	--
<b>Wealth Quintile</b>						
Lowest	52.9	48.7	45.5	44.1	88.9	90.5
Lower	38.8	46.7	48.9	57.0	76.6	79.9
Middle	49.2	53.0	45.9	52.2	83.5	85.4
High	50.8	65.7	48.6	68.0	78.9	80.5
Highest	48.8	59.5	27.0	37.7	71.8	81.1

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Quality of Care

Percentage of current modern<sup>1</sup> contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider (N = 557)	Percent who would refer relative/friend (N = 557)	Percent who would return and refer friend/relative (N = 557)
<b>Total</b>			
All	90.7	82.8	78.4
<b>Age Group</b>			
15-19	85.2	85.9	79.8
20-24	96.8	88.5	87.1
25-29	89.1	78.0	74.3
30-34	86.7	83.4	74.4
35-39	92.4	78.2	75.5
40-44	<i>89.7</i>	<i>83.3</i>	<i>76.0</i>
45-49	--	--	--
<b>Marital Status</b>			
Married, or in union	91.4	79.8	76.3
Unmarried, sexually active	87.2	88.0	80.3
<b>Parity</b>			
0-1 children	89.4	86.6	81.6
2-3 children	90.9	78.3	74.1
4+ children	92.2	81.9	78.1
<b>Residence</b>			
Urban	91.7	84.2	80.8
Rural	88.6	79.6	73.0
<b>Education</b>			
Never	94.4	83.2	80.0
Primary	91.7	79.7	75.7
Secondary	86.2	86.1	80.7
Tertiary	87.8	83.3	76.4
<b>Wealth Quintile</b>			
Lowest	90.4	82.4	75.3
Lower	94.0	78.7	73.2
Middle	90.7	80.0	76.4
High	92.0	88.1	84.1
Highest	88.6	81.6	78.0

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

## Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women	All Women	Married <sup>1</sup> Women
<b>Total</b>	<b>(2738)</b>	<b>(1773)</b>	<b>(2738)</b>	<b>(1773)</b>	<b>(2738)</b>	<b>(1773)</b>
All	7.3	7.9	19.3	23.6	23.6	27.5
<b>Age Group</b>						
15-19	6.4	9.7	9.8	24.3	14.2	30.0
20-24	6.4	7.5	21.0	25.5	24.8	28.9
25-29	10.1	10.8	22.1	22.8	27.8	28.1
30-34	6.0	5.8	22.4	23.7	25.5	26.7
35-39	7.9	7.2	25.3	28.8	29.2	32.1
40-44	7.4	8.9	20.4	19.8	24.5	24.7
45-49	7.5	5.0	15.3	14.5	19.9	17.3
<b>Marital Status</b>						
Married, or in union	7.9	na	23.6	na	27.5	na
Unmarried, sexually active	7.2	na	15.6	na	19.9	na
<b>Parity</b>						
0-1 children	5.8	5.7	12.7	19.4	16.9	22.7
2-3 children	8.7	9.1	23.9	25.0	28.2	29.0
4+ children	8.4	8.3	25.3	25.0	29.5	29.3
<b>Residence</b>						
Urban	5.1	4.8	17.3	23.3	20.8	25.9
Rural	11.0	11.8	22.6	23.8	28.1	29.6
<b>Education</b>						
Never	6.4	6.7	19.9	22.0	23.2	25.0
Primary	9.3	11.0	23.1	27.2	28.2	33.2
Secondary	7.4	8.3	16.3	27.1	21.0	31.1
Tertiary	6.3	3.9	11.2	12.0	17.2	15.8
<b>Wealth Quintile</b>						
Lowest	9.5	9.9	21.4	22.1	25.1	25.7
Lower	8.9	9.3	21.8	24.1	27.0	29.1
Middle	5.2	6.1	19.3	22.6	22.5	26.3
High	7.4	8.0	21.4	28.6	26.1	32.9
Highest	5.6	5.1	13.7	20.6	18.0	23.8

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
<b>Household Interviews</b>			
Households Selected	1538	1014	2552
Households Occupied	1501	972	2473
Households Interviewed	1461	964	2425
Household Response Rate <sup>1</sup>	97.34%	99.18%	98.06%
<b>Interviews with Women</b>			
Number of Eligible Women <sup>2</sup>	1715	1075	2790
Number of Eligible Women Interviewed	1676	1062	2738
Eligible Woman Response Rate <sup>3</sup>	97.73%	98.79%	98.14%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Variable	All Women				Married Women <sup>1</sup>			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.209	0.015	0.180	0.240	0.196	0.018	0.163	0.235
Currently using a traditional method	0.041	0.007	0.029	0.058	0.036	0.006	0.026	0.051
Currently using any contraceptive method	0.250	0.018	0.216	0.287	0.233	0.020	0.196	0.275
Currently using DMPA-IM	0.050	0.006	0.038	0.064	0.063	0.009	0.048	0.083
Currently using DMPA-SC	0.011	0.004	0.006	0.022	0.016	0.006	0.008	0.033
Currently using condoms	0.193	0.020	0.157	0.236	0.056	0.013	0.035	0.088
Currently using implants	0.025	0.004	0.018	0.035	0.030	0.005	0.021	0.043
Chose method by self or jointly in past 12 months	0.870	0.018	0.831	0.902	0.878	0.022	0.828	0.916
Paid fees for family planning services in past 12 months	0.955	0.010	0.929	0.972	0.962	0.012	0.928	0.980
Informed by provider about other methods	0.486	0.038	0.412	0.561	0.566	0.042	0.481	0.647
Informed by provider about side effects	0.412	0.034	0.347	0.481	0.520	0.042	0.436	0.602
Satisfied with provider: Would return and refer friend/relative to provider	0.784	0.034	0.708	0.844	0.763	0.039	0.676	0.833
Visited by health worker who talked about family planning in past 12 months	0.073	0.014	0.050	0.107	0.079	0.017	0.052	0.119

<sup>1</sup> Married includes married women and those who are living with a man