

## **Background Characteristics of Respondents**

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	2911	2582
Age Group			
15-19	21.8	635	570
20-24	21.1	615	549
25-29	16.2	472	434
30-34	14.5	423	367
35-39	11.6	339	294
40-44	8.5	247	215
45-49	6.2	180	153
Marital Status			
Married, or in union	46.9	1366	1190
Unmarried, sexually active	15.4	448	384
Parity			
0-1 children	56.7	1649	1495
2-3 children	21.7	631	547
4+ children	21.7	630	540
Residence			
Urban	100.0	2011	2582
	100.0	2911	2582
Education			
Never	2.2	63	55
Primary	18.6	542	468
Secondary	63.5	1849	1653
Tertiary	15.7	456	406
Wealth Quintile			
Lowest	16.1	468	427
Lower	20.7	604	519
Middle	21.0	610	557
High	20.1	585	553
Highest	22.1	644	526
Region			
Kinshasa	100.0	2911	2582



#### **Current Use of Contraception**

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

<b>Background Characteristics</b>	Any Method		Modern I	Method <sup>1</sup>	Traditiona	<b>Traditional Method</b>		
		Married <sup>2</sup>		Married <sup>2</sup>		Married <sup>2</sup>		
	All Women	Women	All Women	Women	All Women	Women		
Total								
All	42.3	49.9	20.9	23.4	21.4	26.5		
Age Group								
15-19	17.6	38.9	7.0	11.6	10.6	27.3		
20-24	48.7	49.1	27.0	29.1	21.7	20.0		
25-29	53.4	51.1	27.9	24.5	25.5	26.5		
30-34	47.3	44.7	24.8	22.7	22.5	21.9		
35-39	59.8	66.5	28.9	30.4	30.9	36.1		
40-44	44.5	47.2	19.4	20.8	25.2	26.4		
45-49	30.5	34.1	8.5	9.5	22.0	24.6		
Marital Status								
Married, or in union	49.9	na	23.4	na	26.5	na		
Unmarried, sexually active	73.7	na	41.9	na	31.8	na		
Parity								
0-1 children	33.7	36.0	16.8	16.7	16.8	19.3		
2-3 children	49.5	50.9	23.4	22.5	26.1	28.4		
4+ children	57.6	58.4	29.0	28.7	28.6	29.7		
Residence								
Urban	42.3	49.9	20.9	23.4	21.4	26.5		
Education								
Never	41.2	45.9	14.4	17.7	26.9	28.2		
Primary	37.3	46.4	21.6	25.9	15.7	20.5		
Secondary	42.7	51.3	20.9	23.7	21.8	27.7		
Tertiary	46.5	49.8	20.8	20.4	25.8	29.5		
Wealth Quintile								
Lowest	42.5	47.6	21.3	24.4	21.2	23.2		
Lower	44.7	54.7	23.7	30.9	20.9	23.8		
Middle	47.0	52.2	22.1	22.8	24.9	29.4		
High	40.9	46.7	21.5	21.0	19.3	25.7		
Highest	36.7	48.3	16.2	17.6	20.5	30.7		
Region								
Kinshasa	42.3	49.9	20.9	23.4	21.4	26.5		

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Contraception Method Mix**

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

All Users (N = 1231)

Married Users<sup>1</sup> (N = 682)

:	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Moderr	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	
Total All	0.8	10.1	1.2	4.0	1.1	7.3	4.0	20.0	1.0	50.6	1.5	13.5	2.0	5.2	0.9	7.3	1.5	13.5	1.4	53.1
Age Group																				
15-19	0.0	2.5	0.0	1.5	0.3	0.9	4.8	29.0	0.7	60.4										
20-24	0.0	6.5	0.0	3.9	1.7	8.5	7.3	27.3	0.3	44.5	0.0	17.9	0.0	3.8	4.2	8.5	3.3	21.1	0.4	40.8
25-29	0.0	10.8	0.0	3.5	2.3	8.4	4.9	21.9	0.5	47.8	0.0	13.9	0.0	5.8	1.0	8.5	3.5	14.4	1.0	52.0
30-34	0.3	15.3	1.9	5.1	0.8	7.5	1.8	19.5	0.2	47.6	0.5	15.3	3.0	7.5	0.4	6.8	0.8	16.2	0.3	49.1
35-39	1.8	12.7	2.2	3.6	0.0	10.5	2.1	13.4	1.9	51.7	2.0	11.8	2.5	3.7	0.0	10.4	1.1	13.1	1.3	54.2
40-44	2.9	11.5	4.3	8.7	0.0	3.4	1.2	9.1	2.5	56.5	3.6	12.1	5.4	6.9	0.0	3.3	0.0	9.6	3.1	55.9
45-49	5.5	9.9	2.9	1.1	0.7	3.9	0.0	0.6	3.5	72.0	6.5	11.9	1.0	1.3	0.8	2.1	0.0	0.0	4.2	72.2
<b>Marital Status</b>																				
Married, or in union	1.5	13.5	2.0	5.2	0.9	7.3	1.5	13.5	1.4	53.1	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually ac	tive 0.0	4.7	0.0	3.4	2.2	7.4	9.6	28.9	0.7	43.1	na	na	na	na	na	na	na	na	na	na
Dority																				
Parity 0-1 children	0.1	1.9	0.0	2.2	1.8	6.4	7.4	29.9	0.4	50.0	0.3	5.6	0.0	2.4	3.0	3.8	4.8	24.6	1.0	53.6
2-3 children	0.1	15.4	0.4	7.1	1.0	6.2	0.7	15.4	1.0	52.7	0.3	14.5	0.5	7.1	0.8	6.5	0.5	13.8	1.9 0.4	55.7
4+ children	2.6	17.9	3.7	4.3	0.1	9.7	1.5	8.8	1.8	49.7	3.0	16.1	4.0	4.9	0.1	9.4	0.9	8.6	2.0	50.9
	2.0	17.5	3.7	4.5	0.1	3.7	1.3	0.0	1.0	43.7	3.0	10.1	4.0	4.5	0.1	3.4	0.5	0.0	2.0	30.3
Residence																				
Urban	0.8	10.1	1.2	4.0	1.1	7.3	4.0	20.0	1.0	50.6	1.5	13.5	2.0	5.2	0.9	7.3	1.5	13.5	1.4	53.1
Education																				
Never																				
Primary	0.8	16.9	0.9	6.8	1.8	11.7	2.6	14.5	2.1	42.1	1.3	17.0	1.4	5.9	1.5	15.1	2.3	8.6	2.8	44.2
Secondary	1.1	10.0	1.5	4.0	0.6	7.3	3.6	20.2	0.8	51.0	2.0	14.1	2.5	5.5	0.2	6.3	0.8	13.2	1.5	53.9
Tertiary	0.0	3.2	0.5	1.0	2.5	4.0	7.2	25.5	0.8	55.4	0.0	6.5	1.1	2.0	3.5	3.4	4.0	20.6	0.0	59.1
Wealth Quintil	e																			
Lowest	0.2	12.8	0.6	8.9	1.2	7.8	2.3	14.9	1.3	49.9	0.3	15.5	0.8	9.1	1.6	10.6	0.8	10.9	1.9	48.7
Lower	2.3	13.3	1.1	5.7	0.6	9.3	2.9	15.7	2.3	46.9	4.3	15.0	1.6	7.0	0.0	12.2	1.3	12.2	2.8	43.5
Middle	1.0	7.4	1.4	2.3	0.5	8.5	3.1	22.6	0.3	53.0	1.8	13.2	2.3	4.1	0.2	6.7	0.3	14.6	0.5	56.3
High	0.0	10.7	0.0	3.0	2.0	3.6	7.3	26.0	0.2	47.3	0.0	17.7	0.0	3.0	3.0	2.1	4.7	14.2	0.3	55.0
Highest	0.5	6.6	2.8	1.1	1.4	6.9	4.1	20.0	0.8	55.8	0.9	6.0	5.3	2.2	0.0	3.7	0.9	15.9	1.5	63.6
Region																				
Kinshasa	0.8	10.1	1.2	4.0	1.1	7.3	4.0	20.0	1.0	50.6	1.5	13.5	2.0	5.2	0.9	7.3	1.5	13.5	1.4	53.1
IXII ISII IUSU	0.8	10.1	1.2	4.0	1.1	,.5	4.0	20.0	1.0	50.0	1.5	13.3	2.0	J.2	0.5	7.5	1.5	13.3	1.4	55.1

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Unmet Need for Family Planning**

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background

Characteristics	All Women (N = 2911)			Married Women (N = 1366)			
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total	
Total							
All	11.5	3.0	14.6	16.7	5.9	22.6	
Age Group							
15-19	9.1	0.5	9.6	41.9	1.0	42.9	
20-24	14.8	0.4	15.2	33.0	1.0	34.0	
25-29	15.6	2.5	18.1	22.2	4.3	26.5	
30-34	17.2	3.0	20.2	21.7	4.5	26.2	
35-39	8.6	5.0	13.6	6.5	6.0	12.5	
40-44	3.5	12.0	15.5	4.0	14.8	18.8	
45-49	1.4	6.6	8.0	1.8	7.9	9.7	
Marital Status							
Married, or in union	16.7	5.9	22.6	na	na	na	
Unmarried, sexually active	20.9	1.4	22.4	na	na	na	
Parity							
0-1 children	10.2	0.2	10.4	24.9	0.2	25.1	
2-3 children	16.7	2.3	19.0	17.0	2.6	19.6	
4+ children	9.9	11.1	21.0	10.9	12.6	23.5	
Residence							
Urban	11.5	3.0	14.6	16.7	5.9	22.6	
Education							
Never	4.1	17.9	22.0	3.1	23.5	26.6	
Primary	15.2	6.5	21.7	20.3	11.2	31.4	
Secondary	11.8	2.0	13.8	17.3	4.2	21.5	
Tertiary	7.2	0.9	8.1	12.5	1.6	14.1	
Wealth Quintile							
Lowest	16.4	7.0	23.4	19.7	10.0	29.7	
Lower	11.7	1.7	13.5	17.2	3.6	20.8	
Middle	10.8	3.3	14.2	13.3	6.5	19.8	
High	12.4	1.6	14.0	20.0	3.5	23.4	
Highest	7.6	2.4	10.1	13.2	5.1	18.3	

**Region** Kinshasa

11.5

3.0

14.6

16.7

5.9

22.6

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Need and Demand for Family Planning**

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Married Women 2 (N=1366)

# Background Characteristics

Characteristics		All W	omen (i	N=2911)		Married Women (N=1366)				1
	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern <sup>1</sup> Method	Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	42.3	20.9	14.6	56.8	36.7	49.9	23.4	22.6	72.5	32.3
Age Group										
15-19	17.6	7.0	9.6	27.2	25.6	38.9	11.6	42.9	81.8	14.1
20-24	48.7	27.0	15.2	63.9	42.3	49.1	29.1	34.0	83.1	35.0
25-29	53.4	27.9	18.1	71.5	39.0	51.1	24.5	26.5	77.6	31.6
30-34	47.3	24.8	20.2	67.5	36.7	44.7	22.7	26.2	70.9	32.1
35-39	59.8	28.9	13.6	73.3	39.4	66.5	30.4	12.5	79.0	38.5
40-44	44.5	19.4	15.5	60.0	32.3	47.2	20.8	18.8	66.1	31.5
45-49	30.5	8.5	8.0	38.5	22.2	34.1	9.5	9.7	43.9	21.6
Marital Status										
Married, or in union	49.9	23.4	22.6	72.5	32.3	na	na	na	na	na
Unmarried, sexually active	73.7	41.9	22.4	96.1	43.6	na	na	na	na	na
Parity										
0-1 children	33.7	16.8	10.4	44.1	38.2	36.0	16.7	25.1	61.1	27.4
2-3 children	49.5	23.4	19.0	68.4	34.1	50.9	22.5	19.6	70.5	31.9
4+ children	57.6	29.0	21.0	78.7	36.9	58.4	28.7	23.5	81.9	35.0
Residence										
Urban	42.3	20.9	14.6	56.8	36.7	49.9	23.4	22.6	72.5	32.3
Education										
Never	41.2	14.4	22.0	63.2	22.7	45.9	17.7	26.6	72.5	24.4
Primary	37.3	21.6	21.7	59.0	36.6	46.4	25.9	31.4	77.8	33.3
Secondary	42.7	20.9	13.8	56.6	37.0	51.3	23.7	21.5	72.8	32.5
Tertiary	46.5	20.8	8.1	54.6	38.0	49.8	20.4	14.1	63.9	31.9
Wealth Quintile										
Lowest	42.5	21.3	23.4	65.9	32.3	47.6	24.4	29.7	77.3	31.6
Lower	44.7	23.7	13.5	58.1	40.8	54.7	30.9	20.8	75.5	40.9
Middle	47.0	22.1	14.2	61.2	36.1	52.2	22.8	19.8	72.1	31.7
High	40.9	21.5	14.0	54.8	39.3	46.7	21.0	23.4	70.2	30.0
Highest	36.7	16.2	10.1	46.8	34.7	48.3	17.6	18.3	66.6	26.4
Region										
Kinshasa	42.3	20.9	14.6	56.8	36.7	49.9	23.4	22.6	72.5	32.3

All Women (N=2911)

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



Pregnancy Intentions
Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background	All Wome	en with 1 or Mo	ore Births	Married Women with 1 or More Births				
Characteristics		(N=1169)			(N=922)			
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All		
Total								
All	47.2	44.6	8.2	52.7	39.7	7.6		
Age Group								
15-19	13.8	74.4	11.8	15.4	73.9	10.7		
20-24	30.7	60.4	8.9	40.8	52.6	6.6		
25-29	48.9	46.0	5.1	55.1	39.7	5.2		
30-34	58.0	37.7	4.3	59.9	35.7	4.4		
35-39	51.0	37.1	11.9	52.3	36.5	11.1		
40-44	64.2	22.6	13.2	64.6	23.9	11.5		
45-49								
Marital Status								
Married, or in union	52.7	39.7	7.6	na	na	na		
Unmarried, sexually active	28.4	61.3	10.3	na	na	na		
Parity								
0-1 children	39.5	54.6	6.0	53.0	43.9	3.1		
2-3 children	53.9	39.5	6.6	59.0	35.4	5.7		
4+ children	46.5	41.4	12.1	46.0	41.6	12.4		
Residence								
Urban	47.2	44.6	8.2	52.7	39.7	7.6		
Education								
Never	43.2	36.6	20.2	42.4	35.4	22.2		
Primary	32.3	55.2	12.5	36.3	51.5	12.2		
Secondary	47.2	45.8	7.0	52.2	41.1	6.7		
Tertiary	71.8	24.2	4.0	79.6	18.8	1.6		
Wealth Quintile								
Lowest	47.2	39.6	13.3	51.7	35.1	13.2		
Lower	39.4	52.3	8.3	42.3	48.9	8.8		
Middle	51.8	42.8	5.4	57.2	38.3	4.5		
High	39.8	54.2	6.0	46.0	48.6	5.3		
Highest	60.5	32.2	7.3	68.9	26.9	4.2		
Region								
Kinshasa	47.2	44.6	8.2	52.7	39.7	7.6		
		-		-				

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Contraceptive Choice**

Percent distribution of women age 15 to 49 who are currently using modern contraception reporting on who decided on the contraceptive method, by background characteristics.

Background	Self	Jointly with	Provider	(N = 608)
Characteristics	3611	Partner	Alone/Partner	( 525)
Total				
All	41.5	51.7	6.8	
Age Group				
15-19	17.3	65.9	16.8	
20-24	41.2	52.0	6.8	
25-29	50.1	40.4	9.5	
30-34	38.9	58.0	3.0	
35-39	43.2	53.1	3.7	
40-44	49.5	45.3	5.2	
45-49				
Marital Status				
Married, or in union	39.2	54.9	5.9	
Unmarried, sexually active	47.0	46.0	7.0	
Parity				
0-1 children	38.7	52.2	9.0	
2-3 children	45.6	50.8	3.6	
4+ children	42.3	51.7	6.0	
Residence				
Urban	41.5	51.7	6.8	
Education				
Never				
Primary	 49.5	 45.5	 5.0	
Secondary	41.1	45.5 51.7	7.2	
Tertiary	31.9	63.0	5.1	
·	31.5	03.0	5.1	
Wealth Quintile				
Lowest	45.7	44.0	10.3	
Lower	47.4	47.2	5.5	
Middle	35.8	54.1	10.1	
High	41.0	55.1	3.9	
Highest	37.1	58.3	4.6	
Region				
Kinshasa	41.5	51.7	6.8	

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Payment for Family Planning**

Percentage of women age 15 to 49 currently using a modern contraceptive method <sup>1</sup> who paid fees for services, by marital status and background characteristics.

## Background Characteristics

Characteristics	All Modern Contraceptive Users	Married <sup>2</sup> Modern Contraceptive Users
	(N = 608)	(N = 320)
Total		
All	53.8	51.1
Age Group		
15-19	54.5	
20-24	57.9	68.0
25-29	67.4	63.1
30-34	56.8	59.9
35-39	40.1	37.0
40-44	30.0	28.9
45-49		
Marital Status		
Married, or in union	51.1	na
Unmarried, sexually active	58.9	na
Parity		
0-1 children	62.1	73.8
2-3 children	54.1	56.1
4+ children	40.9	38.8
Residence		
Urban	53.8	51.1
	33.0	J1.1
Education		
Never		
Primary	54.8	56.2
Secondary	54.2	48.7
Tertiary	52.0	54.5
Wealth Quintile		
Lowest	63.1	59.8
Lower	50.7	44.0
Middle	51.0	42.7
High	52.1	62.8
Highest	54.8	47.9
Region		
Kinshasa	53.8	51.1

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

<sup>2</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



#### **Method Information Index Components**

Percentage of current modern contraceptive <sup>1</sup> users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about	Informed about other methods Informed about side effects 2				to do if side effects <sup>2</sup>
		Married <sup>3</sup>		Married <sup>3</sup>		Married <sup>3</sup>
	All Users	Users	All Users	Users	All Users	Users
Total	(608)	(320)	(606)	(317)	(189)	(120)
All	38.4	41.1	40.2	48.1	79.2	83.9
Age Group						
15-19	27.1		26.5			
20-24	33.2	27.7	33.1	35.5	69.0	
25-29	32.2	30.6	32.8	40.3	78.4	
30-34	36.7	41.7	39.6	46.7	94.9	100.0
35-39	47.6	43.9	45.7	44.2	77.2	
40-44	62.8	65.4	77.7	76.3	84.9	
45-49						
Marital Status						
Married, or in union	41.1	na	48.1	na	83.9	na
Unmarried, sexually active	38.0	na	30.8	na	81.1	na
Parity						
0-1 children	30.7	30.4	25.1	25.4	63.5	
2-3 children	42.5	41.1	48.2	48.6	90.8	87.1
4+ children	46.9	45.4	56.6	56.7	82.0	80.5
Residence						
Urban	38.4	41.1	40.2	48.1	79.2	83.9
Education						
Never						
Primary	34.9	39.1	46.5	45.8	78.1	84.5
Secondary	36.5	38.0	40.1	49.2	81.2	86.9
Tertiary	53.6	67.3	33.5	51.0		
Wealth Quintile						
Lowest	22.9	24.5	33.0	34.0	89.8	90.1
Lower	37.5	38.4	51.2	56.1	83.2	83.6
Middle	31.8	39.9	35.6	47.5	74.6	90.2
High	43.9	44.1	39.6	55.7	76.3	
Highest	56.4	71.4	38.5	48.2		
Region						
Kinshasa	38.4	41.1	40.2	48.1	79.2	83.9

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

- 2 Asked of all current/recent modern contraceptive users
- 3 Married includes married women and those who are living with a man

- na Not applicable
- -- Less than 25 unweighted observations
- <i> Italics indicate estimate was generated from 25 to 49 unweighted observations



## **Quality of Care**

Percentage of current modern<sup>1</sup>contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 606)	(N = 606)	(N = 606)
All	58.5	62.3	46.5
	38.3	02.3	40.5
Age Group			
15-19	59.4	49.5	41.4
20-24	59.2	65.4	48.6
25-29	57.4	58.1	46.8
30-34	56.3	61.1	44.9
35-39	58.8	60.0	43.5
40-44	65.7	76.4	57.1
45-49			
Marital Status			
Married, or in union	55.8	63.0	43.0
Unmarried, sexually active	62.7	61.4	50.8
Parity			
0-1 children	57.7	61.5	47.9
2-3 children	56.1	58.5	42.6
4+ children	61.8	66.5	47.4
	02.0	00.0	
Residence			
Urban	58.5	62.3	46.5
Education			
Never			
Primary	55.6	59.8	42.0
Secondary	60.5	62.0	47.3
Tertiary	54.4	69.4	51.1
Wealth Quintile			
Lowest	56.0	53.2	39.5
Lower	54.2	64.4	41.1
Middle	53.9	51.3	42.7
High	61.6	64.2	47.2
Highest	69.1	79.8	64.5
Region			
Kinshasa	58.5	62.3	46.5
MIISHUSU	50.5	02.3	70.5

<sup>1</sup> Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactional amenorrhea method

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i>Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Knowledge of Family Planning**

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Either visited by health worker

Background Visited by health wor Characteristics discussed family pla			Visited facility discussed fam	-	or visited facility and discussed family planning		
		Married <sup>1</sup>		Married <sup>1</sup>		Married <sup>1</sup>	
	All Women	Women	All Women	Women	All Women	Women	
Total	(2911)	(1366)	(2911)	(1366)	(2911)	(1366)	
All	6.3	9.3	14.0	22.5	17.9	27.4	
Age Group							
15-19	3.5	9.3	4.7	24.3	7.2	28.1	
20-24	5.1	6.8	13.8	31.0	17.5	33.1	
25-29	8.0	11.1	17.4	24.9	22.4	31.0	
30-34	6.1	6.8	22.6	27.2	25.6	30.8	
35-39	11.1	13.7	19.2	20.8	25.1	28.1	
40-44	9.7	10.4	16.8	17.1	22.3	22.9	
45-49	3.0	4.0	5.2	6.5	8.1	10.4	
Marital Status							
Married, or in union	9.3	na	22.5	na	27.4	na	
Unmarried, sexually active	3.4	na	10.0	na	12.4	na	
					<del></del> ·		
Parity						a= a	
0-1 children	4.5	8.3	8.5	21.9	12.2	27.8	
2-3 children	7.3	8.7	26.0	30.4	28.1	32.5	
4+ children	10.0	10.6	16.4	15.9	22.7	22.7	
Residence							
Urban	6.3	9.3	14.0	22.5	17.9	27.4	
Education							
Never	3.6	4.7	9.6	12.6	10.5	13.8	
Primary	6.9	11.0	16.2	23.4	19.9	29.3	
Secondary	5.9	8.2	12.3	20.3	16.3	25.2	
Tertiary	7.8	12.4	19.1	32.1	23.3	36.7	
Wealth Quintile							
Lowest	10.6	12.0	17.5	22.8	23.0	28.3	
Lower	6.2	8.7	15.1	23.6	18.9	27.4	
Middle	4.7	7.6	14.9	21.6	18.3	26.7	
High	5.8	9.8	9.7	18.9	13.6	25.1	
Highest	5.4	8.1	13.6	25.4	17.0	29.4	
Region							
Kinshasa	6.3	9.3	14.0	22.5	17.9	27.4	

<sup>1</sup> Married includes married women and those who are living with a man

na Not applicable

<sup>--</sup> Less than 25 unweighted observations

<sup>&</sup>lt;i> Italics indicate estimate was generated from 25 to 49 unweighted observations



### **Response Rates**

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	N/A	N/A	1914
Households Occupied	N/A	N/A	1895
Households Interviewed	N/A	N/A	1841
Household Response Rate <sup>1</sup>			97.15%
Interviews with Women			
Number of Eligible Women <sup>2</sup>	N/A	N/A	2709
Number of Eligible Women Interviewed	N/A	N/A	2582
Eligible Woman Response Rate <sup>3</sup>			95.31%

- 1 Household response rate = households interviewed/households selected
- 2 Eligible women are women ages 15-49 identified in completed household interviews
- 3 Eligible response rate = eligible women interviewed/eligible women



	All Women					Married Women <sup>1</sup>			
Variable	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper	
Currently using a modern method	0.209	0.013	0.184	0.236	0.234	0.022	0.193	0.280	
Currently using a traditional method	0.214	0.017	0.182	0.250	0.265	0.025	0.217	0.319	
Currently using any contraceptive method	0.423	0.023	0.378	0.469	0.499	0.034	0.432	0.566	
Currently using DMPA-IM	0.017	0.004	0.011	0.026	0.026	0.006	0.017	0.040	
Currently using DMPA-SC	0.005	0.002	0.002	0.011	0.005	0.003	0.001	0.015	
Currently using condoms	0.199	0.020	0.163	0.242	0.135	0.022	0.097	0.184	
Currenlty using implants	0.042	0.006	0.032	0.057	0.068	0.011	0.048	0.094	
Chose method by self or jointly in past 12 months	0.932	0.018	0.885	0.960	0.941	0.019	0.891	0.969	
Paid fees for family planning services in past 12 months	0.298	0.029	0.243	0.359	0.266	0.033	0.205	0.338	
Informed by provider about other methods	0.323	0.042	0.245	0.411	0.352	0.045	0.268	0.447	
Informed by provider about side effects	0.370	0.037	0.300	0.447	0.457	0.050	0.360	0.556	
Satisfied with provider: Would return and refer friend/relative to provider	0.445	0.060	0.329	0.566	0.416	0.059	0.305	0.537	
Visited by health worker who talked about family planning in past 12 months	0.064	0.016	0.038	0.105	0.094	0.024	0.055	0.155	

<sup>1</sup> Married includes married women and those who are living with a man