PMA
PERFORMANCE MONITORING FOR ACTION

JOHNS HOPKINS
BLOOMBERG SCHOOL
of PUBLIC HEALTH

BILL & MELINDA GATES INSTITUTE for
POPULATION and REPRODUCTIVE HEALTH

Burkina Faso (Hauts Bassins)
Snapshot of Indicators
Phase 2 (2021) Cross-sectional Survey

PMA www.pmadata.org   f @PMA4Action   @pma4action   @PMA4Action

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	678	1582
Age Group			
15-19	19.2	130	310
20-24	19.2	130	308
25-29	16.7	113	255
30-34	16.6	113	252
35-39	12.6	86	202
40-44	9.2	63	150
45-49	6.4	44	105
Marital Status			
Married, or in union	70.0	474	1068
Unmarried, sexually active	8.6	58	141
Parity			
0-1 children	12.9	88	213
2-3 children	26.9	182	428
4+ children	34.2	232	507
Residence			
Urban	45.8	310	858
Rural	54.2	368	724
Education			
Never	45.0	305	661
Primary	23.1	156	375
Secondary 1 Cycle	22.5	152	382
Secondary 2 Cycles	6.7	45	117
Tertiary	2.8	19	47
Wealth Quintile			
Lowest	16.8	114	231
Middle	23.4	159	309
Highest	59.8	405	1042

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method [1]		Traditional Method	
	All Women	Married [2] Women	All Women	Married [2] Women	All Women	Married [2] Women
Total						
All	38.7	41.1	35.0	37.9	3.7	3.2
Age Group						
15-19	19.6	23.9	16.8	22.8	2.8	1.0
20-24	47.4	46.4	42.5	41.8	4.9	4.6
25-29	40.8	39.2	37.2	36.9	3.6	2.3
30-34	47.6	45.4	45.8	44.0	1.8	1.4
35-39	50.1	49.6	45.9	45.8	4.2	3.8
40-44	35.2	35.2	30.2	29.7	5.1	5.5
45-49	23.1	24.8	18.0	20.3	5.1	4.4
Marital Status						
Married, or in union	41.1	na	37.9	na	3.2	na
Unmarried, sexually active	70.8	na	61.4	na	9.4	na
Parity						
0-1 children	46.4	39.5	40.7	36.0	5.7	3.5
2-3 children	46.0	44.7	42.0	40.7	4.0	4.1
4+ children	42.6	42.9	40.0	40.1	2.7	2.8
Residence						
Urban	41.4	45.4	36.5	40.6	4.9	4.9
Rural	36.4	38.5	33.6	36.3	2.7	2.2
Education						
Never	37.4	38.3	34.5	35.3	2.9	3.0
Primary	34.8	37.6	32.6	36.2	2.3	1.4
Secondary 1 Cycle	41.1	55.0	35.9	49.6	5.2	5.4
Secondary 2 Cycles	48.0	*63.6*	40.6	*51.7*	7.4	*11.9*
Tertiary	*48.4*	*--*	*41.0*	*--*	*7.4*	*--*
Wealth Quintile						
Lowest	38.8	41.3	35.3	37.9	3.5	3.4
Middle	37.6	37.2	34.1	35.2	3.5	2.0
Highest	39.0	43.1	35.2	39.3	3.9	3.7

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics	All Users (N = 627)										Married Users[1] (N = 461)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	0.3	36.5	6.0	14.8	8.7	12.0	0.2	11.8	0.1	9.6	0.4	38.9	7.4	17.0	9.7	14.3	0.0	4.3	0.2	7.8
Age Group																				
15-19	0.0	34.3	0.0	7.1	7.1	5.1	0.0	31.9	0.0	14.4	--	--	--	--	--	--	--	--	--	--
20-24	0.0	34.4	0.6	15.3	10.7	8.5	0.5	19.6	0.0	10.4	0.0	37.5	1.0	20.7	12.0	11.0	0.0	8.1	0.0	9.8
25-29	0.0	45.3	3.4	12.2	5.3	14.9	0.0	10.1	0.0	8.8	0.0	48.4	3.6	13.0	6.5	16.5	0.0	5.9	0.0	6.0
30-34	0.0	38.6	7.5	15.2	12.1	15.3	0.5	7.0	0.0	3.8	0.0	41.1	8.1	14.8	12.2	17.0	0.0	3.7	0.0	3.1
35-39	0.0	32.1	10.8	21.1	8.5	14.4	0.0	4.7	0.0	8.5	0.0	34.7	9.5	21.7	7.7	15.0	0.0	3.7	0.0	7.7
40-44	0.0	31.1	16.7	17.2	5.7	12.3	0.0	1.0	1.6	14.3	*0.0*	*24.2*	*19.6*	*17.8*	*6.7*	*14.4*	*0.0*	*0.0*	*1.9*	*15.5*
45-49	*8.2*	*33.1*	*14.1*	*9.8*	*5.1*	*7.7*	*0.0*	*0.0*	*0.0*	*22.0*	--	--	--	--	--	--	--	--	--	--
Marital Status																				
Married, or in union	0.4	38.9	7.4	17.0	9.7	14.3	0.0	4.3	0.2	7.8	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	0.0	26.6	2.1	11.0	7.0	7.7	0.6	31.6	0.0	13.3	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	0.0	56.9	3.0	7.6	7.4	6.3	0.0	6.5	0.0	12.3	0.0	56.6	3.7	7.5	8.1	10.0	0.0	5.3	0.0	8.8
2-3 children	0.0	36.9	4.6	16.6	11.1	15.0	0.3	6.3	0.4	8.8	0.0	37.3	4.4	16.4	10.6	14.8	0.0	7.1	0.5	9.1
4+ children	0.8	36.9	10.7	19.8	9.0	14.5	0.0	2.0	0.0	6.2	0.9	35.6	10.8	19.8	9.4	15.2	0.0	1.9	0.0	6.5
Residence																				
Urban	0.0	30.6	8.2	9.0	5.5	16.6	0.5	17.6	0.3	11.8	0.0	32.3	11.3	10.5	5.0	24.1	0.0	5.7	0.4	10.7
Rural	0.6	42.1	3.9	20.5	11.7	7.4	0.0	6.2	0.0	7.6	0.7	43.7	4.5	21.7	13.0	7.3	0.0	3.3	0.0	5.7
Education																				
Never	0.3	41.0	4.5	17.9	11.2	14.4	0.0	2.9	0.0	7.8	0.4	40.1	4.8	18.3	11.5	14.2	0.0	3.1	0.0	7.8
Primary	0.8	35.2	8.6	17.9	10.0	11.3	0.0	9.6	0.0	6.5	1.0	40.4	9.2	18.5	9.4	14.2	0.0	3.6	0.0	3.7
Secondary 1 Cycle	0.0	36.2	7.7	11.3	5.7	8.7	0.0	17.0	0.6	12.7	0.0	34.6	13.6	14.6	7.0	12.4	0.0	6.9	1.0	9.8
Secondary 2 Cycles	0.0	28.4	4.9	7.3	2.8	11.4	1.2	28.5	0.0	15.4	--	--	--	--	--	--	--	--	--	--
Tertiary	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Wealth Quintile																				
Lowest	0.0	46.7	1.0	28.8	6.8	7.7	0.0	0.0	0.0	8.9	0.0	47.9	1.1	28.4	7.4	6.9	0.0	0.0	0.0	8.3
Middle	0.6	38.7	8.0	14.6	13.7	6.1	0.0	8.9	0.0	9.3	0.8	39.6	10.1	16.5	15.3	6.6	0.0	5.7	0.0	5.3
Highest	0.3	32.8	6.6	11.0	7.3	15.3	0.4	16.2	0.2	9.9	0.4	35.2	8.5	13.0	8.0	20.5	0.0	5.3	0.3	8.7

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods [1]		Long Acting Methods [2]	
	All Women (N = 1582)	Married Women [3] (N = 1068)	All Women (N = 1582)	Married Women [3] (N = 1068)
Total				
All	18.4	18.7	16.5	19.2
Age Group				
15-19	10.1	9.7	6.7	13.2
20-24	25.9	24.0	16.6	17.9
25-29	17.3	16.5	19.9	20.4
30-34	23.9	21.6	22.0	22.4
35-39	24.4	23.8	21.5	21.9
40-44	13.3	14.3	16.8	15.4
45-49	5.2	6.2	12.8	14.1
Marital Status				
Married, or in union	18.7	na	19.2	na
Unmarried, sexually active	41.1	na	20.4	na
Parity				
0-1 children	12.9	12.2	27.8	23.8
2-3 children	22.9	22.1	19.1	18.6
4+ children	19.3	19.8	20.7	20.3
Residence				
Urban	20.5	20.8	16.1	19.8
Rural	16.7	17.5	16.9	18.9
Education				
Never	17.3	18.0	17.1	17.3
Primary	17.0	17.2	15.5	19.0
Secondary 1 Cycle	17.8	23.0	18.1	26.5
Secondary 2 Cycles	24.6	*19.7*	16.0	*32.1*
Tertiary	*37.1*	--	*3.8*	--
Wealth Quintile				
Lowest	16.8	17.7	18.5	20.2
Middle	16.3	16.4	17.8	18.8
Highest	19.7	20.3	15.5	19.0

1   Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2   Long-acting methods include IUD, implants, and sterilization (male and female).

3   Married includes married women and those who are living with a man

na   Not applicable

--   Less than 25 unweighted observations

<i>   Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 1582)			Married Women[1] (N = 1068)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	11.0	3.5	14.6	13.3	5.1	18.4
Age Group						
15-19	8.1	0.0	8.1	16.9	0.0	16.9
20-24	12.4	0.3	12.8	15.6	0.6	16.1
25-29	17.2	0.0	17.2	18.5	0.0	18.5
30-34	14.2	2.4	16.6	15.6	2.6	18.2
35-39	9.5	8.1	17.7	10.2	8.7	18.9
40-44	5.9	16.3	22.1	6.9	19.1	25.9
45-49	1.8	8.6	10.3	2.1	10.2	12.3
Marital Status						
Married, or in union	13.3	5.1	18.4	na	na	na
Unmarried, sexually active	17.7	0.0	17.7	na	na	na
Parity						
0-1 children	10.6	0.0	10.6	12.8	0.0	12.8
2-3 children	14.0	1.6	15.7	15.4	1.8	17.1
4+ children	12.2	9.1	21.3	12.8	9.6	22.4
Residence						
Urban	9.0	2.0	10.9	12.1	3.4	15.5
Rural	12.8	4.9	17.6	14.0	6.1	20.1
Education						
Never	14.2	4.6	18.8	14.9	5.0	19.8
Primary	9.5	5.7	15.2	11.5	7.8	19.3
Secondary 1 Cycle	8.5	0.8	9.2	11.4	1.9	13.3
Secondary 2 Cycles	5.2	0.0	5.2	*6.2*	*0.0*	*6.2*
Tertiary	*6.1*	*0.0*	*6.1*	--	--	--
Wealth Quintile						
Lowest	12.6	5.2	17.8	13.4	6.0	19.4
Middle	11.0	4.9	15.8	12.1	6.0	18.2
Highest	10.6	2.6	13.2	13.9	4.2	18.1

1 *Married includes married women and those who are living with a man*

na *Not applicable*

-- *Less than 25 unweighted observations*

<i> *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background Characteristics	All Women (N=1582)					Married Women[2] (N=1068)				
	Any Method	Modern[1] Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern[1] Method	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	38.7	35.0	14.6	53.2	65.7	41.1	37.9	18.4	59.5	63.7
Age Group										
15-19	19.6	16.8	8.1	27.7	60.5	23.9	22.8	16.9	40.8	--
20-24	47.4	42.5	12.8	60.2	70.6	46.4	41.8	16.1	62.5	66.9
25-29	40.8	37.2	17.2	58.0	64.2	39.2	36.9	18.5	57.8	63.8
30-34	47.6	45.8	16.6	64.2	71.4	45.4	44.0	18.2	63.6	69.2
35-39	50.1	45.9	17.7	67.8	67.7	49.6	45.8	18.9	68.5	66.8
40-44	35.2	30.2	22.1	57.3	52.6	35.2	29.7	25.9	61.1	48.6
45-49	23.1	18.0	10.3	33.5	*53.9*	24.8	20.3	12.3	37.1	*54.8*
Marital Status										
Married, or in union	41.1	37.9	18.4	59.5	63.7	na	na	na	na	na
Unmarried, sexually active	70.8	61.4	17.7	88.6	69.3	na	na	na	na	na
Parity										
0-1 children	46.4	40.7	10.6	57.0	71.4	39.5	36.0	12.8	52.3	68.9
2-3 children	46.0	42.0	15.7	61.7	68.0	44.7	40.7	17.1	61.9	65.8
4+ children	42.6	40.0	21.3	63.9	62.6	42.9	40.1	22.4	65.3	61.4
Residence										
Urban	41.4	36.5	10.9	52.3	69.8	45.4	40.6	15.5	61.0	66.5
Rural	36.4	33.6	17.6	54.0	62.2	38.5	36.3	20.1	58.6	62.0
Education										
Never	37.4	34.5	18.8	56.2	61.4	38.3	35.3	19.8	58.1	60.8
Primary	34.8	32.6	15.2	50.1	65.0	37.6	36.2	19.3	56.9	63.6
Secondary 1 Cycle	41.1	35.9	9.2	50.4	71.3	55.0	49.6	13.3	68.2	72.7
Secondary 2 Cycles	48.0	40.6	5.2	53.2	76.3	*63.6*	*51.7*	*6.2*	*69.8*	--
Tertiary	*48.4*	*41.0*	*6.1*	*54.4*	*75.3*	--	--	--	--	--
Wealth Quintile										
Lowest	38.8	35.3	17.8	56.6	62.5	41.3	37.9	19.4	60.7	62.4
Middle	37.6	34.1	15.8	53.4	63.8	37.2	35.2	18.2	55.4	63.6
Highest	39.0	35.2	13.2	52.2	67.4	43.1	39.3	18.1	61.2	64.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=816)			Married[1] Women with 1 or More Births (N=756)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	74.0	23.2	2.8	77.2	20.2	2.6
Age Group						
15-19	57.0	43.0	0.0	*68.8*	*31.2*	*0.0*
20-24	70.4	27.9	1.8	77.1	22.3	0.6
25-29	78.8	20.7	0.5	81.5	17.9	0.6
30-34	79.0	19.5	1.5	80.2	18.7	1.1
35-39	77.4	17.6	5.0	78.0	17.0	5.0
40-44	56.9	28.8	14.3	56.1	29.3	14.6
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	77.2	20.2	2.6	na	na	na
Unmarried, sexually active	*17.6*	*75.7*	*6.7*	na	na	na
Parity						
0-1 children	67.2	31.3	1.4	80.3	19.7	0.0
2-3 children	78.6	20.4	1.0	80.4	18.5	1.1
4+ children	72.9	22.2	5.0	73.3	21.9	4.8
Residence						
Urban	75.8	22.3	1.9	81.4	17.2	1.4
Rural	72.8	23.8	3.3	74.7	22.0	3.3
Education						
Never	76.3	21.1	2.7	76.8	20.6	2.5
Primary	76.0	19.1	4.9	77.3	18.1	4.7
Secondary 1 Cycle	64.7	34.3	1.1	77.2	22.8	0.0
Secondary 2 Cycles	*66.2*	*33.8*	*0.0*	--	--	--
Tertiary	--	--	--	--	--	--
Wealth Quintile						
Lowest	68.3	27.6	4.1	69.8	25.9	4.3
Middle	73.8	24.0	2.2	76.9	21.2	1.8
Highest	76.2	21.2	2.6	80.2	17.5	2.3

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception[1] reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 528)
Total				
All	67.5	19.2	13.2	
Age Group				
15-19	*52.7*	*33.7*	*13.6*	
20-24	63.0	20.9	16.1	
25-29	61.0	21.0	18.0	
30-34	71.4	19.1	9.5	
35-39	74.9	11.8	13.3	
40-44	*81.5*	*15.9*	*2.6*	
45-49	--	--	--	
Marital Status				
Married, or in union	71.1	17.4	11.6	
Unmarried, sexually active	52.4	28.7	18.9	
Parity				
0-1 children	70.1	18.8	11.2	
2-3 children	66.0	21.2	12.8	
4+ children	77.6	12.6	9.8	
Residence				
Urban	66.6	20.1	13.3	
Rural	68.3	18.5	13.2	
Education				
Never	71.4	15.9	12.6	
Primary	69.6	20.1	10.3	
Secondary 1 Cycle	68.2	19.9	11.9	
Secondary 2 Cycles	*56.6*	*22.7*	*20.6*	
Tertiary	--	--	--	
Wealth Quintile				
Lowest	72.5	16.5	11.0	
Middle	63.1	22.2	14.7	
Highest	67.8	18.9	13.3	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive [1] users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other [2] methods		Informed about side [2] effects		Told what to do if experienced [4] side effects		Told about switching [2] methods in future	
	All Users	Married [3] Users	All Users	Married [3] Users	All Users	Married [3] Users	All Users	Married [3] Users
Total	**(528)**	**(402)**	**(528)**	**(402)**	**(275)**	**(226)**	**(528)**	**(402)**
All	60.0	64.1	51.6	55.9	84.8	87.2	67.3	70.2
Age Group								
15-19	*55.8*	--	*37.8*	--	--	--	*49.9*	--
20-24	50.2	53.2	44.3	45.0	81.5	*90.1*	62.9	66.0
25-29	63.7	66.5	50.2	51.9	*87.7*	*87.2*	67.6	68.2
30-34	69.1	72.0	58.3	61.9	85.2	84.1	72.3	70.6
35-39	60.0	61.8	55.2	56.1	94.0	95.1	70.3	72.5
40-44	*66.7*	*65.9*	*57.4*	*58.1*	--	--	*76.7*	*75.4*
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	64.1	na	55.9	na	87.2	na	70.2	na
Unmarried, sexually active	45.6	na	31.4	na	*80.8*	na	56.3	na
Parity								
0-1 children	69.0	72.3	60.9	59.2	80.6	*83.8*	71.9	71.7
2-3 children	63.0	63.7	54.3	55.2	89.8	89.4	70.6	69.2
4+ children	62.3	62.6	55.2	55.9	85.2	86.6	70.7	71.0
Residence								
Urban	64.3	72.0	54.6	61.8	88.5	89.2	68.5	74.3
Rural	56.2	58.7	49.0	51.9	81.1	85.5	66.2	67.4
Education								
Never	58.3	58.6	57.3	56.5	87.2	88.9	66.0	65.6
Primary	62.3	67.4	43.8	50.5	89.2	88.7	71.0	76.7
Secondary 1 Cycle	66.1	72.4	54.2	61.3	76.8	*81.5*	70.1	73.4
Secondary 2 Cycles	*59.2*	--	*49.0*	--	--	--	*65.7*	--
Tertiary	--	--	--	--	--	--	--	--
Wealth Quintile								
Lowest	55.1	56.4	44.1	44.6	*86.6*	*91.2*	60.6	62.4
Middle	59.4	64.2	53.9	59.7	75.3	*80.6*	74.2	76.7
Highest	61.7	67.0	52.9	58.4	88.1	89.1	66.5	70.2

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern[1] contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	**(N = 518)**	**(N = 518)**	**(N = 518)**
All	92.2	88.5	86.5
Age Group			
15-19	*86.4*	*92.0*	*83.3*
20-24	87.0	80.6	78.7
25-29	93.5	92.0	89.9
30-34	95.0	91.8	90.4
35-39	92.9	88.5	87.4
40-44	*98.0*	*90.2*	*90.2*
45-49	--	--	--
Marital Status			
Married, or in union	95.6	90.9	89.1
Unmarried, sexually active	82.7	81.9	80.8
Parity			
0-1 children	93.8	91.5	87.4
2-3 children	93.7	90.4	88.6
4+ children	96.0	89.4	88.9
Residence			
Urban	91.0	89.0	87.8
Rural	93.3	88.1	85.3
Education			
Never	94.6	87.5	86.4
Primary	94.5	91.4	90.2
Secondary 1 Cycle	88.1	87.7	83.0
Secondary 2 Cycles	*89.7*	*92.5*	*89.7*
Tertiary	--	--	--
Wealth Quintile			
Lowest	95.0	87.8	86.6
Middle	95.3	88.6	86.8
Highest	90.2	88.7	86.3

1   *Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method*

na   *Not applicable*

--   *Less than 25 unweighted observations*

<i>   *Italics indicate estimate was generated from 25 to 49 unweighted observations*

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married[1] Women	All Women	Married[1] Women	All Women	Married[1] Women
Total	**(1582)**	**(1068)**	**(1582)**	**(1068)**	**(1582)**	**(1068)**
All	9.1	8.5	18.7	21.8	25.0	27.6
Age Group						
15-19	11.8	13.1	9.7	15.2	18.5	25.1
20-24	9.7	8.0	24.2	28.4	31.4	34.0
25-29	6.1	6.1	23.2	24.1	27.7	28.7
30-34	7.7	8.5	22.4	23.6	26.7	28.4
35-39	11.1	11.0	20.0	20.8	27.1	28.1
40-44	10.6	10.5	18.1	19.8	25.6	26.7
45-49	4.5	4.0	6.3	6.0	9.6	10.0
Marital Status						
Married, or in union	8.5	na	21.8	na	27.6	na
Unmarried, sexually active	8.1	na	19.0	na	22.1	na
Parity						
0-1 children	10.3	11.9	30.2	27.3	36.9	35.6
2-3 children	7.1	7.0	21.6	22.9	25.6	26.8
4+ children	8.6	8.6	20.7	21.4	26.7	27.5
Residence						
Urban	6.4	6.1	18.9	23.5	23.6	27.8
Rural	11.4	10.0	18.6	20.8	26.3	27.4
Education						
Never	6.1	6.4	19.0	20.2	24.0	25.4
Primary	9.0	9.6	17.3	21.4	23.0	27.4
Secondary 1 Cycle	11.0	9.9	18.8	26.3	25.7	31.4
Secondary 2 Cycles	23.4	*27.5*	20.6	*35.4*	37.0	*50.7*
Tertiary	*10.2*	--	*19.3*	--	*24.5*	--
Wealth Quintile						
Lowest	8.5	6.6	15.8	17.1	21.4	21.3
Middle	9.7	9.5	18.5	19.5	25.3	26.5
Highest	9.1	8.7	19.6	24.9	25.9	30.6

1 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	775	700	1475
Households Occupied	741	682	1423
Households Interviewed	724	678	1402
Household Response Rate [1]	97.71%	99.41%	98.52%
Interviews with Women			
Number of Eligible Women [2]	933	766	1699
Number of Eligible Women Interviewed	858	724	1582
Eligible Woman Response Rate [3]	91.96%	94.52%	93.11%

1   *Household response rate = households interviewed/households selected*

2   *Eligible women are women ages 15-49 identified in completed household interviews*

3   *Eligible response rate = eligible women interviewed/eligible women*

Sample Error Estimates

Variable	All Women				Married Women [1]			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.350	0.019	0.312	0.388	0.379	0.027	0.326	0.435
Currently using a traditional method	0.037	0.007	0.026	0.054	0.032	0.007	0.021	0.049
Currently using any contraceptive method	0.387	0.021	0.345	0.430	0.411	0.029	0.355	0.470
Currently using DMPA-IM	0.148	0.020	0.112	0.193	0.170	0.025	0.126	0.227
Currently using DMPA-SC	0.087	0.019	0.056	0.133	0.097	0.023	0.060	0.153
Currently using condoms	0.118	0.017	0.088	0.157	0.043	0.010	0.026	0.070
Currenlty using implants	0.365	0.027	0.312	0.421	0.389	0.031	0.329	0.453
Chose method by self or jointly in past 12 months	0.868	0.013	0.838	0.892	0.884	0.017	0.846	0.914
Informed by provider about other methods	0.600	0.028	0.542	0.655	0.641	0.036	0.566	0.711
Informed by provider about side effects	0.516	0.027	0.461	0.571	0.559	0.029	0.500	0.617
Satisfied with provider: Would return and refer friend/relative to provider	0.865	0.021	0.815	0.903	0.891	0.018	0.849	0.922
Visited by health worker who talked about family planning in past 12 months	0.091	0.015	0.066	0.125	0.085	0.014	0.061	0.117

1   Married includes married women and those who are living with a man