

PMA

PERFORMANCE MONITORING FOR ACTION



BILL & MELINDA GATES INSTITUTE *for*
POPULATION *and* REPRODUCTIVE HEALTH

Kenya (Kilifi) Snapshot of Indicators Phase 3 (2022) Cross-sectional Survey

Suggested citation: International Centre for Reproductive Health Kenya (ICRHK) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. *Performance Monitoring for Action (PMA) Kenya (Kilifi) Phase 3 Cross-sectional Survey Snapshot of Indicators, PMA/Kenya-Kilifi-P3-CS SOIs. 2021. Kenya and Baltimore, Maryland, USA.*

Background Characteristics of Respondents

Distribution of women age 15 to 49 by background characteristics.

Background Characteristics	Percentage of Sample	Weighted Number	Unweighted Number
Total			
All	100.0	874	874
Age Group			
15-19	23.7	207	202
20-24	16.9	147	152
25-29	15.5	136	140
30-34	15.0	131	131
35-39	12.0	105	105
40-44	8.2	72	72
45-49	8.6	76	72
Marital Status			
Married, or in union	55.7	487	483
Unmarried, sexually active	9.2	80	83
Parity			
0-1 children	12.2	107	110
2-3 children	22.4	195	198
4+ children	31.6	276	266
Residence			
Urban	20.5	180	243
Rural	79.5	695	631
Education			
Never	14.9	130	128
Primary	52.8	462	450
Post Primary Vocational	2.9	25	20
Secondary	24.1	211	226
College	4.6	41	44
University	0.6	6	6
Wealth Quintile			
Lowest	19.0	166	168
Lower	23.1	202	185
Middle	23.8	208	191
Higher	16.7	146	163
Highest	17.3	151	167

Current Use of Contraception

Percentage of women ages 15 to 49 currently using a contraceptive method, by type and background characteristics.

Background Characteristics	Any Method		Modern Method ¹		Traditional Method	
	All Women	Married ² Women	All Women	Married ² Women	All Women	Married ² Women
Total						
All	37.2	51.5	35.3	49.0	1.9	2.6
Age Group						
15-19	8.4	--	7.8	--	0.6	--
20-24	42.4	52.0	39.1	47.8	3.4	4.3
25-29	54.5	62.4	51.4	58.6	3.1	3.8
30-34	47.7	50.0	46.8	48.9	1.0	1.2
35-39	48.6	56.0	48.6	56.0	0.0	0.0
40-44	47.5	49.9	46.1	48.0	1.5	1.9
45-49	31.3	30.9	25.7	25.2	5.5	5.8
Marital Status						
Married, or in union	51.5	na	49.0	na	2.6	na
Unmarried, sexually active	54.8	na	53.3	na	1.4	na
Parity						
0-1 children	44.3	52.5	43.6	51.3	0.7	1.2
2-3 children	59.9	65.6	57.2	62.3	2.7	3.3
4+ children	47.1	46.3	44.5	43.6	2.6	2.7
Residence						
Urban	47.4	60.7	44.3	57.0	3.0	3.7
Rural	34.6	49.3	33.0	47.0	1.7	2.3
Education						
Never	38.0	40.5	37.4	39.7	0.7	0.8
Primary	39.9	53.6	37.9	51.1	2.0	2.5
Post Primary Vocational	--	--	--	--	--	--
Secondary	29.7	59.4	27.8	56.2	1.9	3.2
College	<i>40.2</i>	--	<i>35.3</i>	--	<i>4.9</i>	--
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	31.9	44.7	29.2	40.1	2.7	4.6
Lower	31.2	46.4	31.2	46.4	0.0	0.0
Middle	44.8	63.9	42.1	60.0	2.8	3.9
Higher	36.1	41.7	33.9	41.0	2.3	0.7
Highest	41.8	59.3	39.6	55.8	2.2	3.5

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraception Method Mix

Percent distribution of current contraceptive users age 15 to 49, by method type, marital status, and background characteristics.

Background Characteristics

	All Users (N = 325)										Married Users ¹ (N = 250)									
	Sterilization	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl	Steriliztn	Implant	IUD	DMPA IM	DMPA SC	Pill	EC	Condom	Other Modern	Other Tradtnl
Total																				
All	3.1	38.4	1.6	32.5	0.4	5.2	2.7	7.3	3.6	5.2	1.9	41.3	1.8	36.2	0.6	6.8	1.4	2.0	3.1	5.0
Age Group																				
15-19	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
20-24	0.0	46.3	0.0	25.8	0.0	1.9	3.4	14.8	0.0	7.9	<i>0.0</i>	<i>56.0</i>	<i>0.0</i>	<i>31.2</i>	<i>0.0</i>	<i>3.1</i>	<i>1.4</i>	<i>0.0</i>	<i>0.0</i>	<i>8.2</i>
25-29	0.0	31.7	0.0	49.0	0.0	3.3	3.8	1.1	5.4	5.7	0.0	30.4	0.0	50.6	0.0	4.0	3.8	0.0	5.1	6.0
30-34	0.0	42.2	2.3	39.1	1.1	6.7	1.7	1.3	3.6	2.0	0.0	41.2	2.6	40.8	1.3	7.7	0.0	1.5	2.7	2.3
35-39	6.4	37.1	2.1	33.5	1.4	9.0	1.1	4.5	4.8	0.0	<i>5.0</i>	<i>37.1</i>	<i>2.2</i>	<i>33.7</i>	<i>1.5</i>	<i>9.5</i>	<i>1.2</i>	<i>4.8</i>	<i>5.1</i>	<i>0.0</i>
40-44	<i>2.3</i>	<i>50.8</i>	<i>4.1</i>	<i>22.0</i>	<i>0.0</i>	<i>13.4</i>	<i>0.0</i>	<i>2.2</i>	<i>2.0</i>	<i>3.1</i>	<i>0.0</i>	<i>54.1</i>	<i>2.2</i>	<i>18.5</i>	<i>0.0</i>	<i>16.4</i>	<i>0.0</i>	<i>2.6</i>	<i>2.5</i>	<i>3.7</i>
45-49	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Marital Status																				
Married, or in union	1.9	41.3	1.8	36.2	0.6	6.8	1.4	2.0	3.1	5.0	na	na	na	na	na	na	na	na	na	na
Unmarried, sexually active	<i>5.3</i>	<i>30.9</i>	<i>1.8</i>	<i>17.2</i>	<i>0.0</i>	<i>0.0</i>	<i>3.7</i>	<i>31.3</i>	<i>7.2</i>	<i>2.6</i>	na	na	na	na	na	na	na	na	na	na
Parity																				
0-1 children	<i>1.5</i>	<i>42.1</i>	<i>0.0</i>	<i>51.3</i>	<i>0.0</i>	<i>1.7</i>	<i>0.0</i>	<i>0.0</i>	<i>1.7</i>	<i>1.7</i>	<i>2.0</i>	<i>41.5</i>	<i>0.0</i>	<i>51.8</i>	<i>0.0</i>	<i>2.3</i>	<i>0.0</i>	<i>0.0</i>	<i>0.0</i>	<i>2.3</i>
2-3 children	1.0	42.0	1.7	36.8	0.6	7.1	3.4	0.7	2.2	4.5	1.1	40.1	1.9	37.2	0.7	7.9	2.8	0.8	2.4	5.0
4+ children	6.4	42.4	2.5	28.6	0.5	6.1	0.0	3.3	4.6	5.6	2.5	42.4	2.2	30.5	0.6	7.2	0.0	3.9	4.8	5.9
Residence																				
Urban	2.7	35.8	3.9	25.0	1.7	7.7	2.5	10.0	4.2	6.4	0.0	41.2	4.4	27.5	2.5	11.4	1.9	1.4	3.5	6.1
Rural	3.3	39.3	0.8	35.1	0.0	4.4	2.7	6.3	3.4	4.8	2.4	41.4	1.0	38.8	0.0	5.4	1.2	2.2	3.0	4.6
Education																				
Never	5.5	61.7	3.2	13.1	0.0	5.1	0.0	4.6	5.0	1.8	<i>4.6</i>	<i>57.1</i>	<i>3.7</i>	<i>15.3</i>	<i>0.0</i>	<i>6.0</i>	<i>0.0</i>	<i>5.4</i>	<i>5.8</i>	<i>2.1</i>
Primary	4.0	38.0	2.0	38.8	0.4	4.0	1.8	3.0	3.0	4.9	1.8	38.2	1.9	41.3	0.5	5.0	1.6	1.9	3.2	4.7
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Secondary	0.0	29.6	0.0	24.0	1.1	8.6	8.4	17.2	4.7	6.3	<i>0.0</i>	<i>43.7</i>	<i>0.0</i>	<i>30.2</i>	<i>1.9</i>	<i>14.3</i>	<i>2.9</i>	<i>0.0</i>	<i>1.6</i>	<i>5.4</i>
College	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
University	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Wealth Quintile																				
Lowest	1.6	52.3	1.5	27.6	0.0	3.9	1.5	1.6	1.6	8.4	<i>1.9</i>	<i>51.4</i>	<i>0.0</i>	<i>29.5</i>	<i>0.0</i>	<i>4.7</i>	<i>0.0</i>	<i>0.0</i>	<i>1.9</i>	<i>10.4</i>
Lower	6.8	33.2	3.0	32.5	0.0	1.7	3.7	11.3	7.8	0.0	<i>3.9</i>	<i>36.9</i>	<i>3.8</i>	<i>41.0</i>	<i>0.0</i>	<i>2.1</i>	<i>0.0</i>	<i>2.5</i>	<i>9.9</i>	<i>0.0</i>
Middle	1.0	44.1	0.0	36.6	1.5	3.1	2.5	4.1	0.9	6.2	0.0	45.4	0.0	39.3	1.9	4.0	3.2	0.0	0.0	6.2
Higher	5.1	34.5	0.0	27.5	0.0	6.7	3.9	10.3	5.8	6.3	<i>5.3</i>	<i>43.1</i>	<i>0.0</i>	<i>32.3</i>	<i>0.0</i>	<i>9.9</i>	<i>1.4</i>	<i>4.3</i>	<i>2.0</i>	<i>1.7</i>
Highest	2.3	26.8	4.0	34.5	0.0	11.8	1.8	10.2	3.3	5.4	0.0	29.6	5.2	35.2	0.0	15.3	1.2	4.8	2.7	5.9

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Modern contraceptive methods

Percentage of women ages 15 to 49 using short-acting and long-acting contraceptive methods by background characteristics.

Background Characteristics	Short Acting Methods ¹		Long Acting Methods ²	
	All Women (N = 874)	Married Women ³ (N = 483)	All Women (N = 874)	Married Women ³ (N = 483)
Total				
All	19.2	25.8	16.1	23.2
Age Group				
15-19	7.5	--	0.4	--
20-24	19.4	18.6	19.6	29.2
25-29	34.1	39.6	17.3	19.0
30-34	25.5	26.9	21.2	21.9
35-39	26.4	31.2	22.2	24.8
40-44	18.9	19.9	27.2	28.1
45-49	3.7	4.8	22.0	20.4
Marital Status				
Married, or in union	25.8	na	23.2	na
Unmarried, sexually active	32.5	na	20.8	na
Parity				
0-1 children	24.2	28.4	19.3	22.9
2-3 children	30.4	34.0	26.8	28.3
4+ children	20.3	21.7	24.1	21.8
Residence				
Urban	24.3	29.3	20.1	27.7
Rural	17.9	24.9	15.0	22.1
Education				
Never	10.6	13.2	26.8	26.5
Primary	20.4	28.6	17.5	22.5
Post Primary Vocational	--	--	--	--
Secondary	19.0	30.2	8.8	26.0
College	<i>31.7</i>	--	<i>3.6</i>	--
University	--	--	--	--
Wealth Quintile				
Lowest	11.5	16.2	17.7	23.9
Lower	17.8	25.7	13.4	20.7
Middle	21.8	31.0	20.2	29.0
Higher	19.6	20.8	14.3	20.2
Highest	25.8	35.1	13.8	20.6

1 Short-acting methods include injectables, pills, emergency contraception, condom (male and female), standard days/cycle beads, and LAM.

2 Long-acting methods include IUD, implants, and sterilization (male and female).

3 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Unmet Need for Family Planning

Percent of women ages 15 to 49 with unmet need for family planning (for spacing or limiting), by marital status and background characteristics.

Background Characteristics	All Women (N = 874)			Married Women ¹ (N = 483)		
	For Spacing	For Limiting	Total	For Spacing	For Limiting	Total
Total						
All	7.9	4.9	12.7	9.7	7.1	16.8
Age Group						
15-19	2.7	0.8	3.5	--	--	--
20-24	16.4	2.1	18.5	17.6	1.6	19.2
25-29	7.4	1.1	8.5	8.1	1.5	9.6
30-34	12.3	6.9	19.2	12.7	8.2	20.9
35-39	8.2	8.0	16.2	10.0	7.1	17.0
40-44	4.0	14.6	18.6	5.1	18.7	23.8
45-49	1.7	11.1	12.8	2.2	11.2	13.3
Marital Status						
Married, or in union	9.7	7.1	16.8	na	na	na
Unmarried, sexually active	22.8	8.6	31.5	na	na	na
Parity						
0-1 children	12.4	1.8	14.2	13.7	0.0	13.7
2-3 children	8.7	3.6	12.3	10.2	2.7	12.9
4+ children	8.4	11.6	20.0	8.7	12.9	21.6
Residence						
Urban	7.6	4.7	12.3	8.2	7.6	15.8
Rural	7.9	4.9	12.8	10.0	7.0	17.1
Education						
Never	9.0	12.5	21.5	9.0	13.1	22.1
Primary	7.5	4.3	11.9	10.5	6.0	16.5
Post Primary Vocational	--	--	--	--	--	--
Secondary	6.5	1.5	8.0	7.1	3.7	10.8
College	<i>19.0</i>	<i>2.6</i>	<i>21.7</i>	--	--	--
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	8.9	5.2	14.1	11.4	8.1	19.5
Lower	7.4	3.6	11.0	9.4	5.9	15.4
Middle	4.8	5.5	10.3	6.2	6.8	13.0
Higher	12.4	5.1	17.5	15.3	7.2	22.4
Highest	7.1	5.1	12.2	7.1	8.1	15.2

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Need and Demand for Family Planning

Percent of women age 15 to 49 with met need, unmet need, and total demand for family planning, and percentage of demand for family planning satisfied with modern methods, by marital status and background characteristics.

Background

Characteristics

Characteristics	All Women (N=874)					Married Women ² (N=483)				
	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern	Any Method	Modern Method ¹	Besoins Unmet Need	Total Demand	Demand Satisfied By Modern
Total										
All	37.2	35.3	12.7	50.0	70.6	51.5	49.0	16.8	68.4	71.6
Age Group										
15-19	8.4	7.8	3.5	11.9	<i>65.5</i>	--	--	--	--	--
20-24	42.4	39.1	18.5	60.9	64.1	52.0	47.8	19.2	71.2	67.0
25-29	54.5	51.4	8.5	63.1	81.5	62.4	58.6	9.6	71.9	81.4
30-34	47.7	46.8	19.2	66.9	69.9	50.0	48.9	20.9	70.9	68.9
35-39	48.6	48.6	16.2	64.8	75.0	56.0	56.0	17.0	73.1	76.7
40-44	47.5	46.1	18.6	66.1	<i>69.7</i>	49.9	48.0	23.8	73.7	<i>65.2</i>
45-49	31.3	25.7	12.8	44.0	<i>58.4</i>	30.9	25.2	13.3	44.3	<i>56.9</i>
Marital Status										
Married, or in union	51.5	49.0	16.8	68.4	71.6	na	na	na	na	na
Unmarried, sexually active	54.8	53.3	31.5	86.2	61.9	na	na	na	na	na
Parity										
0-1 children	44.3	43.6	14.2	58.5	74.4	52.5	51.3	13.7	66.2	<i>77.5</i>
2-3 children	59.9	57.2	12.3	72.2	79.3	65.6	62.3	12.9	78.5	79.4
4+ children	47.1	44.5	20.0	67.1	66.3	46.3	43.6	21.6	67.9	64.2
Residence										
Urban	47.4	44.3	12.3	59.7	74.3	60.7	57.0	15.8	76.5	74.5
Rural	34.6	33.0	12.8	47.5	69.5	49.3	47.0	17.1	66.4	70.8
Education										
Never	38.0	37.4	21.5	59.6	62.7	40.5	39.7	22.1	62.6	63.3
Primary	39.9	37.9	11.9	51.7	73.3	53.6	51.1	16.5	70.1	72.9
Post Primary Vocational	--	--	--	--	--	--	--	--	--	--
Secondary	29.7	27.8	8.0	37.7	73.8	59.4	56.2	10.8	70.3	80.0
College	<i>40.2</i>	<i>35.3</i>	<i>21.7</i>	<i>61.8</i>	<i>57.1</i>	--	--	--	--	--
University	--	--	--	--	--	--	--	--	--	--
Wealth Quintile										
Lowest	31.9	29.2	14.1	46.1	63.5	44.7	40.1	19.5	64.2	62.5
Lower	31.2	31.2	11.0	42.2	73.9	46.4	46.4	15.4	61.7	75.1
Middle	44.8	42.1	10.3	55.1	76.2	63.9	60.0	13.0	76.9	77.9
Higher	36.1	33.9	17.5	53.6	63.2	41.7	41.0	22.4	64.2	63.9
Highest	41.8	39.6	12.2	54.0	73.3	59.3	55.8	15.2	74.4	74.9

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Pregnancy Intentions

Unintended births among women age 15 to 49 with one or more births in the previous 5 years or who are currently pregnant: Percent distribution reporting last or current pregnancy was wanted then, wanted later or not wanted at all, by marital status and background characteristics.

Background Characteristics	All Women with 1 or More Births (N=328)			Married ¹ Women with 1 or More Births (N=277)		
	Wanted Then	Wanted Later	Not At All	Wanted Then	Wanted Later	Not At All
Total						
All	68.0	28.3	3.7	70.7	26.2	3.1
Age Group						
15-19	--	--	--	--	--	--
20-24	60.6	34.6	4.8	65.1	32.9	2.0
25-29	73.3	23.1	3.6	75.5	21.9	2.6
30-34	68.6	29.9	1.5	69.0	29.3	1.7
35-39	<i>73.6</i>	<i>21.2</i>	<i>5.2</i>	<i>69.9</i>	<i>24.2</i>	<i>5.9</i>
40-44	--	--	--	--	--	--
45-49	--	--	--	--	--	--
Marital Status						
Married, or in union	70.7	26.2	3.1	na	na	na
Unmarried, sexually active	--	--	--	na	na	na
Parity						
0-1 children	66.9	29.6	3.5	74.2	24.7	1.1
2-3 children	72.1	27.0	1.0	71.4	27.5	1.1
4+ children	64.9	28.8	6.3	68.3	25.7	5.9
Residence						
Urban	70.2	26.7	3.2	74.8	21.2	4.0
Rural	67.4	28.7	3.8	69.8	27.3	2.9
Education						
Never	63.1	28.3	8.6	66.8	25.7	7.6
Primary	66.5	30.3	3.2	68.5	29.1	2.4
Post Primary Vocational	--	--	--	--	--	--
Secondary	71.1	28.9	0.0	<i>79.0</i>	<i>21.0</i>	<i>0.0</i>
College	--	--	--	--	--	--
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	61.2	33.2	5.7	62.2	33.4	4.4
Lower	77.2	18.6	4.2	79.6	17.2	3.2
Middle	58.6	36.3	5.1	67.5	27.8	4.7
Higher	67.5	31.3	1.3	<i>67.7</i>	<i>30.9</i>	<i>1.5</i>
Highest	76.3	23.7	0.0	<i>75.5</i>	<i>24.5</i>	<i>0.0</i>

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Contraceptive Choice

Percent distribution of women age 15 to 49 who are currently using modern contraception¹ reporting on who decided on the contraceptive method, by background characteristics.

Background Characteristics	Self	Jointly with Partner/Provider	Provider/Partner Alone	(N = 299)
Total				
All	47.6	46.9	5.6	
Age Group				
15-19	--	--	--	
20-24	52.7	42.2	5.1	
25-29	55.0	40.5	4.4	
30-34	43.8	54.9	1.3	
35-39	<i>32.6</i>	<i>64.8</i>	<i>2.6</i>	
40-44	<i>66.6</i>	<i>28.8</i>	<i>4.6</i>	
45-49	--	--	--	
Marital Status				
Married, or in union	45.9	51.3	2.8	
Unmarried, sexually active	46.4	38.9	14.8	
Parity				
0-1 children	<i>60.7</i>	<i>39.3</i>	<i>0.0</i>	
2-3 children	45.9	50.5	3.6	
4+ children	50.9	45.0	4.1	
Residence				
Urban	48.8	44.5	6.7	
Rural	47.1	47.7	5.2	
Education				
Never	<i>50.8</i>	<i>44.8</i>	<i>4.4</i>	
Primary	51.6	44.2	4.3	
Post Primary Vocational	--	--	--	
Secondary	36.3	52.5	11.2	
College	--	--	--	
University	--	--	--	
Wealth Quintile				
Lowest	<i>57.5</i>	<i>38.9</i>	<i>3.6</i>	
Lower	52.6	40.4	7.0	
Middle	46.2	50.9	3.0	
Higher	39.4	49.4	11.2	
Highest	43.5	51.6	4.9	

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Method Information Index Components

Percentage of current modern contraceptive¹ users who reported whether provider informed them about other methods, side effects and, if informed of side effects, what to do, by marital status and background characteristics.

Background Characteristics	Informed about other ² methods		Informed about side ² effects		Told what to do if experienced ⁴ side effects		Told about switching ² methods in future	
	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users	All Users	Married ³ Users
Total	(299)	(232)	(299)	(232)	(223)	(182)	(299)	(232)
All	74.2	80.4	73.7	77.3	97.8	97.7	80.7	86.7
Age Group								
15-19	--	--	--	--	--	--	--	--
20-24	59.1	79.2	62.7	75.1	98.6	97.9	74.0	95.2
25-29	77.5	77.8	84.6	84.9	100.0	100.0	93.5	93.6
30-34	81.1	81.8	74.3	75.8	95.4	96.8	81.3	82.0
35-39	79.8	78.6	73.0	71.3	97.1	96.8	76.8	77.3
40-44	75.5	78.3	70.3	66.6	--	--	89.0	89.4
45-49	--	--	--	--	--	--	--	--
Marital Status								
Married, or in union	80.4	na	77.3	na	97.7	na	86.7	na
Unmarried, sexually active	53.7	na	61.6	na	100.0	na	56.5	na
Parity								
0-1 children	81.4	80.5	81.4	83.5	98.6	98.2	90.4	90.5
2-3 children	74.6	77.7	78.7	78.1	98.5	98.2	85.6	86.6
4+ children	81.1	83.6	76.4	74.9	96.6	96.9	84.3	85.3
Residence								
Urban	76.5	85.8	70.0	75.6	95.2	95.5	83.2	95.4
Rural	73.4	78.8	75.0	77.8	98.6	98.3	79.8	84.0
Education								
Never	77.3	78.9	81.8	80.5	97.2	96.7	80.3	78.7
Primary	78.8	83.0	78.8	79.6	97.9	98.1	85.0	87.7
Post Primary Vocational	--	--	--	--	--	--	--	--
Secondary	63.2	74.7	61.1	73.2	97.0	96.0	74.2	94.0
College	--	--	--	--	--	--	--	--
University	--	--	--	--	--	--	--	--
Wealth Quintile								
Lowest	70.0	71.6	82.3	83.1	100.0	100.0	90.6	90.6
Lower	67.4	79.5	69.8	79.5	100.0	100.0	76.2	85.4
Middle	79.1	87.2	82.6	84.2	95.6	95.9	79.3	86.2
Higher	76.1	83.1	62.5	64.1	97.4	96.4	75.6	80.1
Highest	75.7	77.0	66.9	70.1	97.4	96.8	83.4	90.3

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

2 Asked of all current/recent modern contraceptive users

3 Married includes married women and those who are living with a man

4 Asked of all current/recent modern contraceptive users who were informed about side effects

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Quality of Care

Percentage of current modern¹ contraceptive users who would return, would refer a friend/relative, or would return and refer a friend/relative to provider, by background characteristics.

Background Characteristics	Percent who would return to provider	Percent who would refer relative/friend	Percent who would return and refer friend/relative
Total	(N = 291)	(N = 291)	(N = 291)
All	93.9	96.0	92.9
Age Group			
15-19	--	--	--
20-24	94.0	96.1	94.0
25-29	97.7	100.0	97.7
30-34	98.8	100.0	98.8
35-39	<i>95.9</i>	<i>90.2</i>	<i>90.2</i>
40-44	<i>92.2</i>	<i>96.1</i>	<i>92.2</i>
45-49	--	--	--
Marital Status			
Married, or in union	96.5	97.4	95.3
Unmarried, sexually active	<i>87.5</i>	<i>93.3</i>	<i>87.5</i>
Parity			
0-1 children	<i>98.5</i>	<i>98.5</i>	<i>98.5</i>
2-3 children	96.3	100.0	96.3
4+ children	93.9	92.8	91.5
Residence			
Urban	91.5	94.3	89.6
Rural	94.7	96.5	94.1
Education			
Never	<i>97.2</i>	<i>94.1</i>	<i>94.1</i>
Primary	93.0	96.2	93.0
Post Primary Vocational	--	--	--
Secondary	90.7	97.2	90.7
College	--	--	--
University	--	--	--
Wealth Quintile			
Lowest	<i>91.2</i>	<i>97.3</i>	<i>91.2</i>
Lower	94.0	95.9	94.0
Middle	93.4	99.2	93.4
Higher	<i>95.6</i>	<i>92.7</i>	<i>92.7</i>
Highest	95.3	92.8	92.8

1 Modern methods include female and male sterilization, implants, IUD, injectables, pill, emergency contraception, male and female condoms, standard days method, and lactational amenorrhea method

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Knowledge of Family Planning

Percentage of women age 15 to 49 who reported receiving family planning information from a health worker in the past 12 months, by marital status and background characteristics.

Background Characteristics	Visited by health worker who discussed family planning		Visited facility and provider discussed family planning		Either visited by health worker or visited facility and discussed family planning	
	All Women	Married ¹ Women	All Women	Married ¹ Women	All Women	Married ¹ Women
Total	(874)	(483)	(874)	(483)	(874)	(483)
All	11.1	11.9	18.5	25.4	25.6	32.3
Age Group						
15-19	10.3	--	6.4	--	15.1	--
20-24	12.0	13.9	23.2	34.1	29.2	40.4
25-29	10.9	12.7	24.6	27.9	29.0	32.5
30-34	13.6	16.3	25.0	24.8	35.0	36.8
35-39	5.2	5.3	25.3	28.6	29.3	32.5
40-44	13.8	13.4	22.3	24.3	28.5	32.3
45-49	12.7	9.6	6.9	8.8	16.7	14.7
Marital Status						
Married, or in union	11.9	na	25.4	na	32.3	na
Unmarried, sexually active	10.9	na	12.8	na	19.4	na
Parity						
0-1 children	10.4	12.4	24.7	29.6	28.0	33.6
2-3 children	15.5	14.6	25.1	26.5	35.6	36.9
4+ children	11.2	11.0	25.3	26.2	31.1	31.9
Residence						
Urban	8.0	10.3	13.9	20.4	19.3	25.8
Rural	11.9	12.3	19.6	26.6	27.2	33.9
Education						
Never	7.5	7.8	26.3	27.7	31.3	32.5
Primary	13.6	14.2	21.1	27.8	28.9	35.9
Post Primary Vocational	--	--	--	--	--	--
Secondary	10.1	13.4	7.0	12.7	15.9	21.8
College	4.7	--	21.1	--	21.1	--
University	--	--	--	--	--	--
Wealth Quintile						
Lowest	7.7	6.8	24.9	33.7	29.7	35.6
Lower	11.2	14.9	20.8	31.0	30.3	42.9
Middle	12.8	11.2	14.4	17.4	21.1	24.7
Higher	14.1	14.6	19.2	28.5	26.9	33.4
Highest	9.3	12.4	13.1	16.4	19.4	24.0

¹ Married includes married women and those who are living with a man

na Not applicable

-- Less than 25 unweighted observations

<i> Italics indicate estimate was generated from 25 to 49 unweighted observations

Response Rates

Response rates of households and individuals, by residence.

Result	Urban	Rural	Total
Household Interviews			
Households Selected	315	560	875
Households Occupied	291	519	810
Households Interviewed	261	508	769
Household Response Rate ¹	89.69%	97.88%	94.94%
Interviews with Women			
Number of Eligible Women ²	251	644	895
Number of Eligible Women Interviewed	243	631	874
Eligible Woman Response Rate ³	96.81%	97.98%	97.65%

1 Household response rate = households interviewed/households selected

2 Eligible women are women ages 15-49 identified in completed household interviews

3 Eligible response rate = eligible women interviewed/eligible women

Sample Error Estimates

Variable	All Women				Married Women ¹			
	Mean	Std Error	CI Lower	CI Upper	Mean	Std Error	CI Lower	CI Upper
Currently using a modern method	0.353	0.022	0.308	0.401	0.490	0.022	0.444	0.535
Currently using a traditional method	0.019	0.006	0.011	0.035	0.026	0.008	0.014	0.046
Currently using any contraceptive method	0.372	0.022	0.328	0.420	0.515	0.022	0.469	0.561
Currently using DMPA-IM	0.325	0.037	0.254	0.404	0.362	0.038	0.287	0.444
Currently using DMPA-SC	0.004	0.004	0.001	0.027	0.006	0.006	0.001	0.034
Currently using condoms	0.073	0.018	0.044	0.118	0.020	0.008	0.009	0.045
Currently using implants	0.384	0.040	0.305	0.469	0.413	0.047	0.321	0.513
Chose method by self or jointly in past 12 months	0.944	0.016	0.901	0.969	0.972	0.010	0.940	0.987
Informed by provider about other methods	0.742	0.044	0.641	0.823	0.804	0.037	0.717	0.870
Informed by provider about side effects	0.737	0.051	0.620	0.828	0.773	0.041	0.676	0.847
Satisfied with provider: Would return and refer friend/relative to provider	0.929	0.028	0.846	0.969	0.953	0.026	0.861	0.985
Visited by health worker who talked about family planning in past 12 months	0.111	0.027	0.066	0.178	0.119	0.025	0.076	0.182

¹ Married includes married women and those who are living with a man